

COMING TO TERMS WITH NATURE: WATER REUSE NEW PARADIGM TOWARDS INTEGRATED WATER RESOURCES MANAGEMENT

B. Jimenez-Cisneros

National Autonomous University of Mexico, Mexico City, Mexico

Keywords: Water reuse, incidental, unintentional, natural recharge, artificial recharge, groundwater, surface water

Contents

1. Introduction
 2. Towards an integral definition of water reuse
 3. How to overcome people's fear of reused water
 4. What we know about natural water reuse
 - 4.1 Human consumption
 - 4.2 Agricultural irrigation
 5. Natural water reuse origin
 - 5.1 Unacknowledged water discharges
 - 5.1.1 Sewer leakages
 - 5.1.2 On-site sanitation systems
 - 5.1.3 Irrigation of amenity areas
 - 5.1.4 Storage or evaporation tanks and pipelines
 - 5.1.5 Channels or rivers with contaminated water
 - 5.1.6 Water supply network
 - 5.1.7 Other kinds of unacknowledged sources
 - 5.2 Traditionally acknowledged discharges
 - 5.2.1 Municipal
 - 5.2.2 Industrial
 - 5.2.3 Agricultural
 - 5.2.4 Storm run-off
 6. Situation by type of water body
 - 6.1 Surface water
 - 6.2 Groundwater
 7. Control
 8. Conclusions
- Glossary
Bibliography
Biographical Sketch

Summary

Traditionally, water reuse is considered only as an activity where wastewater is intentionally treated to be used once again. Therefore, water reuse is understood as an artificial man made practice. Nevertheless, natural reuse also exists as part of the hydrological cycle, but is not acknowledged. This paper explains the reasons why natural reuse exists and proposes that it be acknowledged as a part of the hydrological

cycle. Cases concerning natural water reuse for human consumption and for agriculture are presented as well as the origin of the discharges that cause it. Because natural reuse is a fact of life, ways to better control its possible negative effects are discussed. It is concluded that recognizing natural water reuse will increase social acceptance of artificial water reuse while at the same time making both water planners and society more aware of the fact that artificial water reuse schemes require more considerations than wastewater treatment plants.

1. Introduction

Traditionally, water reuse is considered only as an activity where wastewater is intentionally treated to be used once again. Therefore, water reuse is understood as an artificial man made practice. Nevertheless, natural reuse also exists as part of the hydrological cycle, but is not acknowledged. Natural reuse exists because water supplies (both surface and groundwater) are not isolated in the environment but are linked with each other and with extractive and in-stream uses, exchanging water and compounds. Moreover, water supplies are linked and also exchange flows with the atmosphere, the ocean and the soil (see Figure 1). All these cross connections produce a natural unacknowledged reuse, which has been happening to such an extent and for so long now that there is increasing evidence that most water contained in water supplies has been previously used. And, although water is naturally reused, wastewater treatment is almost never performed for the purpose of water reuse but to protect human health and the environment.




Figure 1: Natural water reuse as part of the hydrological cycle

It is not difficult to anticipate that the way we look at the hydrological cycle will change

in the future. On the one hand, the world's water deficit will increase (by the year 2025 one third of the world population will live in countries with a water shortage, see *Water and Ethics*) while on the other, the use of water will be more intense (over the last 100 years water use intensity has increased by more than 6 times, see *Management of Aquifer Recharge and Subsurface Storage*). This will not only make wastewater treatment for reuse a common activity but also an important part of the hydrological cycle. This scenario stands in marked contrast with the increasing rejection of water reuse, particularly for human consumption, in some countries and makes it important for water planners to gain water reuse acceptance. Not only could recognizing natural water reuse modify the social perception of artificial water reuse by making water reuse in general a normal activity, it could also make both water planners and society more aware of the fact that artificial water reuse schemes need more considerations than wastewater treatment plants. Recognizing natural water reuse will contribute to a better understanding of information about the depolluting capability of nature not only in water bodies but also in soil and atmosphere and thus how to keep water sources as clean as we wish when required.

2. Towards an integral definition of water reuse

Fear of reusing water comes not from the water itself but from the compounds that water may contain. In that sense, the problem with “used water” is not the fact that it is used but that due to its use quality is changed. If this is true, it should be recognized that there are more “uses” than the officially recognized ones in producing discharges (municipal, industrial or agricultural). These uses/discharges can add noxious compounds to water and may also be the origin of the “evidence” that water bodies contain used water. Other uses given to water bodies are: (a) receptors of used water, (b) a means of getting rid of pollutants, (c) a “self depuration” procedure, (d) a source for diluting used water or (d) simply a sink of several materials. Such uses, intentional or not, should also be considered as sources of discharges. These uses/discharges are opposite to our desire of having good quality water supplies containing “first use water” or “non used water”. Recognizing all these uses/discharges will enable us to recognize that more water bodies than ever imagined contain “used water” and, hence, its use is natural water reuse. Acknowledging natural water reuse will increase our knowledge of its advantages and drawbacks and will make us more aware of the global interactions between in-stream uses, extractive uses, discharges, water bodies, soil, atmosphere and land management. And this perhaps will permit the reconciliation of two antagonistic points of view frequently present in artificial reuse projects:

- That of the reuse experts that cannot understand why people prefer to drink water from “natural” water sources with evidence of used water rather than drink water coming from artificial reuse projects that have been known to produce water with a better quality.
- That of society that does not understand why water planners want people to drink artificially reused water if they can drink water from natural sources that they perceive to be more reliable because they assume these sources have never been used.

3. How to overcome people's fear of reused water

Studies concerning water reuse and social perception refer only to artificial reuse and are still very scarce (see Literature review of factors influencing public perceptions of water reuse) because it is a relatively new activity performed in only some parts of the world. Most of these studies come from developed countries and very specific and local water reuse projects. People consider that (artificial) water reuse is risky because: (1) the use of this water source is not natural; (2) it may be harmful to people; (3) there might be unknown future consequences; (4) their decision to use the water may be irreversible; and (5) the quality and safety of the water is not within their control (see Understanding public attitudes to technology). From different studies the main social objections to artificial water reuse are: (a) the disgust or “Yuck factor”, (b) the perception of the risks of using recycled water; (c) the specific uses of the recycled water; (d) the sources of water to be recycled; (e) the issue of choice; (f) trust and knowledge; (g) attitudes toward the environment; (h) environmental justice issues; (i) the cost of recycled water; and (j) socio-demographic factors (see Literature review of factors influencing public perceptions of water reuse). The fears mentioned above express a lack of knowledge of all the uses given to water bodies as well as of all the discharges sent directly or indirectly to them. Society’s perceptions reflect the thinking of a society that has been taught that water reuse is a new activity and a merely human invention. Some of these perceptions might be different if people were more aware of natural reuse.

The disgust or “Yuck” factor is the objection most frequently cited in literature. It basically consists of the mental association between the water to be reused with concepts that are culturally disgusting such as urine, faecal feces and, in general, all kind of wastes (see Potable Reuse of Treated Wastewater). This barrier is difficult but not impossible to cross, although the way to do it is still not clear. Projects to artificially reuse water for direct human consumption (those where municipal wastewater is treated to achieve drinking quality and then diluted with “first use water” prior to being directly injected to the distribution network) are few. Currently there are only two, and, curiously, both in developing countries. The only one planned in the United States some decades ago was socially rejected after a newspaper announced it as “from toilet to tap”. The first direct (and artificial) water reuse project began to operate in 1968 in Windhoek, Namibia. Several epidemiological and toxicological studies have shown that there are no measurable health risks (see Drought or supply shortage management Integrated water resource management in Windhoek, Namibia). Besides this, government and experts are considered credible people because whenever the treatment plant does not meet the imposed standards, higher than those for drinking water, the supply is stopped. Information about the quality of the reclaimed water is published every day through newspapers. The second project is an “almost direct” water reuse project and it is much more recent (from 2002). It is known as NEWater and takes place in Singapore. NEWater project consists of an advanced wastewater treatment plant with membranes that produce reclaimed water that is mixed with the water contained in a natural reservoir. Water from this reservoir is used to supply 1% of the population. The inhabitants of this country are very conscious of the lack of water, their international dependency on the resource (50% of the water is imported from Malaysia) and the very high cost of desalinating water (see Media blitz on the yuck factor). For these reasons as well as intense communication and public participation campaigns, the project is well accepted (see Hard Sell for New Water). Schemes for indirectly reusing

water for human consumption (where water is treated to a very high level prior to being injected into an aquifer where it remains for several months to be diluted and naturally treated) can be found in several developed countries, such as the United States, The Netherlands and Germany. Injecting the reused water into soil and extracting it later mixed with water previously stored in the aquifer makes it more acceptable to society because they have the feeling it comes from a natural source. In both cases, the strategy of the indirect and direct reuse experts has been to emphasize that the reused water is not used water and that is why the terms reclaimed water or new water are employed.

The second barrier, “perceptions of risk associated with using recycled water”, is complex because what safe means differs for experts and lay people. Experts express safety in a probabilistic way such that a risk of 1 in 1 million may be safe enough while lay people want to perceive how safe is safe in absolute terms. For them the 1 in 1 million might be risky if the one is a family member. In any case, if risks of consuming water from “natural sources” were measured to evaluate natural reuse effects, artificial water reuse would be more easily accepted if it improves a present situation.

Society’s trust and knowledge has evolved with time. When the first water reuse projects began to operate three decades ago, there was no social rejection because people thought that experts and the government made the right decisions. Nowadays society is less confident for several reasons (see Literature Review of Factors Influencing Public Perceptions of Water Reuse). One of them is that experts from different disciplines have different opinions on how convenient and safe water reuse is, and even if lay persons do not fully understand the disagreement between experts they perceive that the knowledge is not as strong as it should be to accept the practice. Recognizing natural water reuse should make water reuse a more familiar activity, not only for society but also for experts from different fields. Acknowledging natural water reuse should help overcome the fear of the unknown. The effects of drinking (naturally) reused water would be known and the feeling of being able to control water quality through artificial reuse would be acquired.

Besides the issues mentioned, it would be interesting to know if water reuse perception varies between developed and developing countries, what the different perceptions among experts of different disciplines are and what people would think about artificial reuse if natural reuse were recognized.

4. What we know about natural water reuse

Actually, we know very little about natural water reuse, simply because it is not an accepted concept. Available information is dispersed in literature, which often links it with pollution problems. Nevertheless, some recent works have begun to talk about “non intentional”, “non planned” or “incidental” water reuse. These cases, in general, describe situations where used water is mixed with (or becomes) part of the water supply. Most of these cases deal with groundwater, not just because it constitutes an important source of water but also because depollution through the passage of used water on soil makes it difficult to reject it as used water. In surface water bodies pollution and even used water discharges are easily detected. Natural water reuse has been reported for human consumption and agricultural irrigation. Sometime, when acknowledge reuse of polluted water is considered as the use of a non conventional

source, see Unconventional Sources of Water Supply.

-
-
-

TO ACCESS ALL THE 32 PAGES OF THIS CHAPTER,
Visit: <http://www.eolss.net/Eolss-sampleAllChapter.aspx>

Bibliography

Alderwish A. and Dottridge J. (1999). Urban recharge and its influence on groundwater quality in Sana'a, Yemen, in *Groundwater in the Urban Environment, Selected City Profile*. Chilton, J. Ed Balkema, Rotterdam, The Netherlands 85–90. [This article presents data on the variations in quantity and quality of an aquifer recharged with sewage and other liquids from cities]

Appelgren B. (2004). Water and Ethics Essay 5 in *Water in Agriculture*, 40 pp UNSECO Ed. International Hydrological Program. Paris, France. [This chapter discuss ethical dilemmas related with the use of water in agriculture]

BGS, CNA, SAPAL, WAJ, DMR and PSU (1998). Protecting groundwater beneath wastewater recharge sites. Technical Report WC/98/39 150 pp, Ed. British Geological Survey, Wallingford, UK. [This report gives practical guidelines to protect groundwater in sites where non intentional recharge is happening]

Blumenthal U., Cifuentes E., Benett S., Quiley M., Ruiz-Palacios G. (2001). The risk of enteric infections associated with wastewater reuse: the effect of season and degree of storage of wastewater. *Transactions of the Royal Society of Tropical Medicine and Hygiene* **95**, 1-7. [This articles evaluates the diarrheic risks in areas where wastewater is used to irrigate]

Blumenthal U. and Peasey A. (2002). Critical review of epidemiological evidence of the health effects of wastewater and excreta use in agriculture, 70 pp, Ed. World Health Organization . Geneva, Switzerland. [This essay analyses recent epidemiological evidence concerning health risk provoked by the use of wastewater and excreta in agriculture]

Bouwer H. (1989). Groundwater recharge with sewage effluent. *Water Science and Technology*. **23**, 2099-2108. [This is a classical article that presents concerning the wastewater depollution capability by soil]

British Geological Survey (1995-1998) Protecting Groundwater Beneath Wastewater Recharge Sites **R Number** R6231 <http://www.dfid-kar-water.net/projects/files/R6231.html> [This report gives practical methods to protect groundwater in areas where incidental recharge is happening].

Capella A. (2002). Situation of the Water in the Mexico Valley en el Valle de México. World Bank Report [In Spanish]. [This report describes the present situation of the use of water in Mexico City]

Chapman D. (1996). Water Quality Assessments, 651 pp, Ed. UNESCO, WHO and UNEP, 2nd edition, Cambridge, UK. [This book presents the theoretical consideration to perform a water quality assessment].

Cifuentes E., Suárez L., Solano M. and Santos R. (2002). Diarrhea in children from water reclamation-site, Mexico City. *Environmental Health Perspective* **110** (9), 219-624. [This articles evaluates the increase in diarrheical diseases in an area near to Mexico City where wastewater is used to irrigate].

Cifuentes E., Suárez L., Espinosa M, Juárez L, Martinez Palomo A. (2004). The risk of *Giardia intestinalis* infection in children from an artificially recharged groundwater area, Mexico City. *American Journal of Tropical Medicine and Hygiene* **71**(1), 65-70. [This article quantifies the diarrheical diseases provoked in children using water from a well artificially recharged with wastewater in Mexico City]

Chang A., Page A., Asano T. (2002). Developing Human Health-Related Chemical Guidelines for Reclaimed Wastewater and Sewage Sludge Applications in Agriculture. 114 pp, Ed. World Health Organization, Geneva, Switzerland. [This report is a recent literature review of the effects provoked in humans, plants and cattle due to the use of sludge in agriculture]

Chilton J. and Kinniburgh D. (2003). Soil and Groundwater Protection in the South-East Asia Region, *Water Resources Journal*. **215**, 87-94. [This article presents guidelines and case studies to protect groundwater in the South East Asia region].

Collins, R. (2003). Hard sell for new water. *Water and Wastewater*, **14**(4), 39-40. [This article describes the publicity campaigns performed in Singapore to reach public acceptance to reuse treated wastewater as drinking source]

Covalla E., Pandarinath C., Williams J., Williams J., Wingo A., Supervised by Drs. Joseph R. Herkert and Jerome P. Lavelle (2001). Managing Agricultural Water Impacts. Final Paper E497B—The Benjamin Franklin Scholars Capstone Course Offered in conjunction with the Department of Multidisciplinary Studies, North Carolina State University <http://wingolog.org/writings/water/water.pdf>. [This notes present agricultural impacts on the environment as well as different methods to deal with]

Crook J., Mosher J., and Casteline J. (2005). Status and Role of Water Reuse: An International View, 133 pp. Ed Global Water Research Coalition, Niewegen, The Netherlands. [This report present is an international survey on water reuse on topics such as guidelines and technology].

Du Pisani P., Menge J., König E. Van Der Merwe B. Water Reuse In Windhoek, Namibia: 37 Years And Still The Only Case Of Direct Water Reuse For Human Consumption. (in press) Asano T. and Jimenez B. Editors. Water Reuse International Survey, IWAP Ed. [This chapter is a historical and detail description of the reuse of wastewater as drinking source in Windhoek, Namibia]

Ensink J., van der Hoek. W., Matsuno, Y., Munir, S. and Islam, R. (2004). Use of Untreated Wastewater in Peri-Urban Agriculture in Pakistan: Risks and Opportunities, *RESEARCH Report 64*, 32 pp. Ed. International Water Management Institute Colombo, Sri Lanka. [This report discuss urban agriculture in Pakistan].

Ensink J., Simmons, J. and van der Hoek, W. (2004). Wastewater Use in Pakistan: The Cases of Haroonabad and Faisalabad In Wastewater, pp 91-102, in *Use in Irrigated Agriculture* C. Scott, N. Faruqui and L. Raschid-Sally Ed. Ed CITY CAB International, Wallingford, UK. [This report is a detail description of the reuse of wastewater for irrigation in Faisalabad, Pakistan].

Fewtrell L. (2004). Drinking-Water Nitrate and Methemoglobinemia. Global Burden of Disease: A Discussion. *Environmental Health Perspectives* **112** (14), 1371-1374. [This article, written on behalf WHO, present how nitrates were wrongly considered as the main cause of methemoglobinemia]

Foster S., Gale I., Hespagnol I. (1994). Impacts of wastewater use and disposal of groundwater Technical report 94/55, 32p British Geological Survey and WHO, London, U.K. [This report present several case studies, particularly, in America Latina where incidental groundwater recharge is happening]

Foster S., Lawrence A. and Morris B. (1998). Groundwater in Urban Development Assessing Management Needs and Formulating Policy Strategies World Bank technical paper No. 390, 55 pp. Ed. The World Bank, Washington, D.C. [This report present a methodology to set policy measures to protect groundwater considering local conditions].

Foster S., Chilton J., Moench M., Cardy F., and Schiffler M. (2000). Groundwater in rural development. Facing the challenges of supply and water resource sustainability, 120 pp. The World Bank Ed., Washington. D.C., USA. [This report analyses the causes that might pollute or recharge groundwater in rural areas]-

Foster S., Garduño H., Tuinhof A., Kemper K. and Nanni M. (2003). Urban Wastewater as Groundwater Recharge Evaluating and Managing the Risks and Benefits. GWMate Briefing Note Series No. 12, Ed. The World, Bank. Oxford, UK. [This short note presents the main ideas to develop policies and projects to protect groundwater]

Foster S., Hirata R., Gomes D., Delia M. and Paris M. (2002). Groundwater Quality Protection: A Guide for Water Utilities. Municipal Authorities and Environment Agencies, 116 pp. Ed The World Bank. Oxford, United Kingdom. [This report gives useful consideration for water utilities to develop

programmes to protect groundwater]

Frewer L., Howard C. and Shepherd R. (1998). Understanding Public Attitudes to Technology. *Journal of Risk Research*, **1**, 221-235. [This paper describes how people react to technological projects, particularly on water reuse].

Gelt J., Henderson J., Seasholes K., Tellman B., Woodard G. Carpenter K., Hudson C. and Sherif S. (1999). In search of Adequate Water Supply, in *Water in the Tucson Area seeking sustainability in A status report by the Water Resources Research Center, College of Agriculture, The University of Arizona* Water Resources Research Centre http://ag.arizona.edu/AZWATER/publications/sustainability/report_html [This report analyses the hydraulics sources in Arizona with emphasizes on groundwater].

Guang-Guo Y., Kookana R and Waite T. (2004). Endocrine Disrupting Chemicals (EDCs) and Pharmaceuticals and Personal Care Products (PPCPs) in Reclaimed Water in Australia., 35 pp. Ed. CSIRO Land and Water, Sydney Australia. [This technical report presents data concerning the content in reused water of endocrine disrupters]

Hamilton G. and Greenfield P. (1991). *Potable Reuse of Treated Wastewater*. Proceedings of the Australian Water and Wastewater Association 14th Federal Convention 1: 497-506. 17-22 March. Perth, Australia. [This paper discusses the options to reuse wastewater as potable source].

Harman J., Robertson W., Cherry J. and Zanini L. (1996). Impacts on a sand aquifer from an old septic system: nitrate and phosphate. *Ground Water* **34**, 1105–1114. [This articles evaluates nitrate and phosphate pollution in an aquifer near a septic system].

Ijumba J. and Lindsay S. (2001) Impact of irrigation on malaria in Africa: paddies paradox *Medical & Veterinary Entomology*, **15**(1), pp1-11 [This articles compares the impact in malaria diseases in one area irrigated with wastewater and another one using rainwater].

IMWI (2003) *Water Policy Briefing Issue 9 Putting research knowledge into action* Ed. International Water Management Institute. Colombo, Sri Lanka. [This short brochure contains practical results from research developed to analyze the use of wastewater to irrigate in developing countries].

Jekel M. (2005). Soil Aquifer Treatment (SAT) as a Natural and Sustainable Wastewater Reclamation/reuse Technology. Fate of wastewater effluent Organic Matters and trace organic Compounds. WRRS 2005 IWA Specialty Conference, nov 8-11 Jeju, Korea. [This papers is a state of the art review of the fate or organic pollutants in SAT systems]

Jimenez B. and Asano T. (in press) *Water Reuse International Water Survey, IWAP*, London, UK. [This book is an international survey of water reuse covering regional practices, technological need, guidelines, different uses of water reuse, ethical, economical, and sociological issues as well as difference in developing and developed countries]

Jimenez B (in press) Irrigation in developing countries using wastewater *International Review for Environmental Strategies*. [This article describes advantages and drawbacks of reusing wastewater to irrigate in developing countries]

Jiménez B. and Chavez A. (2004) Quality Assessment of a Potential Use of an Aquifer Recharged with Wastewater: “El Mezquital Case” *Water Science and Technology* **50** (2), 269-273. [This articles evaluates the quality of and aquifer recharge over a period greater that 100 years with wastewater]

Jiménez B., Mazari M., Cifuentes E. and Domínguez R. (2004). The water in the Mexico City Valley, pp 15-32 In *The water view from the Academy*, Jimenez B. and Marin L. Ed., Ed Mexican Academy of Science. Mexico City, Mexico [in Spanish]. [This chapter describes the use of water and wastewater in Mexico City, presenting different alternatives for the future].

Jimenez B. (2005) Treatment Technology And Standards For Agricultural Wastewater Reuse: A Case Study in Mexico. *Irrigation and Drainage Journal* **54**, 23-35. [This article describes the development of standards and technology to fulfill health, environment and agricultural needs to reuse wastewater]

King County (2003) Best Available Science Volume 1 Aquifer Recharge <http://www.metrokc.gov/ddes/cao/PDFs04ExecProp/BAS-Chap1-04.pdf>. [This paper describes aquifer recharge methodologies]

Mara D. and Cairncross S. (1989). *Guidelines for the safe use of wastewater and excreta in agriculture and aquaculture*. Ed. World Health Organization, Geneva, Switzerland. 185 pp. [This report presents the guidelines to reuse wastewater and excreta in agriculture and aquaculture]

Mazari-Hiriart M., López Vidal Y., Castillo-Rojas G., Ponce de León S. and Cravioto A. (2001). "Helicobacter pylori and Other Enteric Bacteria in Freshwater Environments in Mexico City. *Archives of Medical Research* **32** (5):458-467. [This article evaluates the bacterial content in the Mexico City aquifer as a result of sewage infiltration]

Murni P., Kaercher J. and Nancarrow B. (2004) Literature review of factors influencing public perceptions of water reuse. Technical Report 54/03, 44 pp. Ed. Australian Water Conservation and Reuse Research Program CSIRO Land and Water Management Program, 32 pp. Australia. <http://www.clw.csiro.au/publications/technical2003/tr54-03.pdf>. [This report is a complete bibliography review of the factors influencing water reuse public acceptance]

Odendaal P. E. EOLSS Article 2.20.3.7 Unconventional Sources of Water Supply [This contribution discusses the use of sources not frequently used as supplies]

OTV (1994) *Dépolluer les eaux pluviales*, 170 pp Ed. Lavoisier TEC & DOC. Paris, France. [This book presents characteristic, management and treatment methods for stormwater].

Ortega-Larrocea M.P., Siebe C., Bécard G., Méndez I. and Webster R. (2001): Impact of a century of wastewater irrigation on the abundance of arbuscular mycorrhizal (AM) fungi in the Mezquital Valley of Mexico. *Applied Soil Ecology* **16** (2):149-157. [This article analyzes long term microbial effects in soil irrigated during several decades with wastewater]

Pimental D. (1997). Water Resources: Agriculture, the Environment and Society. *BioScience* **47**(2), 97–106. [This paper analyzes the use of different kinds of water resources to irrigate]

Pescod M. (1992). *Wastewater treatment and use in agriculture* –Paper 47 Food and Agriculture Ed. Organization of the United Nations. Rome, Italy. [This report analyzes from the health, environmental and agricultural point of view the use of wastewater in agriculture]

Postel S. (1985). *Conserving Water: The Untapped Alternative*, Ed. World Watch Institute, Washington, D.C. [This book describes the present and future use of water and discusses better ways for its management].

Pyne R. (1995) *Groundwater Recharge and Wells: A Guide to Aquifer Storage Recovery*. Lewis Publishers, CRC Press. New York, USA. [This book is a manual on how to use aquifers to augmentate water availability at a regional level]

Ram N., Christman R. and Cantor K. (1990). Significance and Treatment of Volatile Organic Compounds in Water Supplies. Ed. Lewis publishers, Chelsea, Maine, US. [This book describes effects and treatment methods of organic compounds in water]

Raschid-Sally L., Carr R. and Buechler S. (2005). Managing wastewater agriculture to improve livelihoods and environmental quality in poor countries. *Journal of Irrigation and Drainage* **54** (S1), 11-22. [This article discusses advantages of urban agriculture with wastewater]

Salameh E., Alawi M., Batarseh M. and Jiries A., (2003) Determination of Trihalomethanes and the Ionic Composition of Groundwater at Amman City, Jordan. *Hydrogeological Journal* **10**, 332–339. [This paper presents pollution data in an aquifer receiving wastewater]

Scott T., Lipp E. and Rose J. (2004). The effects of climate change on waterborne disease In *Microbial waterborne pathogens*, 250 pp E. Cloete, J. Rose, L. Nel and T. Ford Ed., Ed IWA Publishing, London, UK. [This chapter describes climate change effects on waterborne diseases]

Seah C. (2002). Media blitz on the yuck factor. *The Star*. Retrieved June 13, 2003 from <http://www.singapore-window.org/sw02/020721st.htm>. [This article presents the reasons why public refuse to reuse treated wastewater as drinking source]

Sedlak D., Gray J. and Pinkston K. (2000). Understanding Microcontaminants in Recycled Water *Environmental Science and Technology* **34**(23), 508-515. [This paper presents data on micropollutant content and removal in common water and wastewater treatment methods]

Sedlak D. and Pinkston K. (2001). Factors Affecting the Concentrations of Pharmaceuticals Released to the Aquatic Environment. Proceedings of the National Groundwater Association, 2nd International

Conference on Pharmaceuticals and Endocrine Disrupting Chemicals in Water, October 9-11, 2001, Minneapolis, MN. Westerville, OH: National Groundwater Association. [This articles present data con microcontaminants in the environment]

Sedlak D., Pinkston K., Gray J. and . Kolodziej E. (2003) Approaches for Quantifying the Attenuation of Wastewater-Derived Contaminants in the Aquatic Environment *Chimia* **57**, 567–569. [This article presents how different analytical techniques affect the value obtained in microcontaminants content]

Shuval H., Yekutieli P. and Fattal B. (1985) Epidemiological evidence for helminth and cholera transmission by vegetables irrigated with wastewater. Jerusalem - case study. *Water Science and Technology* **17**(4/5), 433-442. [This paper present data on helminthiasis and cholera caused by the use of wastewater to irrigate vegetables]

Tuinhof A. and Heederik J. Ed. (2002). Management of Aquifer Recharge and Subsurface Storage: *Making Better Use of Our Largest Reservoir*, 106 pp Netherlands National Committee for the IAH Publication No. 4. Wageningen, The Netherlands. [This report present methods to optimize the subsoil use to storage water]

UN (2003). Water for People Water for Life. 266 pp. ED.The United Nations World Water Development Report UNESCO and Berghahn Books. Barcelona, Spain. [This is a comprehensive report on the present use of water in the world]

USGS (2001) The Quality of our Nation's Waters: Nutrients and Pesticides. United States Geological Survey, circular 1225 <http://water.usgs.gov/pubs/circ/circ1225/>. [This report analyses the effect of agriculture on water resources in the United States]

UNEP-IETC (2000). *International source book on environmentally sound technologies for wastewater and stormwater management*. United Nations Environment Programm http://www.unep.or.jp/ietc/Publications/TechPublications/TechPub-15/main_index.asp. [This is a report with methodologies to manage wastewater and stormwater]

US EPA (1992).Guidelines for water reuse. EPA/625/R-92/004. Environmental Protection Agency, Center for Environmental Research Information, 264 pp. Cincinnati, USA. [These are the US guidelines to reuse water for all purposes]

Wakida F. and Lerner D. (2005.) Non-Agricultural Sources of Groundwater Nitrate: a Review and Case Study *Water Research* **39**:3–16. [This article compares the nitrate content in aquifers caused by irrigation with that cause by urban liquid residues infiltration]

WHO (1989). Health Guidelines for the Use of Wastewater in Agriculture and Aquaculture: Report of a WHO Scientific Group. 74 p. *WHO Technical Report Series 778*. Ed. World Health Organization, Geneva, Switzerland

WHO (1999) The International Programme on Chemical Safety: Endocrine Disruptors. Geneva, WHO http://www.who.int/pcs/emerging_issues/end_disrupt.htm. [This web page contains useful, practical and recent information on endocrine disrupters]

WHO (2005) Guidelines for Drinking Water Quality, Third Edition. Ed WHO http://www.who.int/water_sanitation_health/dwq/gdwq3/en/index.html

WHO/UNICEF (2000). *Global Water Supply and Sanitation Assessment Report*, Joint Monitoring Program for Water Supply and Sanitation. Ed WHO and UNICEF http://www.who.int/docstore/water_sanitation_health/Globassessment/GlobalTOC.htm

van der Merwe B. (2000) Drought or supply shortage management Integrated water resource management in Windhoek, Namibia *Water Supply* **18**(1), 376–381. [This article describes the use of water in the city of Windhoek, Namibia]

Zhang Z. (1990). Wastewater-fed Fish Culture in China. In: *Wastewater-fed Aquaculture* Edwards P and Pullin RSV (Eds.). Proceedings of the International Seminar on Wastewater Reclamation and Reuse for Aquaculture, Calcutta, December 1988. Bangkok, Thailand: Asian Institute of Technology, Environment Sanitation Information Center, pp. 3–12. [This paper describes the use of wastewater in aquaculture]

Ziegler D. (2001). Untersuchungen zur nachhaltige Wirkung des Uferfiltration im Wasserkreislauf Berlins, Ph.D. Thesis at the Technical University of Berlin [In German]. [This thesis is a research on the

purification capacity of bank filtration and aquifer recharge in Berlin, where 75% of the drinking water is bank filtrated or artificially recharged]

Biographical Sketch

Blanca Elena Jimenez Cisneros is a Mexican with a *Bachelor's degree in Environmental Engineering and Master* and a PhD degree in Wastewater treatment from the Institut National de Sciences Appliquées, Toulouse, France. She works since 1985 at The National Autonomous University (UNAM) where she is senior researcher. In 1992 founded the graduate program in Environmental Engineering in Morelos and in 1994 launched the prestigious Group of Wastewater Treatment and Reuse at the UNAM. Dr Jiménez has published more than 180 international papers and has 4 patents. She has published the book: "The Environmental Pollution in Mexico. Causes, Effects and Technology": She has been the responsible for more than 117 research projects for several public and private institutions. Due to her professional reputation Dr. Jiménez has been invited to lecture more 100 conferences in several countries. She has been awarded several prizes like Sor Juana Inés de la Cruz (as best female researcher in the engineering field) 2003, the Environment and Ecology Award "Miguel Alemán Valdés" (2001), Award for Scientific Research in the area of Technology Research, granted by the Mexican Academy of Sciences, (1997) and the Ciba Award for Technological Innovation in Ecology (1993). She is the chairperson of the Water Reuse Specialty Group in the International Water Association. She was President of the Mexican Association of Environmental Engineers, the Mexican Federation of Sanitary Engineering and Environmental Sciences (the oldest environmental professionals association in the country), she belongs to the Executive Committee of the International Water Association.