

BIO-CULTURAL DIVERSITY AND MEDICINE

Edgar J. DaSilva

Former Director, Division of Life Sciences, Paris, France

Murukesan V. Krishnapillai

Agricultural Experiment Station, College of Micronesia-FSM, Colonia, Yap, Federated States of Micronesi

Pier Giovanni d' Ayala

Secretary-General, INSULA

Keywords: Biocultural and socio-economic diversity; Biorepositories of traditional medicine; island communities

Contents

1. Introduction
2. Biocultural Diversity
 - 2.1 Africa
 - 2.2 Arab States
 - 2.3 Asia
 - 2.4 Europe
 - 2.5 Latin America and the Caribbean
 - 2.6 The Pacific Region
3. Socio-economic Diversity
 - 3.1 Africa
 - 3.2 Arab States
 - 3.3 Asia
 - 3.4 Europe
 - 3.5 Latin America and the Caribbean
 - 3.6 The Pacific Region
4. Conclusion
- Acknowledgements
- Glossary
- Bibliography
- Biographical Sketches

Summary

The biocultural and socio-economic diversity of medicinal plants and herbal medicine is reflected in the continuing beliefs and reliance of island communities worldwide in the age-old curative properties of traditional plant medicine that is practiced worldwide. These practices are in line with the recommendations The Mauritius Declaration that drew attention to the role of culture and resilience-building in the sustainable development of small island states and their diverse communities. The use of *green box*-based biotechnologies provides island communities opportunities to sustain bioproductivity of their medicinal plants in their aquatic and terrestrial environments; to

maintain the stability of their socio-cultural traditions; and, to further engage in gender equitability in island employment, labour and management schemes.

1. Introduction

There are rich traditions of the use of medicinal plants in every continent. Whilst, more than 80 percent of the people in the developing world rely on plants for their medicinal needs as a consequence of their being closely associated with traditional practices and livelihoods, and, notwithstanding the widespread inclination in the industrialized societies to regard “traditional knowledge” [see also – *Conventional Plant Breeding for Higher Yields and Pest Resistance*] as nothing more than “old wives’ tales”, approximately 74 percent of the pharmaceuticals were obtained these same plants credited with ethnomedicinal uses and in need of conservation.

2. Biocultural diversity

The wide range of different plant and animal species, ecosystems, cultural traditions and languages that are encountered in the terrestrial and marine environments in all regions of the world constitutes the reality of biocultural diversity. "There is something to learn from the meeting of indigenous and modern worldviews. Time-tested ancient wisdoms combined with modern technologies are proving to create solid foundations for sustainable development projects” that “share the knowledge from this bridge with communities in both developing and developed nations ... in an authentic global partnership.". In summary, floral and faunal biodiversity, cultural traditions and socio-economic diversity, linguistic diversity, and diverse ecosystems and environmental niches constitute the bedrock of the interactive bridging of the time-honored indigenous and modern biotechnologies [see also– *Biotechnology and Agrobiodiversity*]. Biocultural diversity in island countries is most often encountered in the traditional use of forest and non-wood forest products as food, ornamentals and medicines.

2.1 Africa

African island communities are encountered in Cape Verde, Comoros, Guinea Bissau, Madagascar, Mauritius, Sao Tome and Principe and Seychelles. The medicinal plants of Madagascar are not dealt with in view of their extensive coverage. The best-known plant is the Madagascar periwinkle - *Catharanthus roseus* that contains the alkaloids vinblastine and vincristine used in anticancer treatment.

The Cape Verde Islands at the crossroads of three continents include 10 islands and 5 islets, divided into the windward islands (Santo Antão, São Vicente, Santa Luzia, São Nicolau, Sal, and Boa Vista) in the Barlavento and leeward islands (Maio, Santiago, Fogo, and Brava) in the Sotavento group of islands which are home to the occurrence and use by rural populations, especially of a wide varied diversity of medicinal plants to treat a variety of ailments such as heart diseases, intestinal and kidney problems, and diarrhea (Table 1). Most medicinal plants are encountered in Santo Antão; and in Santiago and Fogo. Several plants of medicinal importance have been identified.

Comoros benefit from the introduction of some 60 species of ornamental plants in 1870

and yet is at a disadvantage as some of these exotic plants have now a profile of invasive growth. These invasive plants are considered as a menace in overall conservation and management of agricultural resources and the environment in the Comoros islands.

Mauritius like Trinidad and Tobago is the beneficiary of traditional healthcare systems that have their origin in the cultural antecedents of African, Chinese, European and Indian peoples and their spices and medicines that were derived from a variety of aromatic and medicinal plants. Close to 100 endemic medicinal plants, some of which are highly endangered, have been identified and documented in traditional pharmacopoeia. There is concern in relation to the use and conservation of medicinal plants in Mauritius since nearly 30 medicinal plants are endangered, threatened or nearly extinct as a result of over harvesting in the wild.

In Sao Tome and Principe, some hundred different orchids such as *Angraecum doratophyllum*, *Cribbia pendula* are on display in the Bom Sucesso botanical garden of Obo National Park. To counteract the scarcity of information and the frustrations in accessing such information, an undertaken study established a list of the orchids in the archipelago of Sao Tome (100 species) and Principe (65 species) with relevant details concerning their ecology, their distribution and frequency of occurrence.

About 350 folk medicinal and aromatic plants are widely used throughout Sao Tome and Principe in the form of whole herbs, extracts and powders to treat a variety of ailments.

Seychelles is an archipelago comprised of granitic and coralline islands. Seychelles has a rich variety of plant life. Seventy five species of plants are used medicinally. Aromatic and fragrant species such as *Eucalyptus citriodora*, the ginger lily - *Hedychium coronarium*, wild ginger - *Zingiber zerumbet* and cardamom - *Elettaria cardamomum* exist.

Country	Scientific Name	Local Name	Family Name	Reputed Use against or as
Cape Verde	<i>Borreria verticillata</i>	Locotane	Rubiaceae	Allergies
	<i>Cymbopogon citratus</i>	Chali	Poaceae	Tension, fevers
	<i>Jatropha curcas</i>	Physic nut	Euphorbiaceae	Purgative, soap
	<i>Psidium guajava</i>	Goibeira	Myrtaceae	Intestinal parasites
Comoros	<i>Dolabella auricularia</i>	Sea slug	Aplysiidae	Anti-cancer
	<i>Ecteinascidia turbinata</i>	Tunicate (sea squirt)	Perophoridae	Anti-cancer (<i>Ecteinascidin</i> 743)
	<i>Euphorbia prostrata</i>		Euphorbiaceae	Balm for vertebral column pains
	<i>Ficus thonningii</i>		Moraceae	Balm for vertebral column pains
	<i>Lantana camara</i>		Verbanaceae	Brucellosis; diuretic agent

	<i>Sida rhombifolia</i>		Malvaceae	Acne and arthritis
Guinea-Bissau	<i>Adansonia digitata</i>	Fulani	Bombacaceae	Urogenital infections
	<i>Calotropis procera</i>	Fulani	Asclepiadaceae	Sinusitis, influenza
	<i>Cochlospermum tinctorium</i>	Djandere	Cochlospermaceae	Liver cirrhosis
	<i>Guiera senegalensis</i>	Fulani (gelode)	Combretaceae	Catarrh, tuberculosis
	<i>Hymenocardia acida</i>	Coron-conde	Hymenocardiaceae	Skin wounds
	<i>Leptadenia lancifolia</i>	safarodje	Asclepiadaceae	Sexually-transmitted diseases
	<i>Parkia globosa</i>	neré	Mimosaceae	Anti-inflammation agent
	<i>Piliostigma thonningii</i>	barquedje	Caesalpiniaceae	Arthritis
	<i>Securidaca longipedunculata</i>	djuro	Polygalaceae	Skin wounds
	<i>Prosopis africana</i>	Tchelem-tchelemadje	Mimosaceae	Anti-inflammation; and anti-arthritis agent
Maldives	<i>Ricinus communis</i>	Aamanaka	Euphorbiaceae	Constipation, diabetes mellitus
	<i>Aerva lanata</i>	Hudhu huypilaa	Amaranthaceae	Urinary infections
	<i>Punica granatum</i>	Annaaru	Punicaceae	Diarrhea, cholera
	<i>Rosa grandiflora</i>	Finifena	Rosaceae	Boils, stress, heart disease
São Tomé and Príncipe	<i>Eryngium foetidum</i>		Apiaceae	Anti-inflammatory agent
Seychelles	<i>Commelina benghalensis</i>	Herbe cochon	Commelinaceae	Anti-inflammatory drug to calm abdominal pains and in treatment of dysentery
	<i>Lodoicea maldivica</i>	Double coconut	Arecaceae	Drug (not used for several decades)
	<i>Secamone schimperiana</i>	Milkweed	Asclepiadaceae	Pharmacological agent

Table 1: Traditional medicinals of plant and marine origin used in African and Indian Ocean Islands [Prelude Medicinals Database (2005)]

2.2 Arab States

Throughout the first half of the last century, Jidd Hafs was a prosperous village in Bahrain renowned for its extensive date palm groves and the manufacture of medicinal drugs from the buds, flowers, and pollen of palm trees. A survey of herbal and folk medicines indicated that the plant medicinal flora of Bahrain was encountered in 52

species with widespread representation in 29 plant families. From this group, 20 indigenous species were used as traditional medicinal decoctions and infusions to treat wounds, intestinal and respiratory ailments, using the knowledge and skills transmitted in the Bahraini populace from 'generation to generation'. Herbal plants of potential economic significance have been screened for the presence of antimicrobial compounds ranging from alkaloids and anthraquinones to saponins and sterols.

Seemingly, diseases such as stomach ailments resulting from malnutrition and poor diets in the past Bahraini generations have now been replaced by the modern societal scourges of heart disease, diabetes and obesity that have emerged from the drugstore culture, modern lifestyles and fast food intakes

In response to the uncontrolled use of medicinal plant preparations, there is concern for the need of scientific evaluation and assessment of purity. Recently, three halophytic plants from Bahrain *Sesuvium verrucosum*, *Salsola baryosma*, and *Zygophyllum quatarense* have been tested for their cytotoxic activity.

2.3 Asia

Singapore and the Maldives are island countries in Asia. The former is a member of the Alliance of the Small Island States and like Bahrain in the Arab world, has a well developed market economy. Activities concerning the inventorization and use of medicinal plants of Singapore available elsewhere are not covered in this review.

Some 122 medicinal plants in the Maldives were catalogued in 1992. In 2001 several hundred plants with medicinal properties were reported. Several plants e.g. *Plumeria* spp. constitute a source of fragrances and perfumes. UNDP/GEF assistance has been provided towards the conservation of medicinal plant species (Table 1) and traditional knowledge in Maldivian atolls within the framework that emphasizes the development of a national biodiversity strategy. The Maldives now possesses 500 species of plants that include more than 300 species, which are used in cultural and traditional medicinal practice.

2.4 Europe

In Europe, the occurrence of medicinal plants in the island states of Cyprus and Malta are of significance. In Cyprus, newly initiated studies in the search for new therapeutic principles and the expansion of the pharmaceutical industries are the result of the knowledge of the traditional use of herbs and medicinal plants in ancient times. The listing of about 125 medicinal and aromatic plants provides some justification for the enthusiasms in developing new industrial crops as a source of green and low-cost medicines that stimulate the emergence of new markets of healthcare products.

In Malta, medicinal plants are widely used as part of folk medicinal remedies. Well-known Maltese examples are: *fejgel*, *faqqus il-hmir*, and *hobbeja*. Within the context of expanding the benefits accruing from biotechnological research in the area of genomic and medicinal technologies, the University of Malta has compiled an electronic inventory of 300 Maltese medicinal and aromatic plants with accompanying text and

images through its Institute of Agriculture.

2.5 Latin America and the Caribbean

There is a wide range of medicinal plants that is used, especially by the rural communities throughout the Caribbean region (Table 2). The most important non-wood forest products are medicinal and aromatic plants, citronella (*Cymbopogon citratus*), and sassafras (*Ocotea pretiosa*) oil. In the Bahamas, the use of indigenous medicinal plants is widespread. Traditional bush medicines are popular in the treatment of common ailments - colds, fevers, and intestinal disorders as well as in the more serious illnesses of the cancers and AIDS.

Cuba has over 1000 species of plants with medicinal properties. Several of these are endemic such as *Rauwolfia linearifolia* which is strictly endemic in Sierra de Nipe and of significance in the treatment of abnormal heart rhythms. Plants containing essential oils and medicinal principles are conserved and maintained in the Instituto de Investigaciones Fundamentales en Agricultura Tropical (INIFAT), Ministry of Agriculture, Havana; and the experimental station of medicinal plants 'Juan T. Roig' in San Antonio de los Baños Municipality, La Habana Province.

Eighty percent of the Grenadian population uses herbal medicines and aromatic plants that include candlewood (*Amyris balsamifera*), citronella (*Cymbopogon citratus*), rosewood (*Aniba rosaeodora*), sassafras (*Ocotea pretiosa*), common hazel (*Gevuina* spp.), vetiver (*Vetiveria zizanioides*) and *Eucalyptus* sp.

In Santa Lucia, over a hundred plants have been recognized for their medicinal properties and values. Medicinal and ornamental plants are conserved and maintained along with other crops in designated reserves - e.g., the Kingshill Forest reserve in St. Vincent and the Grenadines.

The use of herbs and medicinal plants in the multiethnic societies of the Amerindian tribes – the Caribs and the Arawaks; the Afro- the Indo- and European-Trinidadians and Toboggans has been the subject of a detailed survey in the control and treatment of diabetes in Trinidad and Tobago. Some 100 different medicinal plants were reported to have been used as bush medicines by over 600 people afflicted with diabetes mellitus. An interesting finding of the survey indicated that several medicinal plant remedies used by the Indo-Fijian population in Fiji were also mentioned by the Trinidadian and Toboggans of Indian origin in Trinidad and Tobago thus confirming the strong influence across geographical location of cultural beliefs and traditions in the use of bush medicines.

Island Community	National Park or Reserve	Scientific name	Common name	Family	Reputed use as agent or against
Antigua and Barbuda	Botanical Gardens of Antigua and Barbuda ,	<i>Achyranthes indica</i> <i>Aristolochia trilobata</i>	<i>man-better-man</i> <i>Six sixty-six</i>	Amaranthaceae Aristolochiaceae	Colds; diabetes and hypertension Fever, diabetes and hypertension

Bahamas	Hydrofora Gardens	<i>Jacaranda caerulea</i>	<i>Cancer Bush</i>	Bignoniaceae	Skin cancers
		<i>Phyllanthus niruri</i>	<i>Chanca piedra</i>	Euphorbiaceae	Laxative, vermifuge
Barbados	Andromeda Gardens	<i>Croton flavens</i>	<i>Milkweed</i>	Euphorbiaceae	Coughs and colds
		<i>Euphorbia hirta</i>		Euphorbiaceae	Excrescence
Cuba	INIFAT); and Juan Tomás Roig station for medicinal plants	<i>Brosimum alicastrum</i>	<i>Cauchomacho</i>	Moraceae	Anticancer agent (Uterus)
		<i>Talauma plumieri</i>	<i>Maranon De La Maestra</i>	Magnoliaceae	Astringent
Dominica	D' Auchamps Gardens; Botanical Gardens Roseau (?)	<i>Passiflora lauriflora</i>	<i>Cala-basique</i>	<u>Passifloraceae</u>	Used as sedative
		<i>Richeria grandis</i>	<i>Pomme di Bois bande</i>	Euphorbiaceae	Used as Aphrodisiac
Dominican Republic	National Park of Sierra de Bahoruco; Jaragua National Park; Jardin Botanico Nacional Raphael Mocosso Puello ⁷	<i>Boerhaavia erecta</i>	<i>Patagon</i>	Nyctaginaceae	<i>Asthma</i>
		<i>Hyptis verticillata</i>	<i>Herbe au Diable</i>	Lamiaceae	<i>Headache</i>
Grenada	Grand Etang National Park;	<i>Cassia alata</i>	<i>Ringworm bush</i>	Caesalpiniaceae	Ringworm
		<i>Ricinus communis</i>	<i>Castor oil plant</i>	Euphorbiaceae	Laxative; anti-diabetic agent
Jamaica	Hope Gardens	<i>Euphorbia hirta</i>	<i>Pempe</i>	Euphorbiaceae	Warts
		<i>Smilax officinalis</i>	<i>Sasparilla</i>	Smilacaceae	Anticancer agent
St.Kitts and Nevis	Brimstone Hill Fortress National Park ⁸ Botanical Gardens of Nevis	<i>Asclepias curassavica</i>	<i>Milky-milky</i>	Asclepiadaceae	Guineaworm and ringworm
		<i>Spondias mombin</i>	<i>Hog plum</i>	Anacardiaceae	Diarrhea and dysentery
		<i>Alamanda cathartica</i>	<i>Yellow bell</i>	Apocynaceae	Skin infections, ringworm
St. Lucia	Diamond Botanical Gardens; Mamiku Gardens	<i>Exostema sanctae-luciae</i>	<i>Chinchona</i>	Rubiaceae	Fever
		<i>Pluchea odorata</i>		Asteraceae	Colds
St Vincent and the Grenadines	Kingshill Forest Reserve	<i>Argemone mexicana</i>	<i>Yellow thistle</i>	Papaveraceae	Anticancer agent
		<i>Jatropha</i>	<i>Physic nut</i>	Euphorbiaceae	

		<i>multifida</i>			
Trinidad and Tobago	Ministry of Agri-culture, Land Marine Resources (MALMR)	<i>Cassia alata</i> <i>Momordica charantia</i>	<i>Wild senna</i> <i>Karilla</i>	Caesalpiniaceae Cucurbitaceae	Ringworm: Purgative Malaria; diabetes

Table 2: Traditional medicines used in the islands of the Caribbean region

The use of medicinal plants is not confined to humans alone. Ethnomedicines have been used by hunters to treat themselves as well as their hunting dogs. Plant baths and decoctions, in preference to conventional medicines that involve the use of steroids, antibiotics and enzymatic applications (e.g. ananase from the pineapple *Ananas comosus*), have been used in Dominica and Trinidad and Tobago to counteract the ill-effects of external parasites, to treat wounds caused by snakebites, scorpion stings and other similar injuries encountered as occupational hazards, and even to neutralize the demoralizing effects of witchcraft. More recently, there has been an assessment of medicinal herb use amongst asthmatic patients in a Trinidadian healthcare facility.

-
-
-

TO ACCESS ALL THE 30 PAGES OF THIS CHAPTER,
Visit: <http://www.eolss.net/Eolss-sampleAllChapter.aspx>

Bibliography

[The continuing beliefs and reliance of island communities worldwide in the age-old curative properties of traditional plant medicine are eloquent and undeniable testimony to the biocultural and socio-economic diversity of medicinal plants and herbal medicine - see (a) and (b) below.

a Articles from Books and Journals [Aspects of biotechnology and traditional cultural practices are provided in the list of books and journals cited in (a) and webpages (b) with a focus on the relationship biotechnology and the cultural traditions with accompanying self-explanatory tabulated data and cultural quotations (see Table 5). Biocultural diversity in island countries is most often encountered in the traditional use of forest and non-wood forest products as food, ornamentals and medicines, floral and faunal biodiversity, cultural traditions; socio-economic diversity, linguistic diversity, and diverse ecosystems and environmental niches]

Abbas, J.A., Al-Oqlah, A.A. and Mahasneh, A. M. (1992). Herbal plants in the Traditional Medicine of Bahrain. *Economic Botany*, Vol. 46 (2): 158-163.

Acosta de Luz, L., Fuentes Fiallo, V.R., Martin, G., and Rodriguez Ferradá, C. T. (2000). Agricultural Investigations in species of frequent use in the traditional medicine. I. Llantén (*Plantago major* L.). *Revista Cubana de Plantas Medicinales.* 5(1): 6 – 9.

Akkelidou, D., Papadopoulou and Chimonidou, D. (2004). Report from the Republic of Cyprus. Nicosia. (<http://www.ienica.net/reports/cyprus.pdf>)

Al-Saleh, G.F.S., Gamal El-Din, A.Y., Abbas, J.A. and Saeed, N.A. (1997). Phytochemical and biological studies of medicinal plants in Bahrain: The family Chenopodiaceae – Part 2, *International Journal of Pharmacognosy*, 35: 38 -42.

- Ancolio, C., Azas, N., Mahiou, V., Olliver, E., DiGorgio, D., Keita, A., Timon-David, P. and Balansard, G. (2002). Antimalarial activity of extracts and alkaloids isolated from six plants used in Mali and Sao Tome. *Phytotherapy Research*, 16: 646 – 9.
- Arnold, N., Bellomaria, B., Valentini, G. and Rifaiani, SM. (year ?) Comparative study on essential oil of some *Teucrium* species from Cyprus. *Journal of Ethnopharmacology*, 35 (2): 105 – 113.
- Bahrain Centre for Studies and Research. (2005) (<http://www.bcsr.gov.bh/english/index.php>)
- Bergschmidt, H. (1997). Seaweed production in Kiribati: a new cash crop. *Bulletin*. 10 (3),10-12, September¹⁵
- (<http://europa.eu.int/comm/development/body/publications/fish/pe099710.pdf>)
- Chin, W.Y. (1998). A Guide to Medicinal Plants (1998 Reprint). Published 1992, First Edition. ISBN 9971883031; SB 012414, pgs.160.
- Clement, Y.N., Willuima, S.F., Aranda, D., Chase, R., Watson, N., Mohammed, R., Stubbs, O and Williamson, D. (2005). Medicinal Herb Use among Asthmatic Patients Attending a Specialty Care Facility in Trinidad. *BMC Complement. Altern Ned.* 5: 3 (pdf pages 1 -8).
- DaSilva, E. J. (2003). Biosciences and Biotechnologies for Sustainable Development of Island States in Africa and the Arab States. *INSULA*, February Year 12 No. 1 ISSN 1021 -0814. pgs 27 – 34.
- DaSilva, E.J., Murukesan, V. K., Nandwani, D., Taylor, M. and Josekutty, P.C. (2004). The Pacific islands: a biotechnology resource bank of medicinal plants and traditional intellectual property. *World Journal of Microbiology and Biotechnology*, 20 (9): 903-934.
- FAO. (1995). Conservation and Sustainable Utilization of Plant Genetic Resources in Indian Ocean Islands. Sub-regional Synthesis Report. Annex 1 of the Report of the Sub-Regional Preparatory Meeting for Eastern Africa and Indian Ocean Islands, Nairobi, Kenya 12 - 14 September.
- FAO. (1996). Mauritius Country Report to the FAO International Technical Conference on Plant Genetic Resources (Leipzig, 1996). <http://www.fao.org/WAICENT/FaoInfo/Agricult/AGP/AGPS/pgrfa/pdf/mauritiu.pdf>
- Farnsworth, N. R., Akerele, D., Bingel, A.S., Soejarto, D.D. and Guo, Z.G. (1985). Medicinal Plants in Therapy. *Bulletin of the World Health Organization*, Vol. 63: 965 – 981.
- Finau, S.A. (1981). Traditional medicine in Tonga: a preamble to a Pacific model. *Fiji Medical Journal*, 9 (8/9): 93-99.
- Finau, S.A. (1994). Traditional Medicine in the Modern Pacific: A Dilemma or a Blessing? In: Morrison, J., Geraghty, P. and Crowl, L. (eds.), *Fauna, Flora, Food and Medicine: Science of Pacific Island Peoples*, III, 47-64. (Suva) Institute of Pacific Island Studies.
- ISBN982-02-0106-3.
- Fuentes Fiallo, V.R., Méndez, G., Hernandez, C.M.L., Rodríguez Ferradá, Soler, B.T., González, R. and López, A. (2001). Dynamics of monthly and daily accumulation of alkaloids and flavonoides in *Incarnata passiflora* L. *Revista Cubana de Plantas Medicinales*, 6:(3): 105 – 111 , ISSN 1028-4796 on-line
- Global Environment Facility (GEF). (2003). Integrated Participatory Ecosystem Management in and around protected areas, Phase I (http://thegef.org/Documents/Project_Proposals_for_Endorsement/Cape_Verde_-_Integrated_Participatory_Ecosystem_Management.pdf)
- Granda, D.C., Towers, M.G.A., Fernández, L. and Sánchez, D.D. (1995). Metabolic alterations in patients dealt with low oral doses about amidarona. *Cuban Magazine of Infirmary*, September – December.
- Guirib-Fakim, A. (2004). The Utilization and Conservation of Medicinal Plants in Mauritius. *HerbalGram*, 64: 34 – 43.
- Guirib-Fakim, A., Guo, J., Sewraj, M.D. and Dulloo, M.E. (1994). Plantes medicinales de l'île Rodrigues. Edition de l'Océan Indien, Mauritius, pgs 589

- Guirib-Fakim, A. and Brendler, T. (2004). Medicinal and Aromatic Plants of Indian Ocean Islands: Madagascar, Comoros, Seychelles and Mascarenes. Medpharm Scientific Publishers. Stuttgart, ISBN: 3-88763-094-7. In: Hamdy (2004).
- Hamdy, R. C. (2004). Book Review –Medicinal and Aromatic Plants of the Indian Ocean Island. *Southern Medical Journal*, Vol. 97 (11) November: 1136.
- Hargreaves, B. J. (1986). Plant induced spirit possession in Malawi. *Society of Malawi Journal*, 39: 26 - 35.
- Ibrahim, Y. (2003). Ecosystèmes Forestières des Comores: Biodiversité, principales menaces, perspective de mise en valeur –Le cas de la Forêt du Kartala dans île de Ngazidja ; In : Proceedings of the Regional workshop on Invasive Alien Species and Terrestrial Ecosystem Rehabilitation for Western Indian Ocean Island States- Sharing Experience, Identifying Priorities and Defining Joint Action, Seychelles, October 13 – 17, 2003 Ed. Muremootoo, J.R. (<http://www.gisp.org/downloadspubs/AISworkshops.asp>) pgs.160 plus annexes 1 – 10 (pgs 1 –xIvi).
- Janska, E. (2005). Traditional Medicine in Trinidad and Tobago (<http://www.ias.unu.edu/research/traditionalmedicine.cfm>)
- Kanvinde, H. S. (1999). Maldivian Gender Roles in Bio-resource Management RAP Publication 1999/15. ISBN: 974-680-163-5(http://www.fao.org/documents/show_cdr.asp?url_file=/DOCREP/005/AC792E/AC792E00.HTM)
- Kong, J.M., Goh, N.K., CHia, L.S. and Chin, T.F. (2003). Recent advances in traditional plant drugs and orchids. *Acta Pharmacologia Sinica*, 24: 7 – 21.
- Lanfranco, G. (1992). Popular Use of Medicinal Plants in the Maltese Islands. *INSULA*, No. 1, pgs. 34 – 35.
- Lans,C., Harper, T, Georges, K. and Bridgewater, ER. (2000). Medicinal plants used for dogs in Trinidad and Tobago. *Preventive Veterinary Medicine*, 45:201 – 220.
- Lans,C., Harper, T, Georges, K. And Bridgewater, E.R. (2001). Medicinal and ethoveterinary remedies of hunters in Trinidad. *BMC Complementary and Alternative Medicine*, Vol. 1: 10(17 pgs in pdf format).
- Mahabir, D. and Gulliford, M.C. (1997). Use of medicinal plants for diabetes in Trinidad and Tobago. *Pan American Journal of Public Health*,. 1: 174 -179.
- Madureira, M.C., Martins, A.P., Gomez, M., Nogueira, F., Antunes, A., Proença da Cunha, A. and Rosário, V. E. (1999). Validation of Medicinal Plant Products used as antimalarials in Traditional Medicine of the Democratic Republic of São Tomé and Príncipe. In: Proceedings of First International Meeting of the Research Initiative on Traditional Anti-Malarials (RITAM), Moshi, Tanzania December 8 – 11, pgs, 57(http://www.mim.su.se/english/partnerships/ritam_program.pdf)
- Martins, A.P., Salgueiro, L.R., d Cunha, A.P., Vila, R., Canigueral, S., Tomi, F. and Casaniova, J. (2003). Chemical Composition of the Bark Oil of *Cedrela odorata* from S. Tome and Príncipe. *Journal of Essential Oils Research*, 15: 422 - 424
- Ministry of Communication, Science and Technology (MCST). (2001). In: S & T Master Plan (<http://www.mcst.gov.vv.Downloads/doucuments/S&T/Part2-07Health.pdf>)
- Maldives Common Country Assessment (MCCA). (2005). Presentation at the 7th Conference of Parties (COP7). (202.1.199.67/intranet/unrc/ CCAmaldives-draftver6-29-1-02.pdf - 20 Mar 2005).
- Ministry of Home Affairs, Housing and Environment (MHAHE). (2002). National Biodiversity Strategy and Action Plan of the Maldives. pgs 110. (<http://www.mv.undp.org/perojects/environment.ibasbook/NBSAP.book.pdf>)
- Ministry of Fisheries and Agriculture (MoFA).(1992). Catalogue of Plants, Male', Republic of Maldives
- Moran, K. (1996). Compensating forest-dwelling communities for drug the work of the Healing Forest Conservancy. *Unasyvla*, Issue no.186, pgs. 564.
- National Council for Culture, Arts and Heritage (NCCA). (2004). Seminar on Traditional Medicines and Herbs, 29/12/2004, Doha, Qatar (www.apctt-tm.net/business/display.jsp?id=1628)

- Organization of American States (OAS). (1990). *Economic Biology of Underutilized Tropical Plants. Regional and Scientific Developed Program*, Washington, D. C. pgs.39.
- Parsons, C.D.(1984). Idioms and distress: kinship and sickness among the people of the Kingdom of Tonga. *Culture, Medicine and Psychiatry*,. 8(1): 71-93.
- Parsons, C. D., (1985). *Healing Practices in the South Pacific*. Institute of Polynesian Studies, Brigham Young University-Hawaii. ISBN-0939154560.
- Prelude Medicinals Database. (2005)(http://www.metafro.be/prelude?set_language=en&cl=en)
- Samorini, G. (1976). An African Kykeon? *Eleusis*, No. 4. pgs 40 – 41.
- South Pacific Regional Environment Program (SPREP). (2002). *Women making money in the Solomon Islands*.(http://www.sprep.org.ws/publication/webpage/001annual_report2002/WomenmakingmoneyintheSolomonIslands.htm)
- Stewart T. 1998. *Etude sur les orchidées de São Tomé et Príncipe*. Mémoire de licence, Université libre de Bruxelles, Laboratoire de botanique systématique et de phytosociologie,. 117 p. + 191 p. annexes
- Stévert, T. (1999). Les orchidées de São Tomé et Principe. *Canopée*, No. 15 pgs. 3 – 4.
- Stewart T. 1999.*Rapport de mission sur les orchidées de São Tomé et Príncipe*. Projet ECOFAC (Conservation et utilisation rationnelle des écosystèmes forestiers d'Afrique centrale), AGRECO-GEIE, Bruxelles, 364 p]
- Taha, A. and Alsayed, H. (2000). Brine shrimp bioassay of ethanol extracts of *Sesuvium verrucosum*, *Salsola baryosma* and *Zygophyllum quatarense* medicinal plants from Bahrain. *Phytotherapy research* ,. 14: 48 – 50.
- Terralingua. (2004). *Global Source Book on Biocultural Diversity*. Draft version available at <http://www.terralingua.org/GDBBCD.htm>
- Terrawatu.(2004). *Bridging Indigenous and Modern Worlds* (<http://www.terrawatu.org/pages/front.htm>)
- Torr, R. (2005). Bahrain - a rose by any other name..! Daily Gulf News, VI: XXVII, No. 345, Friday 4 March. (<http://www.gulf-daily-news.com/Story.asp?Article=105810&Sn=BNEW&IssueID=27349>)
- United Nations (UN). (2005). *Mauritius Declaration (Outcome of International Meeting to Review the Implementation of the Programme of Action for the Sustainable Development of Small Island Developing States)*, Document A/Conf 207/L.6, Port Louis, Mauritius, January 14.
- UNEP. (2002). *Maldives State of the Environment Report*. ISBN: 92-807-2140-2. pgs 86.
- UNEP.(2005). *Pacific Environment Outlook. UNEP/SPREP Special Edition for the Mauritius International meeting for the 10-year Review of the Barbados Programme of Action for the Sustainable Development of Small Island Developing States* authored by M. McIntyre (SPREP) and Edited by S. Heileman (Consultant). pgs 91;
- Vannuccini, S. (1999), *Shark Utilization, Marketing and Trade*, ISBN: 9251043612m pgs 407. ISSN:04299345 (http://www.fao.org/documents/show_cdr.asp?url_file=/docrep/005/x3690e/x3690e00.htm)
- Viegas, J. (2005). Ancient Perfumery Found in Cyprus. *Discovery News*, March 10(<http://dsc.discovery.com/news/briefs/20050307/perfumery.html>)
- Walter. S. (2001). *Non-wood Forest Products in Africa: A Regional and National Overview*. (http://www.fao.org/documents/show_cdr.asp?url_file=/DOCREP/003/Y1515B/y1515b08.htm).
- Whistler, W.A. (1985). Traditional and herbal medicine in the Cook Islands. *Journal of Ethnopharmacology*, 13(3): 239.
- Winkleman, M. and Dobkin de RIOS, M. (1989) Psychoactive properties of Ikung Bushmen Medicine Plants. *Journal of Psychoactive Drugs*,. 21: 51 -59.
- World Health Organization (WHO). (2002). *WHO Traditional Medicine Strategy 2002 – 2005*, 62 pgs.

Geneva, Switzerland: WHO/EDM/TRM 2002.

b. Webpages [Relevant titles of key information resources concerning biocultural diversity are available in the following webpage references]

Akkelidou, D., Papadopoulos and Chimonidou, D. (2004). Report from the Republic of Cyprus. Nicosia. (<http://www.ienica.net/reports/cyprus.pdf>)

Bahrain Centre for Studies and Research. (2005) (<http://www.bcsr.gov.bh/english/index.php>)

FAO. (1996). Mauritius Country Report to the FAO International Technical Conference on Plant Genetic Resources (Leipzig, 1996). (<http://www.fao.org/WAICENT/FaoInfo/Agricult/AGP/AGPS/pgrfa/pdf/mauritiu.pdf>)

Global Environment Facility (GEF). (2003). Integrated Participatory Ecosystem Management in and around protected areas, Phase I (http://thegef.org/Documents/Project_Proposals_for_Endorsement/Cape_Verde_-_Integrated_Participatory_Ecosystem_Management.pdf)

.Ibrahim, Y. (2003). Ecosystèmes Forestières des Comores: Biodiversité, principales menaces, perspective de mise en valeur –Le cas de la Forêt du Kartala dans île de Ngazidja ; In : Proceedings of the Regional workshop on Invasive Alien Species and Terrestrial Ecosystem Rehabilitation for Western Indian Ocean Island States- Sharing Experience, Identifying Priorities and Defining Joint Action, Seychelles, October 13 – 17, 2003 Ed. Muremootoo, J.R. (<http://www.gisp.org/downloadpubs/AISworkshops.asp>) pgs.160 plus annexes 1 – 10 (pgs 1 –xlvi).

Janska, E. (2005). Traditional Medicine in Trinidad and Tobago (<http://www.ias.unu.edu/research/traditionalmedicine.cfm>)

Kanvinde, H. S. (1999). Maldivian Gender Roles in Bio-resource Management RAP Publication 1999/15. ISBN: 974-680-163-5 (http://www.fao.org/documents/show_cdr.asp?url_file=/DOCREP/005/AC792E/AC792E00.HTM)

Madureira, M.C., Martins, A.P., Gomez, M., Nogoueira, F., Antunes, A., Proença da Cunha, A. and Rosário, V. E. (1999). Validation of Medicinal Plant Products used as antimalarials in Traditional Medicine of the Democratic Republic of São Tomé and Príncipe. In: Proceedings of First International Meeting of the Research Initiative on Traditional Anti-Malarials (RITAM), Moshi, Tanzania December 8 – 11, pgs, 57

(http://www.mim.su.se/english/partnerships/ritam_program.pdf)

Ministry of Communication, Science and Technology (MCST). (2001). In: S & T Master Plan (<http://www.mcst.gov.vt/Downloads/documents/S&T/Part2-07Health.pdf>)

Ministry of Home Affairs, Housing and Environment (MHAHE). (2002). National Biodiversity Strategy and Action Plan of the Maldives. pgs 110. (<http://www.mv.undp.org/projects/environment.ibasbook/NBSAP.book.pdf>)

National Council for Culture, Arts and Heritage (NCCA). (2004). Seminar on Traditional Medicines and Herbs, 29/12/2004, Doha, Qatar (www.apctt-tm.net/business/display.jsp?id=1628)

Prelude Medicinals Database. (2005) (http://www.metafro.be/prelude?set_language=en&cl=en)

South Pacific Regional Environment Program (SPREP). (2002). Women making money in the Solomon Islands.

(http://www.sprep.org.ws/publication/webpage/001annual_report2002/

[WomenmakingmoneyintheSolomonIslands.htm](http://www.sprep.org.ws/publication/webpage/001annual_report2002/WomenmakingmoneyintheSolomonIslands.htm))

Terralingua. (2004). Global Source Book on Biocultural Diversity. Draft version available at

<http://www.terralingua.org/GDBBCD.htm>

Terrawatu. (2004). Bridging Indigenous and Modern Worlds (<http://www.terrawatu.org/pages/front.htm>)

Viegas, J. (2005). Ancient Perfumery Found in Cyprus. Discovery News, March 10

(<http://dsc.discovery.com/news/briefs/20050307/perfumery.html>)

Walter. S. (2001). Non-wood Forest Products in Africa: A Regional and National Overview. (http://www.fao.org/documents/show_cdr.asp?url_file=/DOCREP/003/Y1515B/y1515b08.htm).

Biographical Sketches

Edgar DaSilva, a graduate of the University of Bombay in microbiology and chemistry, was awarded, in 1962, the Bachelor of Science Degree (First Class with Honours). In 1966, he obtained the Master of Science Degree, and in 1969 his Doctoral Degree for research studies on the cyanobacteria. As a NORAD Fellow, his research study, on the marine algae at the Norwegian Seaweed Research Institute, Trondheim, Norway, in 1970, was followed by a teaching assignment at the University of Helsinki, Helsinki, Finland. Two years later, he joined the Institute of Physiology, University of Uppsala, Uppsala, Sweden as a UNESCO fellow. He is a former Vice-President of the World Federation for Culture Collections (WFCC), author of several scientific publications, and member of well-known microbiological societies. Moreover, he has also been a keynote plenary speaker at several international events in, Argentina, China, Kuwait, Nigeria, South Africa, Sweden, Thailand, USA, etc. on biopolicy issues in regional co-operation, microbiological education, and on globalization and sustainable development.

At UNESCO since 1974 in various capacities within the Division of Scientific Research and Higher Education and the Division of the Basic Science Dr. DaSilva has been instrumental in the planning and implementation of several UNESCO regional and international programmes in applied microbiology as well as in the development of the global networks dealing with management and use of microbial resources and training opportunities in the fields of marine and plant biotechnology. Moreover he mobilized several extrabudgetary programmes in close cooperation with UNEP and UNDP and Donor Member States for activities in national development in biotechnology and regional cooperation in microbiology.

He also was the Director, Division of Life Sciences that was subsequently transformed into a Section of the Life Sciences within a new Division of the Basic and Engineering Sciences prior to his retirement from UNESCO.

Currently Dr. DaSilva has had teaching assignments as Visiting Professor at the International Centre for Biotechnology (ICBiotech) in Osaka University and its outreach station, and teaching assignments at the UFS, and at the Outreach station of ICBiotech at Mahidol University, Thailand and at the University of the Free State, Republic of South Africa. A fellow of the World Academy of Art and Science and following a keynote lecture to the Biotechnology Division of the Royal Swedish Academy of Engineering Sciences and the Biofocus Foundation, Dr. DaSilva was awarded the Biopolicy Award in 2003

Dr. Murukesan Krishnapalli currently holds the position of Agricultural researcher with the College of Micronesia USDA Land Grant Programs at Yap Island Campus. He possesses a Ph.D. in Plant Science and PG Diploma in Environmental Education and Management besides an International Certificate in ISO 14001 Environmental Management System internal auditing. He worked for environment related projects in New Zealand, Sweden and Seychelles and with the Gujarat Ecology Commission in the World Bank funded Biodiversity Project. Current research interests are on agrobiodiversity conservation, simplified home hydroponics gardens, enhanced production of giant swamp taro through the elimination of burrowing nematodes and groundwater quality studies in Yap islands.

Dr. Pier Giovannid'Ayala is Sicilian; he graduated from the University of Palermo where he got a degree in chemistry and later a Ph.D. in Political Sciences. He came to Paris where he carried out anthropological researches on the maritime world with a special focus on the Mediterranean Sea and gave lectures at the University of Paris VI I (Vincennes). In 1973 he joined UNESCO where he was responsible for several multidisciplinary programmes. Following retirement in 1992 he dedicated himself to the success of INSULA the creation of which he had contributed to in 1989. Since 1995 he holds the office of General Secretary of INSULA.