

CONTENTS

VOLUME V

Frequency Domain System Identification	1
J. Schoukens, <i>Department ELEC, Vrije Universiteit Brussel, Belgium</i>	
R. Pintelon, <i>Department ELEC, Vrije Universiteit Brussel, Belgium</i>	

1. Introduction
2. A brief introduction to identification
 - 2.1. Basic Steps in the Identification Process
 - 2.1.1. Collect Information about the System
 - 2.1.2. Select a Model Structure to represent the System
 - 2.1.3. Match the selected Model to the Measurements
 - 2.1.4. Validate the selected Model
 - 2.1.5. Conclusion
 - 2.2. Description of the Stochastic Behavior of Estimators: What can be expected from a good Estimator?
 - 2.2.1. Location Properties: Unbiased and Consistent Estimates
 - 2.2.2. Dispersion Properties: Efficient Estimators
 - 2.3. A Statistical Approach to the Estimation Problem
 - 2.3.1. Least Squares Estimation
 - 2.3.2. Weighted Least Squares Estimation
 - 2.3.3. The Maximum Likelihood Estimator
3. System Identification: problem statement
 - 3.1. Experiment Setup
 - 3.1.1. Choice of the Setup: ZOH \times BL
 - 3.1.2. Choice of the Excitation Signals
 - 3.2. Choice of a model structure
 - 3.2.1. Plant Model
 - 3.2.2. Noise Models
 - 3.3. Match the Model to the Data
 - 3.3.1. The Errors-in-variables Formulation
 - 3.3.2. Differences and Similarities with the ‘Classical’ Time Domain Identification Framework
 - 3.4. Model Selection and Validation
4. Time and frequency domain identification
 - 4.1. Time and Frequency Domain Identification: Equivalencies
 - 4.1.1. Initial Conditions: Transient versus Leakage Errors
 - 4.1.2. Windowing in the Frequency Domain, (non causal) Filtering in Time Domain
 - 4.2. Time and Frequency Domain Identification: Differences
 - 4.2.1. Choice of the Model
 - 4.2.2. Unstable Plants
 - 4.2.3. Noise Models: Parametric or Non-parametric Noise Models
 - 4.2.4. Extended Frequency Range: Combination of Different Experiments
 - 4.2.5. The Errors-in-variables Problem
5. Selection of an identification scheme
 - 5.1. Questions
 - 5.1.1. Application?
 - 5.1.2. Domain?
 - 5.1.3. Excitation?
 - 5.1.4. Noise?
 - 5.2. Advices

Measurements of Frequency Response Functions	45
J. Schoukens, <i>Department ELEC, Vrije Universiteit Brussel, Belgium</i>	
R. Pintelon, <i>Department ELEC, Vrije Universiteit Brussel, Belgium</i>	

1. Introduction
2. An introduction to the discrete Fourier transform
 - 2.1. The Sampling Process
 - 2.2. The Discrete Fourier Transform (DFT-FFT)
 - 2.2.1. Discretization in Time
 - 2.2.2. Windowing
 - 2.2.3. Discretization in Frequency
 - 2.2.4. The DFT-expressions
 - 2.3. DFT-properties of Periodic Signals
 - 2.3.1. Integer Number of Periods Measured
 - 2.3.2. No Integer Number of Periods Measured
 - 2.4. DFT of Burst Signals
 - 2.5. Conclusion
3. Spectral representation of periodic signals
4. Analysis of FRF measurements using periodic excitations
 - 4.1. Measurement Setup
 - 4.2. Error Analysis
 - 4.2.1. Bias Error on the FRF
 - 4.2.2. Variance Analysis of the FRF
5. Reducing FRF measurement errors for periodic excitations
 - 5.1. Basic Principles
 - 5.2. Processing Repeated Measurements
 - 5.3. Improved Averaging Methods for Non-synchronized Measurements
 - 5.4. Coherence
6. FRF measurements using random excitations
 - 6.1. Basic Principles
 - 6.2. Reducing the Noise Influence
 - 6.2.1. Systematic Errors
 - 6.2.2. Variance
 - 6.3. Leakage Errors
7. FRF measurements of multiple input multiple output systems
8. Guidelines for FRF measurements
 - 8.1. Advice 1: Use periodic excitations
 - 8.2. Advice 2: Select the best FRF estimator
 - 8.2.1. Periodic Excitations
 - 8.2.2. Random Excitations
 - 8.3. Advice 3: Pretreatment of data
9. Conclusions

Estimation with Known Noise Model

79

R. Pintelon, *Department ELEC, Vrije Universiteit Brussel, Belgium*

J. Schoukens, *Department ELEC, Vrije Universiteit Brussel, Belgium*

1. Introduction
 - 1.1. Frequency Domain Data
 - 1.2. Plant Model
 - 1.3. Noise Model
2. Estimation Algorithms – General
 - 2.1. General Form of Cost Functions
 - 2.2. Minimization of Cost Functions
 - 2.3. Quick Tools to Analyze Estimators
 - 2.4. Asymptotic Properties
3. Estimation Algorithms – Specific
 - 3.1. Linear Least Squares
 - 3.2. Nonlinear Least Squares
 - 3.3. Total Least Squares Algorithms
 - 3.3.1. Introduction - Practical Implementation

- 3.3.2. Total Least Squares
- 3.3.3. Generalized Total Least Squares
- 3.4. Maximum Likelihood
- 3.5. Approximate Maximum Likelihood
 - 3.5.1. Introduction
 - 3.5.2. Iterative Quadratic Maximum Likelihood
 - 3.5.3. Bootstrapped Total Least Squares
- 3.6. Subspace Algorithms
- 4. Illustration and Overview of the Properties
 - 4.1. Real Measurement Example
 - 4.2. Overview of the Properties
- 5. Extensions
 - 5.1. Systems with Time Delay
 - 5.2. Identification in Feedback
 - 5.3. High Order Systems
- 6. Model Selection - Model Validation
 - 6.1. Detection of Undermodeling
 - 6.2. Detection of Overmodeling
 - 6.3. Whiteness Test on Residuals
 - 6.4. Model Validation
 - 6.5. Conclusion - Illustration

Frequency Domain Subspace Algorithms

115

R. Pintelon, *Department ELEC, Vrije Universiteit Brussel, Belgium*
 J. Schoukens, *Department ELEC, Vrije Universiteit Brussel, Belgium*

- 1. Introduction
- 2. Model equations
 - 2.1. Plant Model
 - 2.2. Noise Model
- 3. Subspace algorithms
 - 3.1. Algorithm for Discrete-time Systems
 - 3.2. Algorithm for Continuous-time Systems
 - 3.3. Asymptotic Properties
- 4. Practical remarks
- 5. Simulation examples
 - 5.1. Continuous-time System
 - 5.2. Discrete-time System
- 6. Real measurement example

Estimation with Unknown Noise Model

134

R. Pintelon, *Department ELEC, Vrije Universiteit Brussel, Belgium*
 J. Schoukens, *Department ELEC, Vrije Universiteit Brussel, Belgium*

- 1. Introduction
 - 1.1. Problem Statement
 - 1.2. Noise Model
- 2. Estimation algorithms
 - 2.1. Maximum Likelihood
 - 2.2. Generalized Total Least Squares
 - 2.3. Bootstrapped Total Least Squares
 - 2.4. Subspace Algorithms
 - 2.5. Instrumental Variables
- 3. Overview and Illustration of the properties
 - 3.1. Overview of the Properties
 - 3.2. Simulation Example

- 3.3. Real Measurement Example
4. Identification of parametric noise models
5. Identification in feedback
6. Model selection

Modal Analysis**157**

Patrick Guillaume, *Department of Mechanical Engineering, Acoustics & Vibration Research Group, Vrije Universiteit Brussel, Belgium.*

1. Introduction
2. The “Modal” Model
 - 2.1. Single Degree of Freedom
 - 2.2. Multiple Degrees of Freedom
 - 2.2.1. Mode Shapes and Operating Deflection Shapes
 - 2.2.2. Observability and Controllability of Modes
3. Frequency-Domain Identification of Modes
 - 3.1. Least Squares Estimation
 - 3.1.1. Common-Denominator Model
 - 3.1.2. Linearity in the Parameters
 - 3.1.3. Reduced Normal Equations
 - 3.1.4. Fast Implementation of the Reduced Normal Equations
 - 3.1.5. Solving the Reduced Normal Equations
 - 3.1.6. Stabilization chart
 - 3.2. Maximum Likelihood Estimation
 - 3.2.1. Gauss-Newton Optimization
 - 3.2.2. Confidence Intervals
4. Application
5. Conclusion

Identification of Linear Systems in Time Domain**176**

Torsten Söderström, *Uppsala University, Sweden*

1. What Is System Identification?
 - 1.1. The Need of Mathematical Models
 - 1.2. Classification of Models
 - 1.3. Mathematical Modeling
 - 1.4. Applying System Identification
2. The Setup
 - 2.1. Some Basic Concepts
 - 2.2. Identifiability
3. Identification Methods
 - 3.1. Least Squares Method
 - 3.2. Instrumental Variable Methods
 - 3.2.1. The Basic Case
 - 3.2.2. Extended IV Methods
 - 3.2.3. Consistency Analysis
 - 3.2.4. Asymptotic Distribution
 - 3.3. Prediction Error Methods
 - 3.3.1. Description
 - 3.3.2. Properties
 - 3.4. Subspace Identification Methods
4. Recursive Identification Algorithms
 - 4.1. Real-Time Algorithms
5. Identification for Control
6. Continuous-Time Identification

Least Squares and Instrumental Variable Methods**206**Tomas McKelvey, *Chalmers University of Technology, SE-412 96 Göteborg, Sweden*

1. Introduction
2. Models as predictors
 - 2.1. Linearly Parameterized Predictors
3. Estimating the model parameters
 - 3.1. Solving the Least Squares Problem
4. Stochastic analysis
 - 4.1. Preliminaries
 - 4.2. Deterministic Regressors
 - 4.3. Stochastic Regressors
5. Instrumental variable method
6. Computing the estimate
7. Multivariable systems
8. Optimal weighted LS estimator

Prediction Error Methods**230**Torsten Söderström, *Department of Systems and Control, Information Technology, Uppsala University, Uppsala, Sweden*

1. Description
 - 1.1. Introduction
 - 1.2. General Linear Dynamic Models
 - 1.2.1. Introduction
 - 1.2.2. ARMAX Models
 - 1.2.3. State Space Models
 - 1.3. Optimal Prediction
 - 1.4. Interpretations
 - 1.5. Implementation Aspects
 - 1.5.1. Optimization
 - 1.5.2. Evaluation of Gradients
 - 1.6. Extensions
 - 1.6.1. Prefiltering of Data
 - 1.6.2. Modified Criterion Function
 - 1.6.3. Using Multistep Prediction Errors
2. Properties
 - 2.1. Identifiability
 - 2.2. Convergence and Consistency
 - 2.3. Asymptotic Accuracy and Distribution
 - 2.4. Model Approximation

Subspace Identification Methods**253**Katrien De Cock, *K.U. Leuven, Department of Electrical Engineering (ESAT-SCD), Belgium*
Bart De Moor, *K.U. Leuven, Department of Electrical Engineering (ESAT-SCD), Belgium*

1. Introduction
 - 1.1. State Space Models
 - 1.2. The Basic Idea behind Subspace Identification Algorithms
2. Notation
 - 2.1. Block Hankel Matrices and State Sequences
 - 2.2. Model Matrices
3. Geometric Tools
 - 3.1. Orthogonal Projections
 - 3.2. Oblique Projections

4. Deterministic subspace identification
 - 4.1. Calculation of a State Sequence
 - 4.2. Computing the System Matrices
5. Stochastic subspace identification
 - 5.1. Calculation of a State Sequence
 - 5.2. Computing the System Matrices
6. Combined deterministic-stochastic subspace identification algorithm
 - 6.1. Calculation of a State Sequence
 - 6.2. Computing the System Matrices
 - 6.3. Variants
7. Comments and perspectives
8. Software

Recursive Algorithms**285**

Han-Fu Chen, *Institute of Systems Science, Academy of Mathematics and Systems Science, Chinese Academy of Sciences, Beijing, P. R. China.*

1. Introduction
2. Recursive Algorithm for Constant Coefficients
 - 2.1. Least Squares (LS)
 - 2.2. Extended Least Squares (ELS)
 - 2.3. RLS with Forgetting Factors
 - 2.4. Instrumental Variables Estimate
 - 2.5. Stochastic Approximation Estimate
 - 2.6. Stochastic Gradient Algorithm
 - 2.7. Recursive Algorithms Derived From Off-Line Identification
3. Convergence of Estimates
4. Time-Varying Systems
5. Concluding Remarks

Identification for Control**302**

Paul M.J. Van den Hof, *Delft University of Technology, The Netherlands.*
 Raymond A. de Callafon, *University of California, San Diego, USA.*

1. Introduction
 - 1.1. Relation between modeling and control
 - 1.2. When is a model good for feedback control?
2. Identification of approximate models
 - 2.1. Prediction error identification
 - 2.2. Closed-loop process-model mismatch
 - 2.3. Identification of control-relevant approximate models
3. Identification from closed-loop data
4. Iterative Identification and Control
5. Extensions
6. Conclusions

Continuous-Time Identification**319**

Rolf Johansson, *Department of Automatic Control, Lund Institute of Technology, Lund University, Sweden*

1. Introduction
2. A model transformation
 - 2.1. Parameter Transformations
3. Noise Modeling
4. Parameter Estimation

- 4.1. Numerical Iterative Optimization
- 5. Statistical Consistency and Convergence
 - 5.1. Orthogonalization and Numerical Aspects
- 6. Discussion and Conclusions

Identifiability of Linear Closed-Loop Systems**340**G. Bretthauer, *Institute for Applied Computer Science, Karlsruhe Research Center, Germany*M. Kaufmann, *Institute for Applied Computer Science/Automatic Control, University of Karlsruhe (TH), Germany*

- 1. Introduction
- 2. Identifiability Concepts
 - 2.1. Deterministic Identifiability
 - 2.2. Stochastic Identifiability
 - 2.3. Structural Identifiability
 - 2.4. System Identifiability
 - 2.5. Strong System Identifiability
 - 2.6. Parameter Identifiability
- 3. Identifiability Conditions for Closed-Loop Systems -A Short Overview
 - 3.1. SISO Systems
 - 3.2. MIMO systems
- 4. Complete and Partial I/O-Identifiability of Multivariable Closed-Loop Systems
 - 4.1. Motivation
 - 4.2. Definition of complete and partial I/O-identifiability
 - 4.3. Results
- 5. Conclusions

Relations between Time Domain and Frequency Domain Prediction Error Methods**366**Tomas McKelvey, *Signal Processing, Dept. of Signals and Systems, Chalmers University of Technology, SE-412 96 Göteborg, Sweden*

- 1. Introduction
 - 1.1. Problem Formulation
 - 1.2. Frequency Domain System Relations
- 2. Prediction error methods
 - 2.1. Time Domain
 - 2.2. Frequency Domain
 - 2.2.1. Asymptotic Properties
 - 2.3. A Comparison
 - 2.4. Closed Loop
 - 2.5. Frequency Domain ARX Case
 - 2.5.1. ARX Example
- 3. Discussion
- 4. Numerical example
- 5. Conclusions

Identification of Time Varying Systems**384**Peter Young, *Centre for Research on Environmental Systems and Statistics, Lancaster University, U.K., and Centre for Resource and Environmental Studies, Australian National University, Canberra, Australia*

- 1. Introduction
- 2. Simple Limited Memory Algorithms
- 3. Modeling the Parameter Variations: The Dynamic Transfer Function (DTF) Model
 - 3.1. Optimization of the Hyperparameters
- 4. Illustrative Examples

- 4.1. A Simulation Example
- 4.2. A Real Data Example
- 5. Conclusions

Index **405**

About EOLSS **411**