

INTRODUCTION TO MEDICAL PARASITOLOGY

Manar M.S. El-Tonsy

Parasitology Department, Faculty of Medicine, Ain Shams University, Cairo, Egypt.

Keywords: medical parasitology, parasites, hosts, paleoparasitology, epidemiology, endoparasites, ectoparasites, immunoparasitology, immunomodulation, molecular parasitology, helminthes, protozoan parasites, zoonosis, diagnosis and control of parasitic diseases.

Contents

1. Introduction
 - 1.1 Medical Parasitology
 - 1.2 Types of Parasites
 - 1.3 Types of Hosts
 - 1.4 Host-Parasite Relationship
 - 1.5 Classification and General Characters of Human Parasites
2. History of Human Parasites and Paleoparasitology
 - 2.1 Helminthic Worms in History
 - 2.2 Protozoan Parasites in History
 - 2.3 Paleoparasitology
3. Epidemiology
 - 3.1 Effects of Environmental Changes on Emerging Parasitic Diseases
 - 3.2 Role of Human Behavior in Transmission of Parasitic Diseases
 - 3.3 Population Movement and Parasitic Diseases
4. Endoparasites
 - 4.1 Intestinal and Atrial Endoparasites
 - 4.2 Blood and Tissue Endoparasites
 - 4.3 Examples of Some Endoparasitic Diseases
5. Ectoparasites
 - 5.1 Pediculosis as an Example of Ectoparasitic Diseases
6. Immunoparasitology and Immunomodulation
 - 6.1 Immune Response to Parasites
 - 6.2 Mechanism of Evasion of Immune Response to Parasites
 - 6.3 Consequences of Immune Response to Parasites
7. Molecular Parasitology
 - 7.1 Structure of DNA
 - 7.2 Gene Expression
 - 7.3 Genetic Diversity
 - 7.4 Applications of Molecular Techniques in Parasitology
8. Burden of Parasitic Diseases
 - 8.1 Complications of Some Parasitic Infections
 - 8.2 Parasitic Infections and Cancers
 - 8.3 The Economic Impact of Human Parasitic Diseases
9. Diagnosis of Parasitic Diseases
 - 9.1 Microscopy
 - 9.2 Immunodiagnosis

9.3 Molecular-Based Approaches

9.4 Imaging Techniques and Endoscopy

9.5 Recent Diagnostic Advances Using Nanotechnology

10. Control of Parasitic Diseases

10.1 Methods of Prevention and Control of Food and Water Borne Parasitic Diseases

10.2 Control of Vector Borne Parasitic Diseases

10.3 Control of Neglected Tropical Parasitic Diseases

Acknowledgment

Glossary

Bibliography

Biographical Sketch

Summary

Medical Parasitology is the branch of medical sciences dealing with organisms (parasites) which live temporarily or permanently, on or within the human body (host). There are different types of parasites and hosts. The competition for supremacy that takes place between the host and the parasite is referred to as host-parasite relationship. Accordingly, the host may have the upper hand and remains healthy or loses the competition, and a disease develops. Human parasites are either unicellular (protozoa) or multicellular (helminthes and arthropods). The parasites may live inside the host (endoparasites) or on the host surface (ectoparasites).

Endoparasites are classified into intestinal, atrial or they may inhabit body tissues causing serious health problems. Ectoparasites are arthropods that either cause diseases, or act as vectors transmitting other parasites. Human evolution and parasitic infections have run hand in hand and most parasitic diseases and methods of their transmission have been discovered thousands of years ago. Environmental changes, human behavior and population movement have a great effect on transmission, distribution, prevalence, and incidence of parasitic diseases in a community. Parasites can invade the human body in different ways; through oral route, skin, arthropod vectors or sexual contact. Host defense mechanisms consist of innate immunity which mediates initial protection against infection and adaptive immunity which is more effective. Once parasites have evaded innate host defenses, adaptive cellular and humoral immune responses are promoted against a wide array of antigenic constituents.

Diagnosis of parasitic diseases depends on several laboratory methods, imaging techniques and endoscopy in addition to clinical picture and geographic location. Parasitic diseases may be presented by a wide variety of clinical manifestations according to the tissue invaded. Direct microscopy is based on detection of the parasite by examination of different specimens (stool, urine, blood, CSF and tissue biopsies). Immunodiagnostic techniques include antigen and antibody-detection assays. Molecular-based diagnostic approaches offer great sensitivity and specificity. Recently, nanotechnology can be applied as diagnostic procedures utilizing nanodevices. Control and prevention of parasitic diseases depend on the interactions among many factors such as the environment, the human behavior, and socio-cultural factors that determine transmission and persistence of parasites.

1. Introduction

Medical Parasitology is the science dealing with parasites that infect man, causing disease and misery in most countries of the tropics. They plague billions of people, kill millions annually, and inflict debilitating injuries such as blindness and disfiguration on additional millions. World Health Organization estimates that one person in every four harbors parasitic worms.

The present work aims to clarify several aspects concerning parasites of medical importance to man. Parasite classification, general characters, biology, ecological factors that affect their transmission, the immune response of the body to invading parasites, diagnosis and control of the disease developed are highlighted.

1.1. Medical Parasitology

Medical Parasitology is the branch of medical sciences dealing with organisms (parasites) which live temporarily or permanently, on or within the human body (host). Parasitology is a dynamic field because the relationships between parasites and their hosts are constantly changing. Parasitism comprises an ecological relationship between two individuals of different species where the parasite's environment is another living organism. Parasites often cause important diseases of humans and animals (Bogitsh *et al.*, 2005). For this reason, Parasitology is an active field of study in which advances in biotechnology have raised expectations for the development of new drugs, vaccines, and other control measures. However, these expectations are dampened by the inherent complexity of parasites and host-parasite relationships, the entrenchment of parasites and vectors in their environments, and the vast socioeconomic problems in the geographical areas where parasites are most prevalent (McGraw-Hill, 2005). But what is the parasite?

The parasite is a living organism that lives in (endoparasite) or on (ectoparasite) another organism, termed its host. It obtains nourishment and protection while offering no benefit in return. Consequently, the host suffers from various diseases, infections, and discomforts. However, in some cases, the host may show no signs at all of infection by the parasite (UXL Encyclopedia of Science, 2002).

1.2. Types of Parasites

According to the nature of the host-parasite interactions and the environmental factors, the parasite may be one of the following types;

- An obligatory parasite that is completely dependent on its host and can't survive without it e.g. hookworms.
- A facultative parasite that can change its life style between free-living in the environment and parasitic according to the surrounding conditions. e.g. *Strongyloides stercoralis*.
- An accidental parasite that affects an unusual host e.g. *Toxocara canis* (a dog parasite) in man.
- A temporary parasite that visits the host only for feeding and then leaves it. e.g. Bed bug visiting man for a blood meal.

- A permanent parasite that lives in or on its host without leaving it e.g. Lice.
- An opportunistic parasite that is capable of producing disease in an immune-deficient host (like AIDS and cancer patients). In the immuno-competent host, it is either found in a latent form or causes a self limiting disease e.g. *Toxoplasma gondii*.
- A zoonotic parasite that primarily infects animals and is transmittable to humans. e.g. *Fasciola* species (Assaf *et al.*, 2004).

1.3. Types of Hosts

Hosts are classified according to their role in the life cycle of the parasite into:

- Definitive host (DH) that harbours the adult or sexually mature stages of the parasite (or in whom sexual reproduction occurs) e.g. man is DH for *Schistosoma haematobium*, while female *Anopheles* mosquito is DH for *Plasmodium* species (malaria parasites).
- Intermediate host (IH) that harbours larval or sexually immature stages of the parasite (or in whom asexual reproduction occurs) e.g. man is IH of malaria parasites. Two intermediate hosts termed 1st and 2nd IH may be needed for completion of a parasite's life cycle, e.g. *Pirenella conica* snail is the 1st IH, while *Tilapia* (Bolty) fish is the 2nd IH for *Heterophyes heterophyes*.
- Reservoir host (RH) harbours the same species and same stages of the parasite as man. It maintains the life cycle of the parasite in nature and is therefore, a reservoir source of infection for man. e.g. sheep are RH for *Fasciola hepatica*.
- Paratenic or transport host in whom the parasite does not undergo any development but remains alive and infective to another host. Paratenic hosts bridge gap between the intermediate and definitive hosts. For example, dogs and pigs may carry hookworm eggs from one place to another, but the eggs do not hatch or pass through any development in these animals.
- Vector is an arthropod that transmits parasites from one host to another, e.g. female sand fly transmits *Leishmania* parasites ((Bogitsh *et al.*, 2005).

1.4. Host-Parasite Relationship

The term refers to the relationship between the host and the parasite and the competition for supremacy that takes place between them.

Disease should not be confused with infection; a person may be infected without becoming diseased. If the host has upper hand, due to increased host resistance, it remains healthy and the parasite is either driven away or assumes a benign relationship with the host, but if the host loses the competition, a disease develops (Schmidt and Roberts, 2009).

In biology, the relationship between two organisms is mainly in the form of **symbiosis**, defined as "life together", i.e., the two organisms live in an association with one another. Thus, there are at least three types of relationships based on whether the symbiont has beneficial, harmful, or no effects on the other (Todar, 2011).

Types of Symbiotic Association:

- **Mutualism** is a relationship in which both partners benefit from the association. Mutualism is usually obligatory, since in most cases physiological dependence has evolved to such a degree that one mutual cannot survive without the other (Swift, 2009). Blood-sucking leeches cannot digest blood, and overcome that by harbouring certain intestinal bacterial species to do the digestion for their hosts. At least 20% of insect species, as well as many mites, spiders, crustaceans, and nematodes, are mutually infected with bacteria of genus *Wolbachia* (Warren, 2003). Also, filarial nematodes such *Wuchereria bancrofti* and *Onchocerca volvulus* which cause serious human diseases, are mutually infected with *Wolbachia*, and they can be cured of their bacterial infections by treating patients with antibiotics, but the worms die too (Rajan, 2003).
- **Commensalism:** in which one partner benefits from the association, but the host is neither helped nor harmed. Commensalism may be facultative, in the sense that the commensal may not be required to participate in an association to survive (Swift, 2009). Humans harbor several species of commensal protozoans, that colonize in the intestinal tract such as *Entamoeba dispar*, *Entamoeba hartmanni*, *Entamoeba moshkovskii*, *Entamoeba polecki*, *Endolimax nana*, *Iodamoeba butschlii* (Ortega, 2006).
- **Parasitism:** in which one of the participants, the parasite, either harms or lives at the expense of the host. Parasites may cause mechanical injury, such as boring a hole into the host or digging into its skin or other tissues, stimulate a damaging inflammatory or immune response. Most parasites inflict a combination of these conditions on their hosts (Taliaferro, 2009).

Parasites are different from predators and parasitoids (which also derive benefits from certain interspecific interactions while harming the other participant) in that the host of a parasite is not necessarily killed. Instead, parasites derive benefits from their hosts, most often nutritional resources and shelter, over a longer period of time. It is in fact advantageous to parasites if they do not harm their hosts too badly, because that prolongs the period during which parasites can obtain benefits from hosts. However, in some cases, the impact of parasites on a host is great enough to cause disease, and in extreme cases, the death of the host may also occur (Yeh, 2002).

1.5. Classification and General Characters of Human Parasites.

The classification of parasites is controversial as there is no universally accepted system.

Parasites form part of the animal kingdom which comprises about 800,000 identified species categorized into 33 phyla.

The most acceptable taxonomic classification of human parasites includes Endoparasites and Ectoparasites. Endoparasites are sub-classified into Helminthic parasites (multicellular organisms) and Protozoan parasites (unicellular organisms). Helminthic parasites are either flat worms (Trematodes), segmented ribbon like worms (Cestodes) or cylindrical worms (Nematodes).



Figure 1. A Trematode worm, *Fasciola hepatica*




Figure 2. A Cestode worm, *Echinococcus granulosus*



Figure 3. A Nematode worm, *Ascaris lumbricoides*




Figure 4. A Protozoan parasite, *Entamoeba histolytica* (cyst & trophozoite).

1.5.1. Endoparasites

Most parasites of humans live inside the host (*endo-* means internal). These are helminthes (worms of various types), protozoa, or sometimes larval stages of arthropods (insects, mites, etc.)

Both helminthic and protozoan parasites can infect different tissues and organs of the human body. A great number of endoparasites live in the intestines, or at least pass through the intestines, having been swallowed in food or water. Virtually any organ can be affected, however some parasites like *Trichinella spp.* and *Toxoplasma gondii* live in muscles, larvae of *Echinococcus spp.* and liver flukes occupy the liver, *Schistosoma hematobium* targets the urinary bladder and most of the protozoan parasites circulate in blood.

1.5.2. Ectoparasites

Human ectoparasites live on the host (*ecto-* means outside of). They include fleas, lice, mosquitoes, bugs, mites, ticks etc. In general, ectoparasites attach to the skin to feed and do not remain on the host for their entire lives.



Figure 5. *Pediculus humanus capitis* (male) as an example of ectoparasites.

Some of these organisms lie in a grey area between endoparasites and ectoparasites: scabies mites, for example, are generally considered ectoparasites though the female scabies mite does burrow into the skin. Fly larvae may feed on dead tissue in a wound, but some species never invade healthy tissue.

1.5.3. Parasites' Life Cycles

Life cycles of parasites may be simple or complex. Parasites that are characterized by a simple or direct life cycle have only one host and are described as **monoxenous** (e.g. life cycle of *Ascaris lumbricoides*, Fig. 6). The parasite generally spends most of its life in or on the host, and may reproduce within the host. Because offspring must be transmitted to other hosts, however, the parasite or its **progeny** must have some way of leaving the host, surviving in the external environment for some period, and locating and infecting a new host. Parasites with simple life cycles have both parasitic and free-living life stages. The proportion of the total life cycle spent in each stage varies according to the parasite.

Parasites with more complex life cycles involving multiple hosts are described as having indirect or **heteroxenous** life cycles (e.g. life cycle of *Fasciola* spp., Fig. 7). The primary or definitive host of a heteroxenous species is the one in which adult parasites live and reproduce sexually. The secondary or intermediate host (IH) is the host where immature life stages of the parasite live and reproduce asexually. In many cases, the parasite passes through critical developmental stages in the IH. The latter may also aid in transmitting parasites to their final host. Rat flea, for example, is the IH for mammalian parasites such as the tapeworm; *Hymenolepis diminuta*.

Some parasites are transmitted directly from one host to another, often by insects, described as vectors. One particularly effective vector for vertebrate parasites is the mosquito, which plays a role in transmission of numerous parasites including heartworm, the viruses that cause yellow fever and encephalitis, and *Plasmodium*, the protozoan that causes malaria (<http://www.mosquito.org/mosquito-borne-diseases>).

-
-
-

TO ACCESS ALL THE **53 PAGES** OF THIS CHAPTER,
Visit: <http://www.eolss.net/Eolss-sampleAllChapter.aspx>

Bibliography

Ackson J.A. Friberg IM, Bolch L, Lowe A, Ralli C, Harris PD, Behnke JM, Bradley JE (2009): Immunomodulatory parasites and toll-like receptor-mediated tumour necrosis factor alpha responsiveness in wild mammals. *BMC Biology*, **7**:16. [This presents a major recent advance in immunology; the

recognition of the central role of phylogenetically conserved toll-like receptors in triggering innate immunity and the subsequent recruitment of adaptive response programmes].

Alberts B, Johnson A, Lewis J. et al. (2002): *Molecular Biology of the Cell. Part II. Basic Genetic Mechanisms*, Chapter 6. *How Cells Read the Genome: From DNA to Protein*, 4th edition, New York: Garland Science. [This describes the cells and genomes, protein Synthesis, the structure and function of DNA, how DNA transcribes to RNA and how RNA is translated to protein].

Ambroise-Thomas, P. (2001): Parasitic diseases and immunodeficiencies. *Parasitology* 122(Suppl.):s65-s71. [the immunodepression associated with HIV and AIDS infections has resulted in the establishment of a number of new opportunistic parasitic infections].

Anthony RM, Rutitzky LI, Urban JF, Stadecker MJ Jr, Gause WC. (2007): Protective immune mechanisms in helminth infection. *Nat Rev Immunol*; 7(12): 975–87. [This study on the immune response against helminthes is of great interest in understanding interactions between the host immune system and parasites].

Anthony RM, Urban JF Jr, Alem F *et al.* (2006): Memory TH2 cells induce alternatively activated macrophages to mediate protection against nematode parasites. *Nature Med*; 12:955–60.[The authors studied the immune response that mediated through TH2 and the mechanisms that leading to host protection against helminthic parasites].

Arcari M., Baxendine A. and Bennett C. E (2000): *Diagnosing Medical Parasites through Coprological Techniques* (<http://www.soton.ac.uk/~ceb/Diagnosis/Vol1.htm>) [laboratory diagnosis of medical parasites by their detection in fecal specimens, body tissues or fluids using special techniques]

Ashford, R. W., and W. Crewe (1998): *The Parasites of Homo Sapiens: An Annotated Checklist of the Protozoa, Helminths and Arthropods for Which We are Home*, Liverpool School of Tropical Medicine, Liverpool, United Kingdom.[An indispensable guide for all parasitologists, it presents a comprehensive checklist of all animals naturally parasitic in or on the human body].

Ashokan KV and Pillai MM. (2008): In silico characterization of silk fibroin protein using computational tools and servers. *Asian J.Exp.Sci*, 22(3), 265-274.[In this paper, ten different silk fibroin proteins (SFs) retrieved from Swiss-Prot database are analyzed and characterized using in silico tools].

Assaf, D., Kibru, E., Nagesh, S., Gebreselassie, S., Deribe, F. and Ali, J. (2004): *Medical Parasitology, Lecture Notes*, Jimma University, Debub University and University of Gondar. In collaboration with the Ethiopia Public Health Training Initiative, The Carter Center, the Ethiopia Ministry of Health and the Ethiopia Ministry of Education, p.1-3.[This presents introduction to general parasitology and its to classification to helminthology, protozoology and entomology].

Azim S, Dojki F, Ahmad SS, Beg MA (2008): Role of Human Behaviour and Parasitic Diseases-Review Article. *Infectious Diseases Journal of Pakistan*, Volume 17 Issue 04, Page 128-134.[this review concluded that the prevalence of zoonosis is affected by human behavior. Interventions involving modifications of human behavior to reduce disease prevalence are neglected in many disease control programs].

Bogitsh, B.J., Carter, C.E.,Oeltmann, T.N. (2005): *Human Parasitology*, 3rd Edition, Elsevier , Oxford, UK, P,1-3.[This chapter described the definition of symbiosis and parasitism, ecological aspects of parasitism and the factors affecting parasites prevalence].

Bray, R. S. (1996): *Amoebiasis, The Wellcome Trust illustrated history of tropical diseases.*, Cox F. E. G. (ed.), The Wellcome Trust, London, United Kingdom, , p. 170-177. [Discovery of both the intestinal and liver forms of the disease was recognized from the earliest times as there were so many causes of both the bloody dysentery characteristic of amoebiasis and hepatic symptoms].

Burbelo, P. D., Goldman R. and Mattson T.L. (2005): A simplified immunoprecipitation method for quantitatively measuring antibody responses in clinical sera samples by using mammalian-produced Renilla luciferase-antigen fusion proteins, *BMC Biotechnology*, vol. 5, article 22.[The authors reported that a number of newer serology-based assays that are highly specific and sensitive have emerged].

Burgess, I. (2004). "Human Lice and their Control". *Annual Review of Entomology* (Annual Reviews) 49: 457–481.[This presents the prevalence rate of human lice in USA and European countries and methods of their control].

Butler, J. M. (2001): *Forensic DNA Typing*. Elsevier. pp. 14–15. [It described the detailed structure of the nucleus of the cells, the chromosomes and DNA].

Buzea C, Pacheco I, and Robbie K. (2007): Nanomaterials and Nanoparticles: Sources and Toxicity. *Biointerphases*; 2: MR17-MR71.[This presents the study of atoms and small molecules, using spectroscopy and mass spectroscopy, that were extended to other nanometer-sized structures].

Carter, W.J., Yan, Z., Cassai, N.D. and Sidhu, G.S. (2003): Detection of extracellular forms of *Babesia* in the blood by electron microscopy: a diagnostic method for differentiation from *Plasmodium falciparum*, *Ultrastructural Pathology*, vol. 27, no. 4, pp. 211–216.[The authors used Electron Microscopy, a new tool, for differentiation between *Babesia* and *Plasmodium falciparum*.].

Carvalho L, Sun J, Kane C, Marshall F, Krawczyk C, Pearce EJ. (2008): Review series on helminthes, immune modulation and the hygiene hypothesis: Mechanisms underlying helminth modulation of dendritic cell function. *Immunology*;126:28–34. [It describes how the immune system of the human body and the pathological reactions occur in response to the helminthic infection].

Chen YX, Sun M, Tang SL, Liao CS, Xu JL, et al. (1995): *Trichomonas vaginalis* and cervical cancer. A prospective study in China. *Ann Epidemiol*; 5:325-32.[The authors studied the association between *T. vaginalis* infection and cervical neoplasm].

Cobo, F. Aliaga, L., Talavera, P. and Concha, A. (2007): The histological spectrum of non-granulomatous localized mucosal leishmaniasis caused by *Leishmania infantum*,” *Annals of Tropical Medicine and Parasitology*, vol. 101, no. 8, pp. 689–694.[The authors evaluated that microscopy remains the only diagnostic tool for detection of parasites in tissue smears].

Cockburn, A., E. Cockburn, and T. A. Reyman (ed.), (1998):. *Mummies, disease and ancient cultures*, 2nd ed., Cambridge University Press, Cambridge, United Kingdom.[the discovery *A. lumbricoides* in a Middle Kingdom Egyptian mummy of the Old World].

Cooper PJ and Nutman TB. (2002): IgE and its role in parasitic helminth infection: Implications for anti-IgE based therapies. In Fick RB, Jardieu P (eds). *IgE and anti-IgE Therapy in Asthma and Allergic Disease*. New York: Marcel Dekker; 409–25. [This presents the role of immune cells in response against helminthic infection].

Cox F. E. G. (2002): History of Human Parasitology. In *Clinical Microbiology Reviews*, Vol. 15, No. 4, p. 595-612. [This presents history of cestodiasis with identification of about 40 species of adult tapeworms].

Croft, A.M., Jackson, C. J. Friend, H. M. and Minton, E. J. (2006): African trypanosomiasis in a British soldier, *Journal of the Royal Army Medical Corps*, vol. 152, no. 3, pp. 156–160. [The authors reported about the role microscopy in detection of the parasite causing African trypanosomiasis in cerebrospinal fluid].

Cruz, I. Chicharro, C. Nieto, J. et al., (2006): Comparison of new diagnostic tools for management of pediatric Mediterranean visceral leishmaniasis, *Journal of Clinical Microbiology*, vol. 44, no. 7, pp. 2343–2347.[This presents comparison between new techniques and the traditional ones in the identification of pediatric visceral leishmaniasis (VL) in blood, bone marrow, and urine samples].

Dandan I.S. and Soweid A.M. (2008): Hydatid Cysts Treatment and Management. <http://emedicine.medscape.com/article/178648-treatment> [It describes how PAIR technique is used in treatment and management of hydatid cysts]

Darío A. Palmieri; Marcelo D. Bechara; Rogério A. Curi; Jomar P. Monteiro; Sérgio E.S. Valente; Marcos A. Gimenes; Catalina R. Lopes (2010): Genetic diversity analysis in the section *Caulorrhizae* (genus *Arachis*) using microsatellite markers, *Genet. Mol. Biol.* vol.33 no.1 São Paulo, Epub.[It presents the genetic differences between parasite strains and gene mutation in chromosomes that may occur].

Desportes, I., Y. Le Charpentier, A. Galian, F. Bernard, B. Cochand-Priollet, A. Lavergne, P. Ravisse and R. Modigliani. (1985): Occurrence of a new microsporidian: *Enterocytozoon bieneusi* n.g., n.sp. in the enterocytes of a human patient with AIDS. *J. Protozool.*, 23:250-254. [History of transmission of parasitic diseases from Old World to New World].

Dobell, C. (1919): The amoebae living in man. John Bale Sons and Danielsson, London, United Kingdom.[this presents the discovery of protozoan parasites by Antonie van Leeuwenhoek toward the end of the 17th century].

Dexiang, W., Y. Wenyuan, H. Shenqi, L. Yunfang, S. Tiancheng, M. Jiahua, H. Wenxiu, and X. Nianfeng.(1981): Parasitological investigation on the ancient corpse of the Western Han Dynasty unearthed from tomb no. 168 on Phoenix Hill in Jiangling County. *Acta Acad. Med.*1981, Wuhan 1:16-23.[discovery of *Ascaris lumbricoides* in the Ming Dynasty between AD 1368 and 1644].

Ebrahim G.J. (1995): Applications of molecular biology in parasitic diseases. *J Trop Pediatr*; 41(2):66-7.[The author studied using molecular techniques for the development of more effective and less toxic drugs for parasitic infections] .

Etches V, Frank J, Di Ruggiero E. (2006): Manuel D. Measuring population health: a review of indicators. *Annu Rev Public Health.*; 27:29-55.[Measurement of parasitic diseases impact using DALYs and QALYs].

Elliott, J. (1863): Report on epidemic and remittent fever occurring in parts of Burdwan and Neddea divisions. p. 1-23. Bengal Secretarial Office, Calcutta, India.[Kala azar was first noticed in Jessore in India in 1824, when patients was suffering from fevers].

El-Sheikh A.R., Al Karawi M.A. and Yasawy M.I. (1991): Modern techniques in the diagnosis and treatment of gastrointestinal and biliary tree parasites. *Hepatogastroenterology*; 38 (2):180-8.[The authors studied the value of use Endoscopy for diagnosis of hepatointestinal and biliary parasitic diseases].

Ferreira, L. F., Araújo J. G., and Confaloneiri U. E. C. (1983): The findings of helminth eggs in a Brazilian mummy. *Trans. R. Soc. Trop. Med. Hyg.* 77:65-67.[History of discovery of helminthic eggs in Brazilian mummy dated about 1660 to 1420 BC].

Finkelman FD, Shea-Donohue T, Morris, SC, *et al.* (2004) : Interleukin-4- and interleukin-13-mediated host protection against intestinal nematode parasites. *Immunol Rev*, 201:139–55.[It describes how the host immune mechanisms involved in inflammatory pathogenesis, can occur in parasitic diseases].

Fong MY, Asha T, Azdayanti M, Yee LL, Sinnadurai S, Rohela M.(2008): Inferring the phylogenetic position of *Brugia pahangi* using 18S ribosomal RNA (18S rRNA) gene sequence, *Trop Biomed.* 25(1):87-92.[The researchers concluded that the amplified RNA sequences of parasites can establish how close or divergent they are]

Fotedar R, Stark D, Beebe N, et al. (2007): Laboratory diagnostic techniques for *Entamoeba* species. *Clin Microbiol Rev*; 20 (3):511-32,[The authors reported about the prevalence rate of amoebiasis that it is worldwide and the different identified species of *Entameba*] .

Fujinami, A., and Nakamura. A. (1909): The mode of transmission of Katayama disease of Hiroshima Prefecture. Japanese schistosomiasis, the development of the causative worm and the disease in animals caused by it. *Hiroshima Iji Geppo* 132:324-341. (In Japanese).[This presents the history of discovery of *S. japonicum* in Japan in the Kwanami district at 1847].

Fumagalli M, Pozzoli U, Cagliani R, Comi GP, Riva S, Clerici M, Bresolin N, Sironi M (2009): Parasites represent a major selective force for interleukin genes and shape the genetic predisposition to autoimmune conditions. *J Exp Med*, 206:1395-1408.[The researchers verified that six risk alleles for inflammatory bowel (IBD) are significantly correlated with micropathogen richness which provide a large set of putative targets for susceptibility to helminth infections].

Ghaffar A. and Brower G. (2010): RASITOLOGY – Chapter Five –Cestodes (Tape Worms), <http://pathmicro.med.sc.edu/parasitology/cestodes.htm> [It presents the PAIR technique and its uses in treatment of Hydatid disease].

Goodwin, L. (1996): Ascariasis.. In Cox, F. E. G. (ed.). *The Wellcome Trust illustrated history of tropical diseases*, the Wellcome Trust, London, United Kingdom. P. 326-3319 [The author gave good accounts on the history of Ascariasis].

Grassi, B (1981): Noto interno ad alcuni parassiti dell'uomo III. Interno all'*Ascaris lumbricoides*. *Gaz. Osp. Milano*, 2:432.[He did the experiment on himself by being exposed to infection with the eggs of *A. lumbricoides* and subsequently found eggs in his feces].

Gratz, N. (1998): Human lice, their prevalence and resistance to insecticides. Geneva: World Health Organization (WHO). [He studied the epidemiology of human louse infestations and noticed that its prevalence has increased worldwide since the mid-1960s, reaching hundreds of millions annually].

Grisard EC, Stoco PH, Wagner G, et al. (2010): *Mol Biochem Parasitol*. Transcriptomic analyses of the avirulent protozoan parasite *Trypanosoma rangeli*. 174(1):18-25. Epub.[they studied the genetic diversity and Transcriptomic analysis of the avirulent protozoan parasite *Trypanosoma rangeli*].

Grove, D. I. (1990): A history of human helminthology. CAB International, Wallingford, United Kingdom.[He described *Ascaris*, *Enterobius*, and tapeworms and gave good clinical descriptions of the infections they caused].

Haddad M.C., Abd El Bagi, M.E. and Tamraz J.C. (2008): *Imaging of Parasitic Diseases, Hepatobiliary, pancreas and spleen*, Springer Berlin Heidelberg New York, P. 116-119. [This chapter described the different imaging techniques and their values in diagnosis of hepatobiliary, pancreatic and splenic parasitic diseases].

Healy, GR and Ruebush, TK. (1980): Morphology of *Babesia microti* in human blood smears, *American Journal of Clinical Pathology*, vol. 73, no. 1, pp. 107–109. [The authors reported that microscopy, for many years, has been the only tool available for the detection of parasites through inspection of different samples as blood smears].

Herbert DR, Holscher C, Mohrs M *et al.* (2004) : Alternative macrophage activation is essential for survival during schistosomiasis and down-modulates T helper 1 responses and immunopathology. *Immunity*, 20: 623-35.[They described the mechanism of immune response in parasitic infections].

Hillyer, G. V., De Galanes, M. S., Rodriguez-Perez, J. et al. (1992): Use of the Falcon™ assay screening test-enzyme-linked immunosorbent assay (FAST-ELISA) and the enzyme-linked immunoelectrotransfer blot (EITB) to determine the prevalence of human fascioliasis in the Bolivian Altiplano, *The American Journal of Tropical Medicine and Hygiene*, vol. 46, no. 5, pp. 603–609.[The authors found that FAST-ELISA and EITB tests have shown to be useful in the confirmation of chronic fascioliasis when egg production is low or sporadic].

Hoare, C. A. (1938): Early discoveries regarding the parasites of oriental sore. *Trans. R. Soc. Trop. Med. Hyg*, 32: 67-92.[This presents the history of discovery of the parasite, *L. donovani*, in 1900 by Leishman and Donovan. It is the causative parasite of the Old World Visceral leishmaniasis].

Hoepli, R. (1956): The knowledge of parasites and parasitic infections from ancient times to the 17th century. *Exp. Parasitol.*, 5:398-419.[The author's studies were on primitive tribes in Sarawak and North Borneo, where Hoepli found that most people are aware of their intestinal roundworms and tapeworms].

Hotez P (2001): The Global Burden of Parasitic Disease in the New Millennium. Inter-science Conference on Antimicrobial Agents and Chemotherapy (41st Conference, Chicago, Ill.). [The authors reported that globalization has yet to benefit the enormous burden caused by parasitic infections among the poorest of the poor living in developing countries].

International Agency for Research on Cancer (1994): Infection with liver flukes (*Opisthorchis viverrini*, *Opisthorchis felinus* and *Clonorchis sinensis*). *IARC Monogr Eval Carcinog Risks Hum*, 61 :121-65.[An organization performing researches on the relationship between helminthic infections and cancers].

IARC (1994): Schistosomes, Liver Flukes and Helicobacter pylori Monographs on the Evaluation of Carcinogenic Risks to Humans. Lyon: IARC Scientific; Vol. 61.[Studies on the carcinogenic effects of schistosomes].

Ishii A, Matsuoka H, Aji T, Ohta N, Arimoto S, Wataya Y, *et al.* (1994): Parasitic infection and cancer: With special emphasis on *Schistosoma japonicum* infection (Trematoda). A review. *Mutat Res*, 305 :273-81.[Studied the relationship between *S. japonicum* infections and cancers].

Jackson JA, Friberg IM, Bolch L, Lowe A, Ralli C, Harris PD, Behnke JM, Bradley JE (2009): Immunomodulatory parasites and toll-like receptor-mediated tumour necrosis factor alpha responsiveness in wild mammals. *BMC Biology*, 7:16.[The authors reported that some ectoparasites exert immunomodulatory effects similar to those associated with helminths gut infection, also the diminished cytokine responses following TLR stimulation].

James, WD.; Berger, TG.; et al. (2006): *Andrews' Diseases of the Skin: clinical Dermatology*. Saunders Elsevier, 446-8. [They differentiated the three types of pediculosis; *capitis*, *corporis* and *pubis*].

John M. ed., (2001): *A Dictionary of Epidemiology* (4 ed.), New York, NY: Oxford University Press. [It defines some epidemiological terms like Microepidemiology, Incidence and Prevalence].

Jones, W. H., and E. T. Whithington .(1948-1953): *Works of Hippocrates*. Loeb Classical Library, Heinemann, London, United Kingdom.[They studied helminthic worms in history as well as amoebiasis].

Kamal SM., Khalifa K E (2006): Immune modulation by helminthic infections: worms and viral infections. *Parasite Immunol*, 28:484-96 [The paper presents the epidemiological evidence which supports the hypothesis that some parasites cause impaired immune responses to bystander bacterial and viral infections].

Kean, B. H., K. E. Mott, and A. J. Russell (ed.) (1978): *Tropical medicine and Parasitology: classic investigations*. Cornell University Press, Ithaca, N.Y.[They reported on the history of intestinal schistosomiasis caused by *S. mansoni* dates back to Manson in 1902].

Khurana S, Dubey ML, Malla N. (2005): Association of Parasitic Infections and Cancers Indian Journal of Medical Microbiology, Volume 23(2) Page: 74-79.[They clarified the relationship between infectious agents and cancer, and have given valuable insights into the molecular basis of carcinogenesis].

Küchenmeister, F. (1857): *Animal and vegetable parasites*. Translated from the German by Edwin Lankaster. The Sydenham Society, London, United Kingdom.[He gave description of hydatid cysts in humans in the *Corpus Hippocraticum*].

Kuhn, K. (ed.). (1821-1833): *Galen (Galenus). Opera omnia*, 22 vols. Leipzig, Germany.[In history of parasitic diseases, the reported about helminthic worms of fishes, domesticated animals, and humans].

Leung A.K.C.and Robson LM (2008): "Pruritis in Children: What's Itching?". *Consultant for Pediatricians*. [The researchers described the Head-lice infestation is most frequent in children and their families. They also studied the epidemiology of head lice in United].

Machpherson C.N.L.(2005): Human behavior and the epidemiology of parasitic zoonoses. *Int. J. Parasitol.* 35: 1319-1331.[He wrote about the definitions of some epidemiological terms as Macroepidemiology].

Malaria, Fact sheet No. 94, 2010: <http://www.who.int/mediacentre/factsheets/fs094/en/index.html> [It presents epidemiology, transmission, symptoms, diagnosis and treatment of malaria].

Manson-Bahr, P. E. C. (1996) : Old World leishmaniasis, p. 206-217. In F. E. G. Cox (ed.), *The Wellcome Trust illustrated history of tropical diseases*. The Wellcome Trust, London, United Kingdom.[It describes the history of Leishmaniasis; cutaneous (oriental sore) and old world visceral leishmaniasis (Kala Azar)].

Mantovani A., Sica A, and Locati M. (2005): Macrophage polarization comes of age. *Immunity*, 23:344–6.[The author clarified the role of complement pathways and cellular components of the innate immune response in parasitic diseases].

Marcogliese D.J. (2008): The impact of climate change on the parasites and infectious diseases of aquatic animals, *Rev Sci Tech*,27(2):467-84.[The author described the effects of climate changes on parasitism and disease in freshwater and marine ecosystems, with consequences for human health and socio-economics].

Mata L. (1982): Sociocultural factors in the control and prevention of parasitic diseases. *Rev Infect Dis.*, 4 (4):861-9. [It presents the control and prevention of parasitic disease which depends on studying the interactions between factors such as human behavior, the environment, and the life cycles of parasites].

Mayumi A., Yamaji N., Eiji N., Kouichi N., Satoru K. and Masamichi A. (2001): Invasive forms of *Toxoplasma gondii*, *Leishmania amazonensis* and *Trypanosoma cruzi* have a positive charge at their contact site with host cells. *Parasitology Research*, Vol. 87(3), pp 193-197, Springer Berlin / Heidelberg. [The authors studied the cell surface charges of the invasive protozoan parasites using the Atomic Force Microscopy].

Maunder, JW (1983): "The Appreciation of Lice". *Proceedings of the Royal Institution of Great Britain* (London: Royal Institution of Great Britain), 55: 1–31. [He described the ectoparasitic disease, pediculosis which can occur in almost any species of warm-blooded animal].

Mens P., Spieker N., Omar S. Heijnen M, Schallig H. and Kager P.A. (2007): Is molecular biology the best alternative for diagnosis of malaria to microscopy? A comparison between microscopy, antigen detection and molecular tests in rural Kenya and urban Tanzania, *Tropical Medicine and International Health*, vol. 12, no. 2, pp. 238–244. [The authors reported that molecular-based techniques offer greater sensitivity and specificity over the existing diagnostic tests].

Merck Manual (2005) November. Retrieved 2008-02-19. Lice (Pediculosis). http://www.merckmanuals.com/professional/dermatologic_disorders/parasitic_skin_infections/lice.html?qt=&sc=&alt [This describes that head lice occurs more frequently in females than males and those of African descent rarely suffer infestation due to differences in hair texture].

Moghimi S.M., Hunter A.C., and Murray J.C. (2005): Nanomedicine: current status and future prospects. *The FASEB Journal*, 19, 311-330. [The paper presents comparison between the conventional methods of diagnosis of infectious diseases and the recent methods applying nanomedicine].

Momar N. (2009): Diagnosis of Parasitic Diseases: Old and New Approaches (Review Article). In *Interdisciplinary Perspectives on Infectious Diseases*. Vol. 2009, Article ID 278246, 15 pages. <http://www.hindawi.com/journals/ipid/2009/278246/>. [The author described the old and new approaches used for diagnosis of parasitic infections, clarifying the advantages of the new methods over the old ones].

Moro, P. and Schantz, P. M. (2009): Echinococcosis: a review, *International Journal of Infectious Diseases*, vol. 13, no. 2, pp. 125–133. [The authors studied the advantages and disadvantages of using serological tests for diagnosis of parasitic infections].

Muldrew, KL. (2009): Molecular diagnostics of infectious diseases, *Current Opinion in Pediatrics*, vol. 21, no. 1, pp. 102–111. [This presents the value of real-time polymerase chain reaction that has shown a high potential for use in parasite diagnosis with increased specificity and sensitivity].

Mumcuoglu KY, Friger M, Ioffe-Uspensky I, Ben-Ishai F, Miller J (2001): Louse comb versus direct visual examination for the diagnosis of head louse infestations. *Pediatr Dermatol* 18 (1): 9–12. [The authors described the proper method for diagnosis of Head Louse infestation by using a louse comb].

Nature Publishing Co. (2001): The human genome. *Nature* 409(Suppl.):813-958. [The paper presents the relation between human evolution and parasitic infections that was studied through the Human Genome Project].

Nelson, G. (1996). Lymphatic filariasis, In F. E. G. Cox (ed.), p. 294-303. The Wellcome Trust illustrated history of tropical diseases. The Wellcome Trust, London, United Kingdom. [The author reported about the history of filarial worms and lymphatic filariasis, described the life cycle and symptoms of filariasis].

Ortega Y.R (2006): Amoeba and Ciliates. In *Food-borne Parasites*, Ortega Y.R (ed), p: 1-14, Springer. [The author described the commensalism relation between 2 organisms in which one partner benefits from the association, but the host is neither helped nor harmed].

Ozensoy, S. Ozbel, Y. Turgay, N. et al. (1998): Serodiagnosis and epidemiology of visceral leishmaniasis in Turkey, *The American Journal of Tropical Medicine and Hygiene*, vol. 59, no. 3, pp. 363–369. [The authors described the value of using microscopy for detection of parasites in feces, lymph node aspirates].

Papadopoulos, M. C. Abel, P. Agranoff, M. D. et al. (2004): A novel and accurate diagnostic test for human African trypanosomiasis, *The Lancet*, vol. 363, no. 9418, pp. 1358–1363. [The authors reported about the limited use of serological tests for diagnosis of African trypanosomiasis because of seroconversion].

Parasites, *UXL Encyclopedia of Science* (2002) <http://www.encyclopedia.com/topic/Parasites.aspx> [This presents definition of Parasitology, parasites, hosts, host-parasite relationship parasite' life cycle and descriptions of diseases caused by parasites].

Parida M.M., Sannarangaiah, S., Dash, P.K., Rao, P.V.L. and Morita, K. (2008): Loop mediated isothermal amplification (LAMP): a new generation of innovative gene amplification technique; perspectives in clinical diagnosis of infectious diseases, *Reviews in Medical Virology*, vol. 18, no. 6, pp. 407–421. [The authors described LAMP technique as it is a unique amplification method with extremely high specificity and sensitivity able to discriminate between a single nucleotide difference].

Paris L, Thellier M, Faussart A, and Danis M (2007): World epidemiology of parasitic diseases, *Rev Prat* 57: 131-6. [This presents that Migrations and tourism affect transmission and spread of tropical diseases frequently outside their geographical distribution area].

Patrucco, R., Tello, R. and Bonavia, D. (1983): Parasitological studies of coprolites of pre-Hispanic Peruvian populations. *Curr. Anthropol.* 24:393-394. [The history of discovery of *Ascaris lumbricoides* eggs that have been found in human coprolites from Peru dating from 2277 BC].

Patz JA, Graczyk TK, Geller N, Vittor AY (2000): Effects of environmental change on emerging parasitic diseases. *Int. J. Parasitol.* 30:1395-1405. [The authors described the effects of ecological disturbances on the emergence and proliferation of some parasitic diseases including malaria, leishmaniasis, cryptosporidiosis, trypanosomiasis, filariasis, onchocerciasis, and loiasis].

Pearson H (2006): "Genetics: what is a gene?". *Nature*, 441 (7092): 398–401. [The author defined the Gene and the genetic code].

Perrigoue JG, Marshall FA, Artis D. (2008): On the hunt for helminths: innate immune cells in the recognition and response to helminth parasites. *Cell Microbiol*; 10(9):1757–64. [The paper presents Immune-modulation and Immune response in subjects chronically infected with helminthes].

Pisani P, Parkin D.M., Munoz N, Ferlay J. (1997): Cancer and infection: Estimates of the attributable fraction in 1990. *Cancer Epidemiol Biomarkers Prev* ;6 :387-400. [They studied the relationship between Schistosomes and cancers and concluded that *S. haematobium* infection is a definitive cause of urinary bladder cancer].

Rajan, T.V. (2003): The worm and the parasite, *Natural History* 112:32-35. [The author studied the relationship between filarial nematodes such *Wuchereria bancrofti* and *Onchocerca volvulus* which are mutually infected with *Wolbachia* bacteria].

Reinhard K, Confalonieri U, Ferreira LF, Herrmann B., Araújo A (1988): Recovery of parasite remains from coprolites and latrines: aspects of paleoparasitological technique. *Homo* 37: 217-239. [The authors reported about finding parasites in fecal material recovered from archaeological sites, they added that preservation seems to be best in moist anaerobic environments or desiccating environments].

Reinhard KJ (1992): The impact of diet, and parasitism on anemia in the prehistoric West. In P Stuart Mc Adam, S Kent (eds), *Demography and Disease: Changing Perspectives of Anemia*, Aldine de Gruyter, New York, p. 219-258. [This presents comparison of prevalence of intestinal parasites among Hunter-gatherer and agricultural groups of people in archeological sites in United States].

Rosenfield, P. L. Golladay, F. Davidson, R.K. (2002): The economics of parasitic diseases: Research priorities, WHO/TDR, 1211, Geneva 26, Switzerland, Available online, <http://www.suite101.com/content/what-is-a-parasite-life-within-life-a277678> [The authors studied the social and economic consequences of the parasitic diseases and their control].

Ross, R. (1899): Report on the nature of Kala Azar. Office of the Superintendent of Government Printing, Calcutta, India. [The author studied the parasite causing Kala Azar disease and he was convinced that kala azar was a virulent form of malaria].

Ruffer, M. A., (1910): Note on the presence of "Bilharzia Haematobia" in Egyptian mummies of the twentieth dynasty. *Br. Med.*, J.i:16. [The author who found *S. haematobium* eggs in two Egyptian mummies dating from the 20th dynasty, 1250 to 1000 BC].

Scmidt G.D. and Roberts L.S. (2009): Introduction to Parasitology. In: *Foundations of Parasitology*. Eighth Edition, p.4. [This presents the end result of relationship between the parasite and its human host,

whether the parasites overcomes the defense mechanism of the host or the parasite driven away and has no effect on the host].

Schmid-Hempel P (2008): Parasite immune evasion: a momentous molecular war. *Trends Ecol Evol.* , 23:318-326. [The author described how the parasites have successfully evaded innate host defenses by APC, adaptive, cellular and humoral immune responses].

Shokoples S. E., Ndao M., Kowalewska-Grochowska K. and Yanow S. K. (2009): Multiplexed real-time PCR assay for discrimination of *Plasmodium* species with improved sensitivity for mixed infections, *Journal of Clinical Microbiology*, vol. 47, no. 4, pp. 975–980.[The authors were able to identify the four human *Plasmodium* species (*falciparum*, *vivax*, *malariae*, and *ovale*)].

Smit L.A.M., Siroux V, Bouzigon E, Oryszczyn M-P, Lathrop M, Demenais F, Kauffmann F (2009): CD14 and toll-like receptor gene polymorphisms, country living, and asthma in adults. *Am J Respir Crit Care Med* , 179:363-368. [This presents that autoimmunity can occur in a variety of parasitic infections as filariasis, hookworms, schistosomiasis, also immunomodulation that may protect against autoimmune diseases in parasitic infections].

Spencer, W. (1948-1953): Translation of A Celsus De medicina. Loeb Classical Library, Heinemann, London, United Kingdom.[This presents history of discovery the human roundworms *Ascaris lumbricoides*, *Enterobius vermicularis* and tapeworms belonging to the genus *Taenia*].

Stanley SL Jr. (2003): Amoebiasis. *Lancet*. Mar 22; 361(9362): 1025-34. [The author studied the epidemiology and the prevalence rate of amoebiasis all over the world].

Sun J, Walsh M, Villarino AV, Cervi L, Hunter CA, Choi Y, Pearce EJ (2005): TLR ligands can activate dendritic cells to provide a MyD88-dependent negative signal for Th2 cell development. *J Immunol* , 174:742-751.[This paper described that host macrophages may be activated by parasites, via a contact-dependent mechanism, and via the production of INF- γ and NO in response to protozoa parasite glycoconjugates].

Sugimoto Y, Pou P, Abe M. *et al.* Chemical identification of individual surface atoms by atomic force microscopy. *Nature*; 2007, 446 (7131): p. 64-67.[they used atomic force microscopy which is powerful method with sharp tips to image, measure and manipulate matter at surfaces with atomic resolution].

Swift J. (2009): Introduction to Parasitology. In Foundations of Parasitology, Eighth Edition, Roberts L.S and Janovy J.R. (ed), pages 1- 9. Boston Burr Ridge, IL Dubuque, IA New York, San Francisco.[The author clarified the definition of some host-parasite relationship as mutualism and commensalism].

Tait, BD, Hudson, F. Cantwell, L. et al., (2009): Review article: luminex technology for HLA antibody detection in organ transplantation, *Nephrology*, vol. 14, no. 2, pp. 247–254. [The authors reported that Luminex technology has shown a high potential for use in parasite diagnosis with increased specificity and sensitivity].

Taliaferro, W. (2009): Chapter 2, Basic Principles and Concepts I: Parasite Systematics, Ecology, and Evolution In Foundation of Parasitology, Eighth Edition, Roberts L.S and Janovy J.R. (ed), Page:11-24. Boston Burr Ridge, IL Dubuque, IA New York, San Francisco.[this presents description of parasitism, ecology and epidemiology of parasitic diseases].

Taylor M, Le Goff L, Harris A, Malone E, Allen JE, Maizels RM (2005): Removal of regulatory T cell activity reverses hyporesponsiveness and leads to filarial parasite clearance *in vivo*. *J Immunol* , 174:4924-4933. [The authors described that in patients chronically infected with parasites, have depressed cellular reactivity, and deficient production of cytokines in response to specific antigenic stimulation].

Templeton, A. R.(2002): Out of Africa again and again. *Nature* 416:45-51.[His studies on history of discovery of parasitic infections fifteen thousand years ago].

Todar, K. (2011): The Nature of Bacterial Host-Parasite Relationships in Humans. In Todar's Online Textbook of Bacteriology P.1. [This presents the nature of the relationship between the parasite and its human host whether it is beneficial, harmful or no effects].

UXL Encyclopedia of Science, (2002): <http://www.encyclopedia.com/topic/Parasites.aspx> [This presents the definition of parasites and its classification to endoparasites and ectoparasites].

Vaidya, A. B., and Ray. D. K. (1982): Amoebiasis: the tropical scourge. *Science Today (India)*, p. 21-26.[This describes the history discovery *Entamoeba histolytica* which cause amoebiasis with its associated symptoms].

Van Riet E, Hartgers FC, Yazdanbakhsh M. (2007): Chronic helminth infections induce immunomodulation: Consequences and mechanisms. *Immunobiology*; 212:475–90.[The researchers reported that the chronic immune activation is associated with immune hyporesponsiveness and anergy, with induction of the regulatory network]

Voehringer D, Shinkai K, and Locksley, RM. (2004): Type 2 immunity reflects orchestrated recruitment of cells committed to IL-4 production. *Immunity*; 20:267–77.[this presents the mechanism of how the innate and adaptive immune responses work against the parasites].

Warren, J.H. (2003): Invasion of the gender benders, *Natural History*, 112: 58-63.[This describes the mutual relationship between many insect species, and nematodes, with bacteria of genus *Wolbachia*].

Weisenhorn AL, Khorsandi M, Kasas M, Gotzos V and Butt H –J. (1993): Deformation and height anomaly of soft surfaces studied with an AFM. *Nanotechnology*, 4(2): p. 106-113.[This defined nanomedicine as a large subject area with applications for treatment, diagnosis, monitoring, and control of biological systems].

Weiss, J.B. (1995): DNA probes and PCR for diagnosis of parasitic infections. *Clinical Microbiology Reviews*, 01, Vol 8, No. 1, 113-130. [The author clarified that of PCR has high sensitivity, directly detect parasites independent of the immune-competence and can distinguish between organisms that are morphologically similar].

Wilson, M.E. (1995): Travel and the emergence of infectious diseases, *Emer Infect Dis*, 1, 39-46.[this describes the effect of population movement on transmission of parasitic diseases crossing the international borders].

Wilson MS and Maizels RM. (2006): Regulatory T- cells induced by parasites and the modulation of allergic responses. *Chem Immunol Allergy*; 90:176–95.[The authors described the mechanism of innate recognition of parasites].

Wilson MS, Taylor M, Balic A, Finney CAM, Lamb JR, Maizels RM (2005): Suppression of allergic airway inflammation by helminth-induced regulatory T cells. *J Exp Med*, 202:1199-1212. [This presents the description of immediate hypersensitivity reactions occur in response to helminthic infections associated with high levels of IgE and eosinophils].

Wynn TA, Thompson RW, Cheever AW, Mentink-Kane MM. (2004): Immunopathogenesis of schistosomiasis. *Immunol Rev*; 201:156–67.[This article clarifying the immune response to parasitic infection by increase secretion of some cytokines and diminished other cytokines which result in parasite-specific immune suppression].

Yang D., Yinchang Z., Donald A., Harn, X., Wang, J., Tang S., Zhao, F. L., and Xiaohong G. (2009): DNA Vaccination by Electroporation and Boosting with Recombinant Proteins Enhances the Efficacy of DNA Vaccines for Schistosomiasis *japonica*. *Clinical and Vaccine Immunology*, p. 1796-1803, Vol. 16, No. 12.[This article described the use of molecular biology in parasite vaccination through the identification of genes encoding secreted proteins and receptors that are novel targets for parasite vaccines].

Yeh, J. (2002): Parasitism: An entry from Macmillan Reference USA's Macmillan Reference USA Science Library: Animal Sciences (digital document), 6 pages.[This described parasitism and how the parasites induce human diseases].

Zarlenga D. S. and Higgins, J. (2001): PCR as a diagnostic and quantitative technique in veterinary parasitology, *Veterinary Parasitology*, vol. 101, no. 3-4, pp. 215–230.[The study reported that multiplexed PCR is proving useful in the diagnosis of several parasitic infections simultaneously].

Biographical Sketch

Manar M.S. El-Tonsy: Professor of Medical Parasitology, Faculty of Medicine, Ain Shams University, Cairo, Egypt.

- Member in the World Federation of Parasitologists.

- Reviewer in the Eastern Mediterranean Health Journal (EMHJ).
- Associate Editor for Parasitologists United Journal (PUJ).
- Member of Committee for Country Awards of Excellency in Medical Sciences, Scientific Research Academy, Cairo, Egypt.
- Co-founder for the Egyptian Parasitologists United (EPU) and Developer for the website: www.epu-eg.com
- Consultant of Medical laboratories at the Health Insurance Organization, Cairo-Egypt.
- Consultant of Molecular Biology and Genetics and Head of the Training Unit at the Medical Research Center, Ain-Shams University.
- Member in the Self-study Team of the Quality Assurance Unit, Faculty of Medicine, Ain Shams University
- Member of the Teaching and Examining Board of Parasitology for 3rd year students and for Post-graduates, Faculty of Medicine, Ain Shams University, Cairo, Egypt.
- Member of the Teaching and Examining Board of Parasitology and Biology at the Nursing School, and Faculty of Nursing and Faculty of Medicine, Ain Shams University, Cairo, Egypt.
- Head of the Scientific Research Committee, Faculty of Medicine, Ain Shams University.
- Organization and participation in many scientific training courses, workshops, national and international conferences in the field of Medical Parasitology, Molecular Biology, Telemedicine and Telehealth.
- Member in many scientific and medical societies.
- Supervision on many PhD and Master Theses.
- The Principle Investigator (PI) for a Research Project entitled “Relationship of chronic *Schistosoma mansoni* infection with Hepatocellular Carcinoma in Egypt”, funded by Ain Shams University.
- Author for many scientific papers published in national and international journals
- Author and editor for many medical books; national and international.
- Translator for medical books (Arabic-English).