


CONTENTS

DESALINATION AND WATER RESOURCES PLANT OPERATION, MAINTENANCE AND MANAGEMENT



**Plant Operation, Maintenance and Management
- Volume 1**

No. of Pages: 418

ISBN: 978-1-84826-434-2 (eBook)

ISBN: 978-1-84826-884-5 (Print Volume)

For more information of e-book and Print
Volume(s) order, please [click here](#)

Or contact : eolssunesco@gmail.com

DESALINATION AND WATER RESOURCES (DESWARE)

International Editorial Board

Editor-in-Chief: Al-Gobaisi, D. M.K.

Members

Al Awadhi, A. Ali	Hammond, R. P.	Morris, R.
Al Radif, Adil	Hanbury, W. T.	Nada, N.
Al-Mutaz, I. S.	Harris, A.	Ohya, H.
Al-Sofi M.	Harrison, D.	Peluffo, P.
Andriane, J.	Hassan, A. M.	Rao, G. P.
Awerbuch, L.	Hodgekiess, T.	Rautenbach, R.
Balaban, M.	Husain, A.	Reddy, K. V.
Beraud-Sudreau, D.	Ismat, K.	Saal, D.
Birkett, James D.	Karabelas, A.J.	Sadhukhan, H.K.
Blanco, J.	Kesou, A.	Sage, A.P.
Bodendieck, F.	Krause, H. P.	Sarkodie-Gyan,
Borsani , R.	Kubota, S.	Thompson
Bushnak, A. A.	Kumar, A.	Sommariva, C.
Capilla, A. V.	Kurdali, A.	Strathmann, H.
Catanzaro, E.	Laborie, J.	Temperley, T.
Damak, S.	Leitner, G. F.	Tleimat B.
Darwish, M. Ali	Lennox, F. H.	Todd, B.
Delyannis, E.u E.	Lior, N.	Tony F.
Dempsey J.	Ludwig, H.	Tusel, G.
El-Din, S.	Lukin, G.	Belessiotis, V.
El-Mahgary, Y.	Magara, Y.	Veza, J. M.
El-Nashar, A. M.	Makkawi B.	Vigneswaran, S.
El-Sayed, Y. M.	Malato, S.	Wade, N. M.
Finan, M. A.	Mandil , M.A.	Wang, S.
Furukawa, D.	Marquardt, W.	Wangnick, K.
Genthner, K.	McArthur,N.	Woldai A.
Germana, A.	Meller, F. H.	Watson, I. C.
Ghiazza, E.	Mewes, V.	Wessling, M.
Glade, H.	Michels, T.	Winters, H.
Goto, T.	Miyatake, O.	
Grabow, W. O.K.	Morin, O. J.	

CONTENTS

Operation of a Desalination Plant

1

A. Al Radif, *Dhabi Enterprises Inc., Markham, Ontario, Canada*

1. Introductory Remarks
 - 1.1 Desalination and Sustainable Development
2. Evaporation Processes
 - 2.1 Background Information
 - 2.2 Improvement
 - 2.3 Start up Procedures
 - 2.4 Semi-Automatic Start up
 - 2.5 Fully Automatic Start up
 - 2.6 Plant Loading
 - 2.7 Future Plant Operation
3. Multi-stage Flash Desalination Process
 - 3.1 Introduction
 - 3.2 General Process Description
4. Seawater Supply System
 - 4.1 Process Description
 - 4.2 Mode of Operation
 - 4.2.1 Maximum Seawater Inlet Temperature (Summer Condition)
 - 4.2.2 Low Seawater Inlet Temperature (Winter Condition)
 - 4.3 Seawater Supply System Operation
 - 4.4 Functional Description of the Seawater Flow Control Loops
 - 4.4.1 Seawater Minimum Flow
 - 4.4.2 Seawater Flow to Evaporator
5. Seawater Recirculation System
 - 5.1 Process Description
 - 5.1.1 Seawater Temperature Variation
 - 5.1.2 Effect of Seawater Temperature Variation
 - 5.2 Mode of Operation
 - 5.3 Seawater Recirculation System's Operation
 - 5.4 Functional Description of the Seawater Recirculation Control Loops
 - 5.4.1 Seawater to Evaporator Temperature
 - 5.4.2 Minimum Flow Control
6. Feed Water System
 - 6.1 Process Description
 - 6.2 Mode of Operation
 - 6.3 Operation of the Feed Water System
 - 6.4 Functional Description of the Make up Flow Control Loop
7. Brine Blowdown System
 - 7.1 Process Description
 - 7.2 Mode of Operation
 - 7.3 Brine Blowdown System's Operation
 - 7.4 Functional Description of the Brine Level Control of Stage N
8. Vacuum Raising and Maintaining System
 - 8.1 Process Description
 - 8.1.1 The Venting Process of Non-condensable Gases
 - 8.1.1.1 Effect of Gas Accumulation
 - 8.1.1.2 Sources of Non-condensable Gases
 - 8.1.1.3 Vent Flow Extraction Lines Arrangements
 - 8.1.1.4 Vent Tuning
 - 8.1.2 Steam Jet Ejectors and Condensers System
 - 8.2 Mode of Operation
 - 8.3 System Operation
 - 8.4 Vent Flow Control
 - 8.4.1 Stage 1 Vent Flow Control Loop

9. Brine Recirculation System
 - 9.1 Process Description
 - 9.1.1 Brine Flow Circuit
 - 9.1.2 Temperature Profile
 - 9.2 Mode of Operation
 - 9.2.1 Influence of Brine Flow
 - 9.2.2 Type of Pump
 - 9.2.3 Other Considerations
 - 9.2.3.1 Interaction in Response to Load Change
 - 9.2.3.2 Constraints
 - 9.3 System Operation
 - 9.4 Functional Description of Control Loops
 - 9.4.1 Brine Recirculation Flow Control
 - 9.4.2 Top Brine Temperature Control
 - 9.4.3 Desuperheating of Heating Steam
10. Anti-scale Dosing System
 - 10.1 Process Description
 - 10.2 Mode of Operation
 - 10.2.1 Process Requirements
 - 10.2.2 Monitor of Fouling
 - 10.2.3 Tools that Control the Fouling Rates
 - 10.2.4 Optimization of Anti-scale Additive Dose
 - 10.3 System Operation
 - 10.3.1 Antiscale Dosing Flow Control
 - 10.3.1.1 Indirect Control
11. Condensate Flow from Brine Heater System
 - 11.1 Process Description
 - 11.2 Mode of Operation
 - 11.3 System Operation
 - 11.4 Functional Description of Control Loop
12. Distillate System
 - 12.1 Process Description
 - 12.2 Mode of Operation
 - 12.2.1 Plant Response to a Load Change
 - 12.2.2 Effect of a Change in the Distillate Set Point
 - 12.3 System Operation
 - 12.4 Functional Description of Distillate Level Control Loop of Stage N
13. Plant Loading
 - 13.1 Possible Arrangements
 - 13.2 General Requirements
 - 13.3 Steam Availability and Water Demand
 - 13.4 Manual and Automatic Plant Loading

1. Planning a Desalination Project
 - 1.1. Personnel Skills
 - 1.2. Choice of Owner-operation or Contractual Management Services
 - 1.3. Estimated Budget Costs for O and M Services
 - 1.4. Payment Terms for an O and M Contract
 - 1.5. Contractual Purchase of Water, or Water and Power
 - 1.6. Personnel Costs
2. Plant Operation
 - 2.1. General Management and Staffing Philosophy
 - 2.2. Typical Staff Requirement
3. Plant Operation and Maintenance Procedures

- 3.1. Personnel
- 3.2. General Plant Maintenance Procedures
- 3.3. Routine and Scheduled Maintenance
- 3.4. Preventive Maintenance
- 3.5. Breakdown Maintenance and Repair
- 3.6. Maintenance Procedures for Reverse Osmosis Processes
- 3.7. Maintenance Procedures for Distillation Processes
4. Chemical Treatment and Control
 - 4.1. Seawater Feed Intake and Cooling Water
 - 4.2. Brackish Water Desalination
 - 4.3. Chemical Treatment Control of Reverse Osmosis Plants
 - 4.4. Chemical Treatment and Control of Distillation Plants
5. Safety Aspects of Operation and Maintenance Procedures
 - 5.1. Protective Clothing and Equipment
 - 5.2. Storage and Handling Dangerous/toxic Materials
 - 5.3. Permit to Work System
 - 5.4. Fire Fighting Equipment
6. Corporate Operation and Maintenance Procedure and Quality Control
 - 6.1. Laboratory Control
7. Training
 - 7.1. General Training Procedures
8. Appendices

Accident Prevention in Desalination Plants

129

V.K. Handa, *Former Consultant, Water and Electricity Department, Abu Dhabi, UAE*

1. Introduction
2. Accident Prevention Programme
 - 2.1. Operator Task Analysis
 - 2.2. Human Factor Engineering
 - 2.3. Human Factor (HF) Engineering and Accident Prevention
 - 2.3.1. Improved Interface Approach
 - 2.3.2. Improved Diagnostics Approach
3. Human Factor Disciplines
 - 3.1. Anthropometrics
 - 3.2. Psychology
4. Human Behavior
5. Integrating Human Factor Theory

Process Safety

138

R L Skelton, *University of Cambridge UK*

1. Introduction
2. Terminology
3. Safety Assurance Techniques
4. Safety in Design
 - 4.1. Inherent Safety
 - 4.2. Engineered Safety
 - 4.3. Operating Instructions
5. HAZOP
 - 5.1. Introduction
 - 5.2. The Basic Concept
 - 5.3. HAZOP Definitions
 - 5.4. Study Team
 - 5.5. Timing of the Study
 - 5.6. Documentation

- 5.7. Conduct of Study
- 5.8. Reporting
- 5.9. Action control & Follow up
- 5.10. Conclusions
- 6. Quantitative Risk Assessment
 - 6.1. Definitions
 - 6.2. Fault Tree Analysis (FTA)
 - 6.2.1. Common Events
 - 6.2.2. Basic Rules for Logic Tree Construction
 - 6.3. Failure Data
 - 6.3.1. Sources of Data
 - 6.3.2. Analysis of Failure Data
 - 6.4. Quantification Of Logic Diagrams
 - 6.4.1. Basic Rules for Combination of Events.
 - 6.4.2 Fractional Dead Time
 - 6.4.3. Common Mode or Dependent Failure Analysis
 - 6.4.4. Use of Boolean Algebra
 - 6.4.5. Use of Information
 - 6.5. Event Tree Analysis
 - 6.5.1. Notation
 - 6.5.2. Event Tree Construction
- 7. Safety in Operation
 - 7.1. Chemical Hazards
 - 7.2. Fires and Explosions
 - 7.2.1. Definitions
 - 7.2.2. Explosion Prevention
 - 7.2.3. Explosion Venting
 - 7.2.4. Fire Fighting
 - 7.3. Other Hazards
 - 7.4. Staff Selection and Training
 - 7.5. Investigation
- 8. Safety in Maintenance
 - 8.1. Permit to Work
 - 8.2. Maintenance Procedures

The Desalination Project

174

N. McArthur, *Port Glasgow Rd Kilmacolm, UK*

1. Phase I: Project Feasibility Assessment
 - 1.1. Establish the required output
 - 1.2. The location of the area to be supplied and the nature of the water resources available for the development, e.g.
 - 1.3. The overall water supply development plan and the area/location of the new source having been established, the requirement relating to timescale must now be addressed:-
 - 1.4. Having established the technical feasibility of the development plan on a time base, the cost of the project can now assessed.
 - 1.5. The basic data under 4 will allow an estimate of the probable costs of the project to be compiled including estimates for all the alternative processes.
 - 1.6. The other major factors which must be addressed and resolved during phase I are:-
 - 1.7. How is the product (i.e. the water and/or power) exported from the plant going to be paid for.
 - 1.8. Phase I must also address in detail the resources, timescale and costs required to complete Phase II: the preparation of the detailed engineering study and specifications to enable tenders to be obtained for the completion of the project.
2. Financial Engineering
 - 2.1. Project Finance
 - 2.1.1. Development Grant Funding
 - 2.1.2. Multilateral Agency Funding

- 2.1.3. Self Financing
- 3. Phase II: Project Design and Procurement
 - 3.1. Project Management
 - 3.2. Engineering
 - 3.3. Estimating
- 4. Phase III : Contract Phase
 - 4.1. Organization
 - 4.2. Documentation

Demand Assessment and the Supply/Demand Balance

188

P. R. Chadwick, *Water Supply Division, Mott MacDonald Limited, UK*

- 1. Introduction
- 2. Present Water Balance
 - 2.1. Components of Demand
 - 2.2. Sources of Data
 - 2.3. Meter Accuracy
 - 2.4. Constrained Supplies
 - 2.5. Consumption Surveys
 - 2.6. Typical Values for Domestic Demand
 - 2.7. Non-domestic Demand
 - 2.8. Supply Pipe Losses
 - 2.9. Unaccounted for Water
 - 2.10. Reconciliation of the Water Balance
- 3. Future Water Demand Assessment
 - 3.1. Introduction
 - 3.2. Domestic Demand
 - 3.3. Non-domestic Demand
 - 3.4. Unaccounted for Water
 - 3.5. Demand Management
- 4. Peak Demand Assessment
- 5. Sensitivity Analysis
- 6. Elasticity of Demand
- 7. Monitoring Historical Demand Assessments
- 8. The Supply/Demand Balance
 - 8.1. Introduction
 - 8.2. Outage Assessment
 - 8.3. Assessment of Target Headroom
 - 8.4. Water Balance Modeling

Process Selection

217

O.J. Morin, *Misty Morn Pl., Longwood, Florida, USA*

- 1. Introduction
 - 1.1. Background
 - 1.2. Purpose
- 2. Source Water
 - 2.1. Introduction
 - 2.2. Water Quality
 - 2.3. Water Supply
 - 2.4. Process Removal Capabilities
 - 2.4.1. Thermal Processes
 - 2.4.2. Reverse Osmosis
 - 2.4.3. Electrodialysis
 - 2.4.4. Comparison
 - 2.5. Feed Water Classification

- 2.6. Surface Water Supply
- 2.7. Ground Water
- 3. Pre-treatment
 - 3.1. Introduction
 - 3.2. Pre-treatment Goals
 - 3.3. Surface Water Supplies
 - 3.4. Ground Water Supplies
 - 3.5. Artificial Ground Water Supplies
 - 3.6. Scale Prevention
- 4. Energy Supply Alternatives
 - 4.1. General
 - 4.2. Energy Sources
 - 4.3. Process Arrangement
 - 4.3.1. Single Purpose
 - 4.3.2. Dual Purpose
 - 4.3.3. Hybrid
 - 4.4. Process Energy Use
 - 4.4.1. Single Purpose
 - 4.4.2. Dual Purpose
 - 4.4.3. Example 4.1: Cost Allocation by the Power Credit Method
 - 4.4.4. Example 4.2 - Cost Allocation, Available Energy Method
 - 4.5. Comparison
- 5. Brine Disposal Alternatives
 - 5.1. General
 - 5.2. Brine Classification
 - 5.3. Surface Water Disposal
 - 5.4. Sewer Systems
 - 5.5. Injection Wells
 - 5.6. Solar Evaporation Ponds
 - 5.7. Irrigation or Land Spreading
 - 5.8. Zero (Liquid) Discharge
 - 5.9. Comparisons of Alternatives
- 6. Post-treatment
 - 6.1. Introduction
 - 6.2. Water Quality Goals
 - 6.3. Chemical treatment
 - 6.4. Blending
- 7. Process Design and Cost Criteria
 - 7.1. General
 - 7.2. Process Design Criteria
 - 7.2.1. Plant Capacity
 - 7.2.2. Number of Units
 - 7.2.3. Feed Water Quality
 - 7.2.4. Pre-treatment Requirements
 - 7.2.5. Finished Water Quality
 - 7.2.6. Post-treatment Requirements
 - 7.3. Materials of Construction
 - 7.4. Cost Criteria
 - 7.4.1. Direct Capital Cost Basis
 - 7.4.2. Indirect Capital Cost
 - 7.4.3. Operating Costs
- 8. Process Alternatives Studies
 - 8.1. General
 - 8.2. Study Procedure
 - 8.2.1. Data Collection and Analysis
 - 8.2.2. Analysis and Evaluation of Water to be treated
 - 8.2.3. Water Quality Goals
 - 8.2.4. Preliminary Process Selection

- 8.2.5. Select Brine Disposal Method
- 8.2.6. Select Process and Cost Design Criteria
- 8.2.7. Prepare Preliminary Design
- 8.2.8. Perform Cost Studies
- 8.2.9. Process Optimization
- 8.3. Cost Development
 - 8.3.1. General
 - 8.3.2. First Year Cost Method
 - 8.3.3. Labor
 - 8.3.4. Energy
 - 8.3.5. Major replacements
 - 8.3.6. Chemicals
 - 8.3.7. Replacement parts and maintenance materials
 - 8.3.8. Fixed charges
 - 8.3.9. Insurance
 - 8.3.10. Other costs
 - 8.3.11. Levelized Cost
 - 8.3.12. Labor
- 9. Process Evaluation and Selection
 - 9.1. Introduction
 - 9.2. Technical Aspects
 - 9.2.1. Operation
 - 9.2.2. Energy
 - 9.2.3. Process Complexity
 - 9.2.4. Pre-treatment Requirements
 - 9.2.5. Post-treatment
 - 9.2.6. Land Use
 - 9.2.7. Noise
 - 9.2.8. Cleaning Requirements
 - 9.2.9. Construction Impacts
 - 9.2.10. Major Plant Replacements
 - 9.3. Technical Comparison
 - 9.4. Cost Aspects
 - 9.5. Sensitivity Studies
 - 9.5.1. General
 - 9.5.2. Energy Costs
 - 9.5.3. Plant Factor
 - 9.5.4. Interest Rate
 - 9.5.5. Source Temperature Effects
 - 9.5.6. Hybrid Process Arrangements
 - 9.5.7. Selection
- 10. Procurement
 - 10.1. General
 - 10.2. Contracting Procedures
 - 10.2.1. Performance Specification Method
 - 10.2.2. Detailed Design
 - 10.2.3. Design build

Project Design Concept

293

R.K. Verma and H.K. Sadhukhan, *Bhabha Atomic Research Centre, India*

- 1. Introduction
- 2. Organizational Set Up for Project Design Phase
- 3. Time Schedule
- 4. Input Information Needed During Design Phase
 - 4.1. Site Data
 - 4.2. Seawater Data Sheets

- 4.3. Pollution Control Regulations in the Area
- 4.4. Economic Parameters
- 4.5. Type of Desalination Plant
- 4.6. Capacity Break-up
- 4.7. Life Expectancy of the Plant
- 5. Specific Details to Formulate the Plant Design Concept (MSF type Plants)
- 6. Specific Details to Formulate Design Concept (RO Plants)

Contract Make Up **302**
R.K. Verma and H.K. Sadhukhan, *Bhabha Atomic Research Centre, India*

- 1. Introduction
- 2. Turnkey Contract
- 3. Multiple Contract

Main and Subcontractor **308**
C. Sommariva, *Ansaldo Energia S.p.A., Piazza Monumento 12, 20025 Legnano, Italy*

- 1. Introduction
- 2. Definition of the Interfaces
- 3. Interface with Power Plant

Planning, Scheduling, and Progress Measurement **313**
J. Andrienne, *Tractebel Energy Engineering, Brussels, Belgium*
N. McArthur, *Port Glasgow Road, Kilmacollm, UK*

- 1. Introduction
- 2. Planning and Scheduling Principles
 - 2.1. Methodology
 - 2.2. Overall Schedule or Management Schedule
 - 2.3. Work Breakdown Structure
 - 2.4. Resources Allocation
 - 2.5. Defining Calendars
 - 2.6. Coordination Planning
 - 2.6.1. The Network is the Main Tool of the Planning Engineer
 - 2.6.2. There are Two Types of Networks: Arrow or Precedence
 - 2.6.3. Types of Constraints in PDM
 - 2.6.4. Network and Time Analysis
 - 2.6.5. Scheduling
 - 2.6.6. Example
- 3. Progress Calculation Methods
- 4. Planning and Scheduling Control
 - 4.1. Data Collection
 - 4.2. Analyzing and Updating
 - 4.3. Reporting
- 5. Computerization

Fire Retardant Materials and Safety: Past, Present, Future -New Types of Ecologically Friendly Flame Retardants **325**
Gennady E. Zaikov and Sergei M. Lomakin, *N.M. Emanuel Institute of Biochemical Physics, Russian Academy of Sciences, 4 Kosygin st., Moscow 119991, Russia*

- 1. Introduction
- 2. Organic Char Former

3. Silicon - inorganic flame retardant systems
4. Flame retardants based on low-melting Glass Systems
5. Intumescent systems
6. Preceramic precursors.
7. Polymer nanocomposites
8. Conclusion

Index **393**

About DESWARE **397**