


## SHIPS AND OFFSHORE STRUCTURES



### **Ships and Offshore Structures - Volume 1**

**No. of Pages: 436**

**ISBN: 978-1-78021-008-7 (eBook)**

**ISBN: 978-1-78021-508-2 (Print Volume)**

### **Ships and Offshore Structures - Volume 2**

**No. of Pages: 390**

**ISBN: 978-1-78021-009-4 (eBook)**

**ISBN: 978-1-78021-509-9 (Print Volume)**

For more information of e-book and Print Volume(s) order,  
please [click here](#) Or contact : [eolssunesco@gmail.com](mailto:eolssunesco@gmail.com)

## VOLUME I

<b>The Ocean Environment and Phenomena</b>	<b>1</b>
Philip Wilson, <i>University of Southampton, UK</i>	

1. Properties: Fresh Water; Salt Water; Air
  - 1.1. Water
  - 1.2. Air
  - 1.3. Ice
2. Water Waves
  - 2.1. Linear Theory of Ocean Surface Waves
  - 2.2. Dispersion Relation
  - 2.3. Phase Velocity
  - 2.4. Group Velocity
  - 2.5. Measurement of Waves
  - 2.6. Sea State Estimated by Observers at Sea
    - 2.6.1. Satellite Altimeters
    - 2.6.2. Accelerometer Mounted on Meteorological or Other Buoy
    - 2.6.3. Wave Gauges
  - 2.7. Nonlinear Waves
  - 2.8. Solitary Waves
  - 2.9. Waves and the Concept of a Wave Spectrum
  - 2.10. Sampling the Sea Surface
  - 2.11. Significant Wave-Height
    - 2.11.1. Calculating the Wave Spectrum
  - 2.12. Ocean-Wave Spectra Types
    - 2.12.1. Pierson-Moskowitz Spectrum
    - 2.12.2. JONSWAP Spectrum
  - 2.13. Generation of Waves by Wind
  - 2.14. Wave Energy
  - 2.15. Effects of a Moving Observer
  - 2.16. Tidal Waves
  - 2.17. Tides
  - 2.18. Equilibrium Theory of Tides
  - 2.19. Spring and Neap Tides
  - 2.20. Real Tides
    - 2.20.1. Dynamic Theory of Tides
    - 2.20.2. Coriolis Force
  - 2.21. Natural Resonance
  - 2.22. Shallow Water Effects

<b>Design Principles and Criteria for Ships and Offshore Structures</b>	<b>41</b>
A.K. Thayamballi, <i>Chevron Shipping Company, USA</i>	

1. Introduction
2. Environmental and Operational Demands
  - 2.1. Waves
  - 2.2. Winds
  - 2.3. Water Depths and Tidal Levels
  - 2.4. Currents
  - 2.5. Air and Sea Temperatures
  - 2.6. Ice and Snow
  - 2.7. Marine Growth
  - 2.8. Sloshing

- 2.9. Slamming
- 2.10. Green Water
- 2.11. Corrosion
- 2.12. Accidental Flooding
- 2.13. Dropped Objects
- 2.14. Collisions
- 2.15. Grounding
- 2.16. Fire
- 2.17. Gas Explosion
- 2.18. Structural Design Principles
- 2.19. Limit States Based Structural Design
  - 2.19.1. Serviceability Limit State Design
  - 2.19.2. Ultimate Limit State Design
  - 2.19.3. Fatigue Limit State Design
  - 2.19.4. Accidental Limit State Design

Acknowledgements

## Theory, Analysis, Design Methodology, Resistance and Propulsion of Ships

60

Yoshiaki Kodama, *National Maritime Research Institute, Japan*

- 1. Introduction
- 2. Conservation Laws
  - 2.1. Mass Conservation
  - 2.2. Momentum Conservations
- 3. Potential Flow
  - 3.1. Velocity Potential
  - 3.2. Bernoulli's Theorem
  - 3.3. Source and Doublet
  - 3.4. Vorticity and Circulation
  - 3.5. Vortex Filament
  - 3.6. Circulation and Lift
  - 3.7. Kutta Condition
- 4. Boundary Layer
  - 4.1. Boundary Layer Equations
  - 4.2. Boundary Layer Thicknesses
  - 4.3. 1/7 Power Law
- 5. Propeller Flow
  - 5.1. Actuator Disk
  - 5.2. Induced Drag
  - 5.3. Propeller Theories
  - 5.4. Propeller Open-Water Test (POT)
  - 5.5. Hull-Propeller-Rudder Interactions
  - 5.6. Cavitation
- 6. Free-Surface Waves
  - 6.1. Linearized Free Surface Condition
  - 6.2. 2D Progressive Waves
  - 6.3. Group Velocity
  - 6.4. Wave Energy
  - 6.5. Wave-Making Drag
  - 6.6. Kelvin Waves
- 7. Estimation of Full-Scale Drag
  - 7.1. Method 1: Froude's Hypothesis
  - 7.2. Method 2: Form Factor Method
- 8. CFD
  - 8.1. Incompressible Flow Solvers
  - 8.2. Grids and Boundary Conditions
  - 8.3. Finite Volume Discretization
  - 8.4. Upwinding

- 8.5. Turbulence Modeling
- 8.6. Free Surface Treatment
- 8.7. User's Guide to CFD

## Ship Design and Building

120

Seung Kyun Park, *Samsung Heavy Industry, Korea*

1. Introduction
  - 1.1. Types of Ships and Their Trends
  - 1.2. Bulk Carrier Hold Shape
  - 1.3. Cargo Oil Tank Fill / Discharge, Inerting, Breathing
  - 1.4. Principle of Pressure/Vacuum Breather Valve
  - 1.5. Container Design
  - 1.6. Specialty of Car Carriers
  - 1.7. Car Deck-Stowing and Ramp Slope Study
  - 1.8. LNG Tank Types
2. Requirement
  - 2.1. Owner Requirements
3. Ship Design Process
  - 3.1. Preface
  - 3.2. Basic Naval Architectural Knowledge
    - 3.2.1. Specific Gravity (S.G.), Buoyancy and Light weight (LWT)
    - 3.2.2. Cargo Weight (Pay Load) and Dead Weight (DWT)
    - 3.2.3. Ship Propulsion
  - 3.3. Stability
    - 3.3.1. Inclining and Restoring
    - 3.3.2. Righting Moment of Inclined Ship
    - 3.3.3. Inclining Experiment
  - 3.4. Design Process Basic
    - 3.4.1. Decision about Main Dimensions
    - 3.4.2. Light Weight (LWT)/Dead Weight (DWT)
    - 3.4.3. Hull Form Lines
    - 3.4.4. Compartment Division and Layout
    - 3.4.5. Outfitting Layout
    - 3.4.6. Outfitting for LNG Carriers and Car Carriers
    - 3.4.7. Machinery Layout and System Diagram
    - 3.4.8. Detailed Arrangement Design Drawings
    - 3.4.9. Production Engineering Drawings
  - 3.5. Main Dimensions
  - 3.6. Tonnage and Loading Capacity
    - 3.6.1. Tons in Terms of Weight
    - 3.6.2. Tons in Terms of Volume
  - 3.7. Block Coefficient
  - 3.8. Simpson's Rule
    - 3.8.1. Basis of Principle
    - 3.8.2. Concluded General formula
    - 3.8.3. Practical Application Examples
  - 3.9. Lines
    - 3.9.1. Design of Lines
    - 3.9.2. Ship Weight Estimation
4. Structure & Layout
  - 4.1. Structural Characteristics
    - 4.1.1. Still-Water Buoyancy Load
    - 4.1.2. Still-Water Bending Moment
    - 4.1.3. Wave Bending Moment
    - 4.1.4. Shearing Load
    - 4.1.5. Twisting Load
    - 4.1.6. Racking Load

- 4.1.7. Local Load
- 4.1.8. Responding Structure
- 4.2. Applied Typical Section
  - 4.2.1. Typical Bulk Carrier Section
  - 4.2.2. Typical Tanker Section
  - 4.2.3. Structural Design
  - 4.2.4. Longitudinal Strength
  - 4.2.5. Shear in Alternate Loading
  - 4.2.6. Minimum Bending Moment Specified by the Common Major Classification Societies (for Tankers).
  - 4.2.7. Transverse Strength
  - 4.2.8. Local Strength
- 4.3. Longitudinal Strength Requirement
  - 4.3.1. Dimension and Light weight (LWT) distribution
- 4.4. Midship Section Design Example
  - 4.4.1. Initial plating scantling without stiffener
  - 4.4.2. Midship Section
  - 4.4.3. Shearing Stress Check
  - 4.4.4. Shearing Calculation by Classification Rule
- 4.5. Frame Work of General Arrangement
  - 4.5.1. Dimension Ratio
  - 4.5.2. Water Tight Compartmentation
  - 4.5.3. Cofferdam
  - 4.5.4. Purpose of the Ballast Tank
  - 4.5.5. Hold Division and Protection in Relation with Damage Consideration
  - 4.5.6. Bow Form and Stern Form
  - 4.5.7. Fire Division
- 4.6. Vibration
  - 4.6.1. Vibration Avoidance Efforts
- 4.7. Equipment
  - 4.7.1. Main Engine Sizing
- 4.8. Model Test
- 4.9. Propeller
- 4.10. Electrical Power Generators
- 4.11. Electrical Load Sheet
- 4.12. Engine Auxiliaries
- 4.13. Engine Room Layout
- 4.14. Accommodation Requirement and Arrangement model
- 4.15. Cargo Stowage
- 4.16. Cargo-Handling Equipment
- 4.17. Hatch Opening
- 4.18. Container Loading
  - 4.18.1. Container
  - 4.18.2. Cell Guide
  - 4.18.3. Container Loading in Combination Carrier
  - 4.18.4. Container Lashing On Deck
- 4.19. Cargo Pumping Systems
- 4.20. Mooring and Equipment Number
- 4.21. Shore Mooring
- 4.22. Life Boat and Shipside Accommodation Ladder
- 4.23. Rudder
- 4.23. Rudder
- 4.24. Maneuvering
- 4.25. Masts and Deck Lights
- 4.26. Electrical Power and Instrumentation
- 4.27. Automation and Communication
- 4.28. Shipbuilding Materials
  - 4.28.1. Steel

- 4.28.2. Alloy Steel and Nonferrous Metals
- 4.28.3. Anti-Corrosive Material for Piping
- 5. Shipbuilding Process
  - 5.1. Preface
  - 5.2. Conventional Shipbuilding Method
  - 5.3. Block Division Philosophy
  - 5.4. Completeness of Block Fabrication
    - 5.4.1. Accuracy
    - 5.4.2. Outfitting
    - 5.4.3. Construction Aids Work
  - 5.5. Panel Block and Curved Block
  - 5.6. Transporter
  - 5.7. Dock Erection and Launching
  - 5.8. Novel Methods
    - 5.8.1. Minimizing Dry-Docking Periods and Non-Dry Dock Construction
    - 5.8.2. Multi-Movable Shelter Operation with Goliath Crane
    - 5.8.3. Heavy Block Erection
- 6. Shipbuilding Methods/Techniques
  - 6.1. General
    - 6.1.1. Gas Cutting
    - 6.1.2. Welding Joints
  - 6.2. Major Welding Applications
  - 6.3. Welding Positions
  - 6.4. Heat Treatment
  - 6.5. Defects
  - 6.6. Welding Inspection and Tests
    - 6.6.1. Visual Inspection
    - 6.6.2. Physical Tests and Chemical Inspections
    - 6.6.3. Nondestructive Tests
  - 6.7. Methods of Reducing Welding Work
    - 6.7.1. Basic Conditions:
    - 6.7.2. Areas to Apply Full and Partial Penetration Welds:
    - 6.7.3. How to Find the Optimum Fillet Bead Size:
    - 6.7.4. How to Reduce Deformation
    - 6.7.5. Preheat and Post-Heat (Annealing)
    - 6.7.6. Straightening of Dented Plates Due to Stiffener Welding.
    - 6.7.7. Maximize Automation
  - 6.8. Special Welds and Difficult Welds
  - 6.9. Block Assembly
    - 6.9.1. Steel Input
    - 6.9.2. Plate Cutting
    - 6.9.3. Nesting Program and NC Cutting
    - 6.9.4. Rolling, Bending and Irregular Forming
    - 6.9.5. Fixing of the Basic Stiffening Members
    - 6.9.6. Double-Plate Panel Block Fabrication (Double Hull Panel)
    - 6.9.7. Panel Block Fabrication Shop
  - 6.10. Curved Block Assembly
  - 6.11. Economy of Block Assembly
- 7. Production and Manufacturing
  - 7.1. Computer Aided Design (CAD)
    - 7.1.1. Preface
    - 7.1.2. The LINES
    - 7.1.3. Ship CAD General
    - 7.1.4. Program Integration
  - 7.2. Computer-Aided Manufacturing (CAM)
  - 7.3. Computer Aided Engineering (CAE)
- 8. Cost Estimation
  - 8.1. Cost Estimation

8.2. Other Important Considerations	
8.3. Demonstration	
9. Shipbuilding Yards	
9.1. Geographical Conditions and Shipyard Layout	
9.2. Principles of Layout	
9.3. Dock Gate and Launching Procedure	
9.4. Movable Shelter Combination with Dock Crane	
9.5. Ship-Yard Operation and Schedule Management	
<b>Index</b>	<b>363</b>
<b>About EOLSS</b>	<b>373</b>

## VOLUME II

<b>Theory, Analysis and Design Methodology for Ship Maneuverability</b>	<b>1</b>
<i>Takeshi Fuwa, Japan Ship Technology Research Association, Japan</i>	
<i>Tatsuo Kashiwadani, Defense Technology Foundation, Japan</i>	
1. Preface	
2. Principle of Steering	
3. Basic Equation of Ship Steering Motion	
3.1. Virtual Masses and Virtual Moment of Inertial	
3.2. The Characteristics of Hydrodynamic Damping Forces and Propeller, Rudder Exciting Forces	
3.2.1. Forces and Moment due to the Ship Motion	
3.2.2. Forces and Moment due to the Propeller Action	
3.2.3. Force and Moment due to the Rudder Action	
3.3. The Estimation and Utilization of the Equations	
4. Response to Rudder Steering	
4.1. Equation of Response to Rudder Steering	
4.2. Indices of Ship Maneuverability	
4.2.1. Index of Turning Ability	
4.2.2. Index of Course Keeping Stability	
4.3. Simplified Equation of Response; 1st Order Equation of Response	
4.4. Zigzag Test and Application of the 1st Order Equation of Response	
4.5. Unstable Ships in Course Stability	
5. Navigation and Maneuverability	
5.1. Autopilot System	
5.2. Application of Control Theory to Autopilot System	
6. Safety and Maneuverability	
6.1. Human Factor and Ship Handling Simulator	
6.2. Maneuverability of VLCC	
6.3. Automatic Navigation System and Traffic Control	
7. Maneuverability in Ship Design	
7.1. Design Routine and Application of Numerical Simulation	
7.2. Flow Field and Hydrodynamic Aspect of Maneuverability	
8. Closing Remarks	
<b>Offshore Structure Design and Construction</b>	<b>46</b>
<i>Paul A Frieze, P A F A Consulting Engineers, UK</i>	
1. Introduction	
2. Types of Offshore Structures	
2.1. Overview	

- 2.2. Jacket
- 2.3. Tower
- 2.4. Jack-Up
- 2.5. Compliant Tower
- 2.6. Gravity Structure
- 2.7. Monotower
- 2.8. Monohull
- 2.9. Semi-Submersible
- 2.10. Tension Leg Platform (TLP)
- 2.11. Spar
- 3. Functional Requirements
  - 3.1. Introduction
  - 3.2. Jacket
  - 3.3. Tower
  - 3.4. Jack-Up
  - 3.5. Compliant Tower
  - 3.6. Gravity Structure
  - 3.7. Monotower
  - 3.8. Monohull
  - 3.9. Semi-Submersible
  - 3.10. Tension Leg Platform (TLP)
  - 3.11. Spar
- 4. Fundamental Design Requirements
  - 4.1. General
  - 4.2. Durability, Maintenance and Inspection
  - 4.3. Service Requirements
  - 4.4. Operating Requirements
    - 4.4.1. Manning
    - 4.4.2. Conductors and Risers
    - 4.4.3. Equipment and Material Layouts
    - 4.4.4. Personnel and Material Transfer
    - 4.4.5. Motions and Vibrations
  - 4.5. Special Requirements
  - 4.6. Location and Orientation
  - 4.7. Structural Configuration
    - 4.7.1. General
    - 4.7.2. Deck Elevation
    - 4.7.3. Splash Zone
    - 4.7.4. Stationkeeping Systems
    - 4.7.5. Compartmentation of Structures
- 5. Meteorological and Oceanographical Information
  - 5.1. General
  - 5.2. Water Depth, Tides and Storm Surges
  - 5.3. Wind
    - 5.3.1. General
    - 5.3.2. Action and Action Effects
    - 5.3.3. Profile and Time Averaged Wind Speed
    - 5.3.4. Spectra
  - 5.4. Waves
    - 5.4.1. General
    - 5.4.2. Actions and Action Effects
    - 5.4.3. Intrinsic, Apparent and Encounter Wave Periods
    - 5.4.4. Two-dimensional Wave Kinematics
    - 5.4.5. Maximum Individual Wave Height
    - 5.4.6. Wave Crest Elevation
    - 5.4.7. Wave Spectra
    - 5.4.8. Directional Spreading



- 5.5. Current
  - 5.5.1. General
  - 5.5.2. Velocities
  - 5.5.3. Profile
  - 5.5.4. Profile Stretching
  - 5.5.5. Effect of Stretching on Hydrodynamic Actions
  - 5.5.6. Blockage
- 5.6. Marine Growth
- 5.7. Tsunamis
- 5.8. Sea Ice and Icebergs
- 5.9. Ice and Snow Accretion
- 6. Geotechnical Information
  - 6.1. General
  - 6.2. Seabed Surveys or Shallow Geophysical Investigation
  - 6.3. Geological Modeling and Identification of Hazards
    - 6.3.1. General
    - 6.3.2. Earthquakes
    - 6.3.3. Fault Planes
    - 6.3.4. Sea Floor Instability
    - 6.3.5. Scour and Sediment Mobility
    - 6.3.6. Shallow Gas
    - 6.3.7. Seabed Subsidence
  - 6.4. Geological Investigation
    - 6.4.1. Introduction
    - 6.4.2. Soil Investigation and Testing
  - 6.5. Identification and Classification of Soils and Rocks
    - 6.5.1. Introduction
    - 6.5.2. Soil
    - 6.5.3. Rock
    - 6.5.4. Carbonate Soils
  - 6.6. Geotechnical Reporting
    - 6.6.1. Introduction
    - 6.6.2. Axial Capacity of Piled Foundations
    - 6.6.3. Axial Performance of Piled Foundations
    - 6.6.4. Lateral Performance of Piled Foundations
- 7. In-Service and Temporary Design Situations
  - 7.1. General
  - 7.2. Fabrication
  - 7.3. Weight
  - 7.4. Load-Out
  - 7.5. Sea Transport
  - 7.6. Offshore Installation
    - 7.6.1. Launching
    - 7.6.2. Lifting
    - 7.6.3. On-bottom Stability
  - 7.7. Topsides Installation
  - 7.8. Hook-Up
  - 7.9. Commissioning
  - 7.10. In-Service
  - 7.11. Decommissioning and Removal
- 8. Loading Categories
  - 8.1. Introduction
  - 8.2. Normal Operational Loadings
    - 8.2.1. Permanent Loads/Actions
    - 8.2.2. Variable Loads/Actions
    - 8.2.3. Environmental Loads/Actions
    - 8.2.4. Seismic Loads/Actions

- 8.3. Accidental and Abnormal Loadings
  - 8.3.1. General
  - 8.3.2. Group 2 Hazards
- 9. Loading Combinations
  - 9.1. Introduction
  - 9.2. Load Combinations per Phase
    - 9.2.1. Introduction
    - 9.2.2. Lifting
    - 9.2.3. Fabrication
    - 9.2.4. Load-out
    - 9.2.5. Transportation
    - 9.2.6. Installation
    - 9.2.7. Decommissioning and Removal
  - 9.3. In-Service Load Combinations
    - 9.3.1. Introduction
    - 9.3.2. Permanent Load/Actions
    - 9.3.3. Variable Loads/Actions
    - 9.3.4. Environmental Loads/Actions
    - 9.3.5. Seismic Loads/Actions
    - 9.3.6. Specific Combinations
  - 9.4. Working Stress Design v Limit State Design
    - 9.4.1. Introduction
    - 9.4.2. WSD and LRFD Formats
    - 9.4.3. Comparison of API RP 2A-WSD and LSD Formats
    - 9.4.4. Comparison of WSD and LSD Designs
- 10. Structural Analysis
  - 10.1. FEA Analysis
    - 10.1.1. Introduction
    - 10.1.2. Types of Analysis
    - 10.1.3. Linear Analysis
    - 10.1.4. Non-linear Analysis
    - 10.1.5. Input Parameters
  - 10.2. Modeling for FEA
    - 10.2.1. Introduction
    - 10.2.2. Member Modeling
    - 10.2.3. Joint Modeling
    - 10.2.4. Topsides Modeling
    - 10.2.5. Appurtenance Modeling
    - 10.2.6. Foundation Modeling
    - 10.2.7. Mass and Damping
    - 10.2.8. Detailed Local Models
  - 10.3. FEA Output
    - 10.3.1. Introduction
    - 10.3.2. Non-linear Behavior
- 11. Materials and Welding
  - 11.1. Material Properties
    - 11.1.1. Introduction
    - 11.1.2. Strength
    - 11.1.3. Toughness
    - 11.1.4. Weldability
    - 11.1.5. Typical Problems with Supplied Steel
  - 11.2. Effects of Welding
    - 11.2.1. Background
    - 11.2.2. Weld Filler Material
    - 11.2.3. Heat-affected Zone
  - 11.3. Reducing the Effects of Welding
  - 11.4. Weld Design

- 12. Topsides Design
  - 12.1. Main Structure
    - 12.1.1. Major Components
    - 12.1.2. Actions/Loads during Fabrication and Installation
    - 12.1.3. Actions/Loads In-Service
    - 12.1.4. Topsides Critical Design Areas
  - 12.2. Topsides Substructure and Main Structural Components
    - 12.2.1. Introduction
    - 12.2.2. Drilling Derrick
    - 12.2.3. Helideck
    - 12.2.4. Flare Tower
    - 12.2.5. Accommodation Block
    - 12.2.6. Processing and Production Block
    - 12.2.7. Crane Support Structures
    - 12.2.8. Bridges and Bridge Bearings
    - 12.2.9. Conductors, Risers and Caissons
    - 12.2.10. System Interface Assumptions
  - 12.3. Design Standards
    - 12.3.1. Introduction
    - 12.3.2. ANSI/AISC 360 Specification for Structural Steel Buildings
    - 12.3.3. EN 1993-1-1 Eurocode 3: Design of Steel Structures
    - 12.3.4. ISO 19901-3 Topsides Structure
  - 12.4. Special Design Issues
    - 12.4.1. Accidental and Abnormal Situations
    - 12.4.2. Fire
    - 12.4.3. Explosion
    - 12.4.4. Fire and Explosion Interaction
    - 12.4.5. Dropped Objects
    - 12.4.6. Vessel Impacts
    - 12.4.7. Abnormal Environmental Events
    - 12.4.8. Partial Load and Resistance Factors
- 13. Jacket Design
  - 13.1. Primary Structure
    - 13.1.1. Initial Structural Configuration
    - 13.1.2. Conceptual Design
    - 13.1.3. Detailed Design
  - 13.2. Secondary Structure
    - 13.2.1. Introduction
    - 13.2.2. Conductors, Caissons and Risers
    - 13.2.3. Foundations
    - 13.2.4. Tubular Joints
    - 13.2.5. Appurtenances
    - 13.2.6. Load Cases
  - 13.3. Special Design Issues
    - 13.3.1. Corrosion
    - 13.3.2. Fatigue
    - 13.3.3. Accidental and Abnormal Events
    - 13.3.4. Constructability
    - 13.3.5. Transportation
    - 13.3.6. Installation and Erection
    - 13.3.7. Scour
    - 13.3.8. Reassessment of Substructure
- 14. Piling and Foundation Design
  - 14.1. Pile and Piling Basics
    - 14.1.1. Piling Basics
    - 14.1.2. Load-Carrying Mechanisms
  - 14.2. Detailed Pile Behavior and Design
    - 14.2.1. Introduction

- 14.2.2. Lateral Soil Resistance-Pile Displacement ( $p$ - $y$ ) Curves
- 14.2.3. Effect of Scour
- 14.2.4. Group Effects
- 14.2.5. Pile Strength Checks – In-Place
- 14.2.6. Pile Strength Checks during Hammer Placement
- 14.3. Pile Driving Design
  - 14.3.1. Pile Driving
  - 14.3.2. The Wave Equation
  - 14.3.3. Hammers
- 14.4. Mudmats and Shallow Foundations
  - 14.4.1. Mudmats
  - 14.4.2. Shallow Foundations
- 15. Introduction to Corrosion Protection
  - 15.1. Methods of Corrosion Protection
    - 15.1.1. Introduction
    - 15.1.2. Coatings and Wrappings
    - 15.1.3. Cathodic Protection Systems
    - 15.1.4. Corrosion Resistant Materials and Corrosion Inhibitors
    - 15.1.5. Corrosion Allowance
  - 15.2. Levels of Corrosion Protection
    - 15.2.1. Introduction
    - 15.2.2. Coatings and Wrappings
    - 15.2.3. Cathodic Protection Systems
    - 15.2.4. Corrosion Resistant Materials and Corrosion Inhibitors
    - 15.2.5. Corrosion Allowance

**Life Cycle of Ships and Offshore Structures - Inspection and Survey of Ship Structures: An Introduction** **218**  
 Cesare Mario Rizzo, *Department of Naval Architecture and Marine Technologies, University of Genova, Italy*

1. Introduction
2. Who
  - 2.1. Who Requires Inspections (Legal Framework / International Conventions)
    - 2.1.1. Mandatory Inspections
      - 2.1.1.1. SOLAS
      - 2.1.1.2. MARPOL
      - 2.1.1.3. Load Line Convention
      - 2.1.1.4. Other IMO Regulatory Instruments
      - 2.1.1.5. Rules of IACS Classification Societies
      - 2.1.1.6. Flag State Laws
      - 2.1.1.7. Port State Control
    - 2.1.2. Industry Driven Inspections
      - 2.1.2.1. Owner's Inspections (Crew and Superintendents)
      - 2.1.2.2. Vetting and Charterers' Inspections
      - 2.1.2.3. Insurance and P&I Clubs
      - 2.1.2.4. CAP
      - 2.1.2.5. Terminal Regulations
    - 2.1.3. Who Carries Out Inspections and Surveys (Stakeholders / Inspection Bodies)
      - 2.1.3.1. Classification Societies
      - 2.1.3.2. Port State Control
      - 2.1.3.3. Flag States
      - 2.1.3.4. Other Surveyors and Inspectors
3. When
  - 3.1. When Inspections are Carried Out: Frequency and Ship's Age
  - 3.2. When Inspections are carried Out: Operational Conditions
4. Where
  - 4.1. Location in the Ship (Areas and Parts of the Ship)

- 4.2. Location of the Ship (Environmental Conditions)
- 5. What
  - 5.1. Items to Be Checked Onboard
    - 5.1.1. Crew Management (Statutory Requirements)
    - 5.1.2. Navigation (Statutory Requirements)
    - 5.1.3. Safety Management (Statutory Requirements)
    - 5.1.4. Pollution Prevention (Statutory Requirements)
    - 5.1.5. Structural Condition (Mainly Class Requirements)
    - 5.1.6. Cargo and Ballast Systems (A combination of Statutory and Class Requirements)
    - 5.1.7. Mooring (A combination of Statutory and Class Requirements)
    - 5.1.8. Communications (Statutory Requirements)
    - 5.1.9. Machinery, Engine and Steering (A combination of Statutory and Class Requirements)
    - 5.1.10. General Appearance and Condition (A combination of Statutory and Class Requirements)
  - 5.2. Survey Objectives and Degradation Modes of Ship Structures
    - 5.2.1. Corrosion and Wastage
    - 5.2.2. Fatigue and Fracture
    - 5.2.3. Local Deformation
- 6. How Inspections are Carried Out
  - 6.1. Safety Measures for Ship Surveyors
    - 6.1.1. Tank Cleaning
    - 6.1.2. Ventilation
    - 6.1.3. Lighting
    - 6.1.4. Protective Equipment
  - 6.2. Accessibility
  - 6.3. Inspection Scope and Extension
    - 6.3.1. Overall Survey
    - 6.3.2. Close-Up Survey
    - 6.3.3. Underwater Testing
    - 6.3.4. Non-Destructive Testing (NDT)
- 7. The Inspection Matrix
  - 7.1. Introduction
  - 7.2. Crew Management
  - 7.3. Navigation
  - 7.4. Safety Equipment and Safety Management
  - 7.5. Pollution Prevention
  - 7.6. Hull and Structures
    - 7.6.1. Hull in General
    - 7.6.2. Shell Plating
    - 7.6.3. Bottom
    - 7.6.4. Weather Decks
    - 7.6.5. Watertight Bulkheads
    - 7.6.6. Superstructure
    - 7.6.7. Fore and Aft Peak Tanks
    - 7.6.8. Cargo Holds and Tank Structures
    - 7.6.9. Ballast Tank Internals
    - 7.6.10. Openings and Coamings
    - 7.6.11. Sidescuttles and Deadlights
    - 7.6.12. Bulwarks, Guard Rails
    - 7.6.13. Coating
    - 7.6.14. Tank Testing
    - 7.6.15. Thickness Measurements
  - 7.7. Stability
  - 7.8. Cargo and Ballast Systems
  - 7.9. Venting Arrangements and Hull Operational Equipment
  - 7.10. Mooring
  - 7.11. Communications
  - 7.12. Engine and Steering

7.13. General Appearance and Condition  
Acknowledgement

**Life Cycle of Ships and Offshore Structures Risk-Based Strategies for the Next Generation of Maintenance and Inspection Programs** 269

Christopher M. Serratella, *American Bureau of Shipping, USA*  
Ge Wang, *American Bureau of Shipping, USA*  
Robert Conachey, *American Bureau of Shipping, USA*

1. Introduction
  2. Risk-Based Approaches
  3. Rationale and Benefits of RBI
    - 3.1. RBI Methodology
    - 3.2. RBI Study Results
  4. Reliability-Centered Maintenance
    - 4.1. Overview of RCM Principles
      - 4.1.1. Equipment Failure Basics
      - 4.1.2. Equipment Failure Rate and Patterns
    - 4.2. Overview of Maintenance Task Types
    - 4.3. RCM Analysis Process
      - 4.3.1. Step Nos. 1 through 4 – System Modeling, Functions and Functional Failures
      - 4.3.2. Step No. 5 – Conduct FMECA
      - 4.3.3. Step No. 6 – Select Failure Management Tasks
      - 4.3.4. Step No. 7 – Spare Parts Holdings
      - 4.3.5. Step No. 8 – Sustainment Process
  5. Conclusions
- Acknowledgements

**Life Cycle of Ships and Offshore Structures: Hull Inspection and Maintenance System** 294

S. G. Kalghatgi, C. Serratella and J. B. Hagan, *American Bureau of Shipping, USA*

1. Introduction
  2. Stakeholders – Hull Condition
  3. Drivers and Opportunities
  4. Traditional Hull Inspection
  5. Managing Hull Inspections using software
    - 5.1. Six Inspection Criteria for Hull Structure
      - 5.1.1. Coating
      - 5.1.2. General Corrosion
      - 5.1.3. Pitting and Grooving
      - 5.1.4. Deformation
      - 5.1.5. Fractures
      - 5.1.6. Housekeeping/Cleanliness
    - 5.2. Compartment Zones
  6. Compartment Scoring System
  7. Critical Areas Inspection
  8. Inspection Data Processing
    - 8.1. Compartments
    - 8.2. Recording Anomalies
  9. Benefits
    - 9.1. Fleet Management and Trending
  10. Training
  11. Conclusions
- Acknowledgements

**Life Cycle of Ships and Offshore Structures Decommissioning of Fixed Offshore Platforms** 309  
Frank J. Puskar, *Energo Engineering, USA*

1. Background
2. Rigs-to-Reefs
3. The Decommissioning Process
  - 3.1. Engineering and Planning
  - 3.2. Platform Preparation
  - 3.3. Well Plugging and Abandonment
  - 3.4. Conductor Removal
  - 3.5. Pipeline and Underwater Cable Removal
  - 3.6. Topsides Removal
  - 3.7. Substructure Removal
  - 3.8. Site Clearance
4. The Future

**Index** 317

**About EOLSS** 327