

CONTENTS

VOLUME XVI

Fault Diagnosis and Fault-tolerant Control	1
Paul M. Frank, <i>Fellow IEEE, University Duisburg-Essen, Duisburg, Germany</i>	
Mogens Blanke, <i>Technical University of Denmark, Lyngby, Denmark</i>	

1. Introduction
2. Fault Diagnosis: Basic Definitions and Concepts
 - 2.1. Faults
 - 2.2. Unknown Inputs
 - 2.3. Tasks
 - 2.4. Residual Generation and Evaluation
3. Model-free Approaches to Fault Diagnosis
 - 3.1. Physical Redundancy Approach
 - 3.2. Signal-based Approach
 - 3.3. Plausibility Check
4. Principles of Model-based Fault Diagnosis
 - 4.1. The Diagnostic Strategy
 - 4.2. Types of System Models
5. Analytical Methods of Model-based Residual Generation
 - 5.1. Analytical Modeling of the System
 - 5.2. Modeling of Faults
 - 5.3. Analytical Residual Generation
 - 5.4. Structured Residuals
 - 5.5. Robust Residual Generation
6. Knowledge-based Approaches to Model-based Residual Generation
7. Residual Evaluation
8. Historical Review of Fault Diagnosis Approaches
9. Fault-tolerant control
10. Determining appropriate reactions to faults
11. Analysis based on system structure
 - 11.1. Analytical Redundancy in a System
 - 11.2. Structural Controllability and Observability
12. Fault-tolerant control based on Diagnosis
 - 12.1. Active and Passive Approach to Fault-tolerant Control
 - 12.2. The Control Problem
 - 12.3. Sensor Faults
 - 12.4. Actuator Faults
 - 12.5. General Plant Faults
 - 12.6. Time to Reconfigure - A Requirement in Fault Tolerant Control
13. Conclusion

Fault Diagnosis for Linear Systems	29
Paul M. Frank, <i>Gerhard-Mercator-University of Duisburg, Germany</i>	

1. Introduction
2. Model of the system, faults and uncertainties
3. Methods of residual generation
4. Parity space approach to residual generation
5. Observer-based residual generation
 - 5.1. Fault Detection Filter
 - 5.2. Decoupling in the Frequency Domain - Fault Isolation
 - 5.3. Banks of Observers (Observer Schemes)
6. Fault analysis using parameter estimation

7. Residual evaluation
8. Conclusion and Perspectives

Fault Diagnosis for Nonlinear Systems

54

Michel Kinnaert, *Université Libre de Bruxelles, Brussels, Belgium*

Joseph J. Yame, *Université Libre de Bruxelles, Brussels, Belgium*

1. Introduction
2. Model Classes
3. Residual Generator Design
 - 3.1. Problem Statement
 - 3.2. Principle of the Solution of the FPRG for Bilinear Systems
 - 3.3. Extension of the Solution to State-Affine Systems
 - 3.4. FPRG for Control Affine Systems
 - 3.4.1. Uniformly Observable System and High Gain Observer
 - 3.4.2. Fault Detection and Isolation in a Hydraulic System
 - 3.5. Analytical Redundancy Relations
4. Fuzzy Model Based Fault Detection for Nonlinear Systems
 - 4.1. Motivation
 - 4.2. Takagi-Sugeno Fuzzy Model
 - 4.3. Fuzzy Observer-Based Residual Generator
5. Conclusion

Design Methods for Robust Fault Diagnosis

84

Ronald John Patton, *Department of Engineering, University of Hull, UK*

Jie Chen, *Department of Mechanical Engineering, Brunel University, UK*

1. Introduction
2. Model-based methods for FDI
 - 2.1. System Model
 - 2.2. Residual Generators
 - 2.3. Fault Detectability
3. Observer-based residual generation
4. The need for robustness in FDI
 - 4.1. Robustness to Disturbances
 - 4.2. Robustness to Modeling Errors
5. Robust FDI design using unknown input observers
6. Robust FDI design using eigenstructure assignment
 - 6.1. Residual Generation and Disturbance De-coupling Principle
 - 6.2. Disturbance De-coupling by Assigning Left Eigenvectors
 - 6.3. Disturbance De-coupling by Assigning Right Eigenvectors
7. Robust FDI design using H_∞ optimization
 - 7.1. Residual Generation within the H_∞ Framework
 - 7.2. Robust Residual with Disturbance Attenuation
 - 7.3. Fault Estimation with Disturbance Attenuation
8. Concluding Remarks

Qualitative Methods for Fault Diagnosis

112

Jan Lunze, *Ruhr University Bochum, Germany*

1. Introduction
2. Basic properties of qualitative models
3. The diagnostic principle
4. Logic-based fault diagnosis
 - 4.1. The General Diagnostic Engine

- 4.2. Basic Notions of Propositional Logic
- 4.3. Assumption - Based Truth Maintenance System
- 4.4. Extensions
- 5. Diagnosis of discrete-event systems
 - 5.1. Representation of Discrete-event Systems by Automata
 - 5.2. Diagnosis of Discrete-event Systems
 - 5.3. Example
- 6. Outlook

Statistical Methods for Change Detection

130

Michele Basseville, *Institut de Recherche en Informatique et Systèmes Aléatoires, Rennes, France*

- 1. Introduction
 - 1.1. Motivations for Change Detection
 - 1.2. Motivations for Statistical Methods
 - 1.3. Three Types of Change Detection Problems
- 2. Foundations-Detection
 - 2.1. Likelihood Ratio and CUSUM Tests
 - 2.1.1. Hypotheses Testing
 - 2.1.2. On-line Change Detection
 - 2.2. Efficient Score for Small Deviations
 - 2.3. Other Estimating Functions for Small Deviations
- 3. Foundations-Isolation
 - 3.1. Isolation as Nuisance Elimination
 - 3.2. Isolation as Multiple Hypotheses Testing
 - 3.3. On-line Isolation
- 4. Case Studies-Vibrations

Industrial Applications of Fault Diagnosis

146

Rolf Isermann, *Darmstadt University of Technology, Germany*
 Dominik Fussel, *Darmstadt University of Technology, Germany*
 Harald Straky, *Darmstadt University of Technology, Germany*

- 1. Introduction and Overview
 - 1.1. Main Application Areas
- 2. Methods
 - 2.1. Fault Detection Methods
 - 2.1.1. Parameter Estimation Methods and Signal Models
 - 2.1.2. Observers and State Estimation
 - 2.1.3. Parity Equations
 - 2.2. Fault Diagnosis Methods
 - 2.2.1. Classification Methods
 - 2.2.2. Fuzzy and Neuro-Fuzzy Approaches
- 3. Application Examples
 - 3.1. Fault Diagnosis of a Heat Exchanger
 - 3.1.1. Modeling and Identification
 - 3.1.2. Model-Based Fault Detection
 - 3.1.3. Fault Diagnosis
 - 3.2. Fault Diagnosis of an Electric Throttle Valve Actuator
 - 3.3. Fault Detection of a Solenoid Valve
 - 3.3.1. Modeling and Identification
 - 3.3.2. Fault Detection
- 4. Future Aspects

Off-Line Methods for Fault Diagnosis and Inspection**168**Filbert, D. , *Institute of Measurement and Control Science, Technical University Berlin, Berlin, Germany*

1. Introduction
2. Parameter Estimation
 - 2.1. Modeling the System under Test
 - 2.2. An Example of Modeling
 - 2.3. Excitation of the System under Test
3. Pattern Recognition for Fault Diagnosis
 - 3.1. Feature Evaluation and Selection
 - 3.2. Modeling and Simulation of the Vibration
 - 3.3. Modeling of the Vibration Generation
 - 3.4. Simulation of the Vibration Signal
 - 3.5. Modeling the Current Ripple Generation
 - 3.5.1. Modeling the Current Ripple of a Faultless Motor
 - 3.5.2. Modeling the Fault "Poor Bond at Commutator"

Experience with Knowledge-Based Systems for Maintenance Diagnosis**191**Dieter Wach, *Institute for Safety Technology (ISTec), Garching near Munich, Germany*

1. Introduction
2. Development Steps in Methodology
 - 2.1. History of Early Fault Detection
 - 2.2. Needs for Knowledge-based Methods
3. Basic Characteristics of Early Fault Detection Methods
 - 3.1. Reference Signatures, Feature Extraction and Long-term Trending
 - 3.2. Model-based vs. Signal (Feature)-based Surveillance
 - 3.3. Signature Data Banks for Centralized Diagnosis Services
4. Condition Monitoring for Improved Maintenance in Nuclear Power Plants
 - 4.1. Systems and Diagnosis Experiences
 - 4.2. Investigations and Developments for Knowledge-based Diagnosis
5. Condition Monitoring for Improved Maintenance in Other Industries
 - 5.1. Examples from Aircraft Industry
 - 5.2. Examples from Car Industry (Motor Cars and Trucks)
 - 5.3. Examples from Railway Industry
6. Conclusions

Fault Tolerant Systems**215**Marcel Staroswiecki, *Ecole Polytechnique Universitaire de Lille, University Lille I, France*

1. Introduction
2. Control and Fault Tolerant Control
 - 2.1. Control Problem
 - 2.1.1. Standard Control Problem
 - 2.1.2. The Control Problem with Uncertainties
 - 2.2. Fault Tolerant Control Problem
 - 2.2.1. Impact of Faults
 - 2.2.2. Passive vs Active Fault Tolerant Control
 - 2.2.3. Available Knowledge
 - 2.2.4. Active Fault Tolerant Control Strategies
 - 2.2.5. On-line vs Off-line Solution of the FTC Problem
 - 2.3. Supervision Problem
3. Model Matching and the Pseudo-inverse Method
 - 3.1. Nominal Solution
 - 3.2. Fault Accommodation
 - 3.2.1. Consistency Conditions still hold

- 3.2.2. Consistency Conditions do not hold: Approximate Model Matching
- 3.3. System Reconfiguration
- 4. Optimal Control: the LQ problem
 - 4.1. Nominal Solution
 - 4.2. Fault Tolerant Control and Admissible Solutions
 - 4.2.1. First Problem Setting
 - 4.2.2. Admissible Solutions
 - 4.2.3. General Problem Setting
 - 4.3. Fault Accommodation
 - 4.3.1. Identifying the Faulty System
 - 4.3.2. Accommodating the Control to the Faulty System
 - 4.3.3. Testing the Admissibility of the Accommodated Control
 - 4.4. System Reconfiguration
- 5. System reconfiguration and Structural Properties
 - 5.1. The set of system configurations
 - 5.2. Minimal Component Sets
 - 5.3. Critical Resources
 - 5.4. Evaluating the Fault Tolerance Capability
 - 5.4.1. Redundancy Degrees
 - 5.4.2. Reliability of Property p
 - 5.5. Fault Tolerance and Maintenance Design
 - 5.5.1. Condition Based Maintenance
 - 5.5.2. Systematic maintenance
- 6. Example
 - 6.1. Model Matching
 - 6.2. Optimal Control
 - 6.3. Reconfiguration and Observability
- 7. Conclusion

Fault-Tolerant Control Using LMI Design

255

Jie Chen, *Department of Mechanical Engineering, Brunel University, Uxbridge, UB8 3PH, UK*
 Ron J. Patton, *School of Engineering, University of Hull, Hull, HU6 7RX, UK*

- 1. Introduction
- 2. Active Fault-Tolerant control Systems Design Using LMI Design
 - 2.1. Fault-Tolerant Control System Formulation
 - 2.2. LMI Solution of Fault-Tolerant Control Systems Design
- 3. Fault Diagnostic Observer Design Using LMI Design for Uncertain Systems
 - 3.1. Takagi-Sugeno Fuzzy Model and Stability Analysis
 - 3.1.1. Takagi-Sugeno fuzzy Model
 - 3.1.2. Stability Analysis
 - 3.1.3. Eigenvalue assignment
 - 3.2. Fuzzy Observers and Residual Generation
- 4. Conclusion

Structural Analysis for Fault Detection and Isolation and for Fault Tolerant Control

279

Marcel Staroswiecki, *LAIL-CNRS UMR 8021, Polytech'Lille, University Lille I, France*

- 1. Introduction
- 2. Structural model
 - 2.1. Structure as a Bipartite Graph
 - 2.2. Subsystems
 - 2.3. Structural Properties
- 3. Matching on a bipartite graph
 - 3.1. Definitions
 - 3.2. Oriented Graph Associated with a Matching

4. Causal interpretation
 - 4.1. Algebraic Constraints
 - 4.2. Differential Constraints
 - 4.3. Loops
5. System Decomposition
 - 5.1. Canonical Decomposition
 - 5.2. Causal Subsystems
6. Observability
 - 6.1. Structural Observability Conditions
 - 6.2. Graph Based Interpretation and Formal Computation
7. Monitorability
 - 7.1. Analytical Redundancy Based Fault Detection and Isolation
 - 7.2. The Structurally Monitorable Subsystem
 - 7.3. The Design of Robust and Structured Residual
8. Fault tolerant estimation
9. Controllability
 - 9.1. Structural Controllability Conditions
 - 9.2. Fault Tolerant Control
10. A simple example
11. Conclusion

Fault Accommodation Using Model Predictive Methods

306

Jovan D. Boskovic, *Scientific Systems Company, Inc., Woburn, Massachusetts, USA*
 Raman K. Mehra, *Scientific Systems Company, Inc., Woburn, Massachusetts, USA*

1. Introduction
 - 1.1. Model Predictive Control (MPC)
 - 1.2. Failure Accommodation
2. The Fault Accommodation Problem
3. Failure Modeling
4. Failure Accommodation
 - 4.1. Failure Detection and Identification (FDI)
 - 4.2. MMPC Derivation
5. Conclusions

Control Reconfiguration

320

Jan Lunze, *The Institute of Automation and Computer Control, Ruhr University Bochum, Germany*

1. Introduction
2. Example
3. State of the Art
4. Reconfigurability Analysis
5. Reconfiguration Based on a Qualitative Model
6. Reconfiguration Based on Model-matching
7. Observer-based Control Reconfiguration
8. Reconfigurable Model-predictive Control
9. Outlook

Adaptive and Neural Approaches to Fault-tolerant Control

334

Amit Patra, *Department of Electrical Engineering, Indian Institute of Technology, Kharagpur – 721 302, India*

S. Mukhopadhyay, *Department of Electrical Engineering, Indian Institute of Technology, Kharagpur – 721 302, India*

S. Sen, *Department of Electrical Engineering, Indian Institute of Technology, Kharagpur – 721 302, India*

1. Introduction
2. An Adaptive Approach to Actuator Fault Tolerant Control
 - 2.1. Model of a Space-craft Autopilot
 - 2.2. Design of Fixed Controllers
 - 2.3. Design of the Adaptive Controller
 - 2.4. Decision Logic
 - 2.5. Results and Discussions
3. A Neural Network Approach to Sensor Fault Tolerant Control
 - 3.1. Brief Description of the Tennessee Eastman Challenge Process
 - 3.2. Architecture of Sensor Fault Tolerant Control
 - 3.2.1. Scheme of Estimation of single sensor Faults
 - 3.2.2. ANN Model Selection and Training
 - 3.2.2.1. Modelling a Dynamic System with a Feed-forward ANN
 - 3.2.2.2. Selection of ANN Model Structure
 - 3.3. Results and discussions
4. A Neuro-Adaptive Approach to Process Fault Tolerant Control
 - 4.1. Brief description of the Adaptive Critic Algorithm
 - 4.2. Realization of the Algorithm
 - 4.3. Results and Discussions
5. Conclusions

Index **369**

About EOLSS **377**